



**CROSBY & OVERTON, INC.**  
ENVIRONMENTAL SERVICES

**AUDIT PACKAGE**

**December 1, 2024**



**CROSBY & OVERTON, INC.**  
ENVIRONMENTAL SERVICES

**TABLE OF CONTENTS**

|   | Page                           |
|---|--------------------------------|
| General Facility Information  | 1 - 5                          |
| EPA: Acknowledgement of Notification of Hazardous Waste Activity (EPA ID # CAD028409019)  | 6                              |
| United States Environmental Protection Agency (EPA) CERCLA Approval   | 7                              |
| Hazardous Waste Facility Permit   | 8                              |
| Table of Acceptable "EPA and State Codes"   | 9                              |
| <i>California State Environmental Laboratory Accreditation Program: Certificate No. 1568</i>  | <i>10 - 15</i>                 |
| <ul style="list-style-type: none"><li>• Pollution Proficiency Testing Certificate for WP-343, 345</li><li>• Certificate of Excellence for WP-332 Proficiency Test</li><li>• SOIL Proficiency Testing Certificate for SOIL-124</li></ul>   | <br>16<br>17<br>18             |
| Transportation Authority  |                                |
| <ul style="list-style-type: none"><li>• CA Hazardous Waste Transporter Registration</li><li>• CA Motor Carrier Permit</li><li>• CA Hazardous Materials Transportation License</li><li>• DTSC Hazardous Waste Transporter Registration Certificate</li><li>• Nevada Transportation Credentials</li></ul> | <br>19<br>20<br>21<br>22<br>23 |
| State of California Contractors State License   | 24                             |
| Weighmaster License   | 25                             |
| DTSC Letter of Receipt of Permit Renewal  | 26 -27                         |
| DTSC Financial Responsibility Review Findings   | 28 – 30                        |
| DTSC Inspection Report  | 31 - 32                        |
| DTSC Inspection Violation Score   | 33 - 34                        |
| L.A. County Industrial Wastewater Discharge Permit  | 35                             |
| County Sanitation Certificate of Recognition for Compliance   | 36                             |
| South Coast Air Quality Management District Permits   | 37                             |
| City of Long Beach Business and Fire Permit   | 38 - 39                        |
| Certified Unified Program Agency (CUPA)   | 40 - 41                        |
| CHWMEG Facility Review Program  | 42 - 43                        |
| Certificate of Liability Insurance  | 44                             |

# Crosby & Overton, Inc.

## General Facility Information

### 1. GENERAL INFORMATION

Crosby & Overton, Inc.  
1610 W. 17<sup>th</sup> Street  
Long Beach, CA 90813

Phone: (562) 432-5445  
Fax: (562) 436-7540

SIC Code – 4953  
NAICS – 562211

Fed ID: 95-2048228

### 2. FACILITY INFORMATION

TSDF Plant #1 – Long Beach  
1630 W. 17<sup>th</sup> Street  
Long Beach, CA 90813  
Phone: (562) 432-5445  
Fax: (562) 495-2181

Transfer Station  
23285 Connecticut Street  
Hayward, CA 94545  
Phone: (510) 633-0336  
Fax: (510) 633-0759

EPA#: CAD028409019  
Hours: \*6:00am – 11:00pm

Contact Information:  
Sales-Ernie Jaramillo: (714) 715-2923  
Facility-Derryl Bailey: (510) 773-9195  
Office - Lisa Christensen: (510) 455-1002

\*Extended hours to accommodate your project or emergency needs

### 3. LONG BEACH FACILITY (PLANT) RCRA TSDF

- Years in operation: 75 years
- Approximate size of the TSDF: 43,600 square feet
- Previous company names: None
- Description of any environmental problems: None
- Permitted Capacity: Approximately 16,000,000 gallons of bulk liquid per year
- Drum Capacity: Throughput of 656 drums per day
- Ownership of Land: Crosby & Overton, Inc.
- Surrounding Neighborhood: C & O is located in a heavy industrial area of Long Beach with no residential use in the immediate area.
  
- **Climatic Conditions:** The site is located in an area with moderate temperatures year round.
  
- **Site Topography:** The site is approximately 10 ft. above sea level. The entire facility is surrounded by an 8 ft. security fence. Access control is by 3-30 ft. gates which remain closed except when waste transporters are entering or leaving the facility. The site is completely surrounded by berms which are a minimum of 10 inches high. The facility has a minimum of 8 inches of concrete beneath the entire facility and has a rainwater collection system.

#### A. ACCEPTABLE WASTE STREAMS

1. Bulk Liquids for On-Site Treatment
  - Non Hazardous Liquids
  - Non RCRA & RCRA (see Table 1 for acceptable codes)
  
2. Drummed Liquids and Solids \*
  - Non Hazardous
  - Non RCRA & RCRA (see Table 1 for acceptable codes)
  - Lab Packs
  - Household Hazardous Waste

*\*Roll-offs and Tri-walls acceptable for some waste streams*

#### B. UNACCEPTABLE WASTE STREAMS

1. Bulk Liquids
  - Waters with high concentrations of soluble contaminants
  - Waste w/ PCB's
  - Waste w/ Cyanides >1.20 mg/L
  - Waste w/ Sulfides >10 ppm (*high Sulfides may result in additional charges*)
  - Water w/ high metals
  - Water w/>49.9 % Hydrocarbons

## 2. Bulk Solids

- Because of space restrictions, C & O does not typically manage roll-off box quantities of solid waste.

## 3. Drummed Liquids & Solids

- Radioactive
- Biological
- Explosive
- PCBs

### C. TREATMENT PROCESS

Wastewater containing hydrocarbons and suspended solids are physically separated from the aqueous phase through filtration and centrifugation. The hydrocarbons are sent off for either fuels blending or recycling depending on the quality of the material. Solids which are not suspended are removed through gravity separation and sent to Landfill. Emulsified hydrocarbons are separated from the aqueous phase through chemical treatment and the remaining trace organics are removed through our carbon adsorption system.

### D. DISCHARGE LIMITS

Crosby & Overton discharges treated waste water to a POTW (Publicly Owned Treatment Works) under permit from Sanitation Districts of Los Angeles County. Prior to discharge, each batch of waste water is analyzed by C & O's State Certified Laboratory to ensure compliance with our strict effluent discharge limitations.

### E. DISPOSAL FACILITIES USED BY CROSBY & OVERTON

During the course of the waste treatment process at Crosby & Overton both hazardous and non-hazardous waste by-products are generated. Crosby & Overton utilizes only nationally recognized and permitted waste management companies for the disposal of these wastes. Whenever possible, Crosby & Overton will recycle the waste by-products, if recycling is not possible then the waste is incinerated. If incineration is not practicable, then the waste is landfilled.

Periodic audits are performed on all of the disposal facilities to ascertain overall compliance with applicable Federal, State and local regulations. These audits are also used to ensure waste is handled and disposed of in accordance with Crosby & Overton's instructions.

### F. DRUM STORAGE

The number of hazardous waste drums the facility is permitted to store is 656. The drums are segregated and contained by hazard class in individual drum storage cells.

## **G. TANK STORAGE**

The facility operates 20 treatment tanks for a total capacity of 175,000 gallons (largest tank is 21,000 gallons), which are used to process non-hazardous, non-RCRA hazardous, and RCRA wastewaters under local, and Federal Centralized Waste Treatment regulations. All tanks vent to carbon, and are visually inspected daily, and undergo an annual physical inspection and professional engineer certification.

## **H. FACILITY SERVICES**

Crosby & Overton Inc. operates a state certified laboratory located on site which supports the facility needs. The laboratory runs the following tests for waste certification/disposal:

- Organics (liquids/solids) EPA 601/602, EPA 624, EPA 8021
- Title 22 CAM metals EPA 6010
- Colorimetric Test (sulfides, cyanides, COD)
- Ignitability EPA 1010
- pH
- Free Cyanides
- Metals (in water) EPA 6010B, EPA 200.7

Laboratory services are wastes handled at facility only. Crosby & Overton does not analyze waste for disposal at other facilities.

Crosby & Overton also has a trained field services crew that provides on-site waste classification, and lab-packing for shipment to the Plant (Long Beach TSDF).

## **I. SAFETY RECORD**

C & O is proud of our safety record. There has been two lost time injury in the past three years.

- 2022 – 0 lost time accident
- 2021 – 1 lost time accident
- 2020 – 1 lost time accident

## **J. CIVIL ACTIONS**

No pending

## **K. INSURANCE CERTIFICATES**

The following sample insurance certificates are enclosed: General Liability/Professional Services, Automobile Liability, Umbrella Liability, Pollution Liability, Property and Workers Compensation.

#### **L. LICENSES AND PERMITS**

- California Environmental Protection Agency (CAL EPA), Department of Toxic Substances Control (DTSC), Region 4 – 10 Year Long Beach Hazardous Waste Facility Permit for RCRA and Non-RCRA Waste EPA ID Number: CAD 028409019 issued August 22, 2014
- California Hazardous Waste Transportation Registration No. 25
- South Coast Air Quality Management District  
Permit Number G68612 (waste water separation)  
Permit Number D70386 (dust collector cartridge type)  
Permit Number D70387 (activated carbon adsorber)  
Permit Number D70388 (activated carbon adsorber)  
Permit Number D70389 (activated carbon adsorber)  
Permit Number D70390 (activated carbon adsorber)
- State of California “A General Engineering“ License 450744
- State of California “Environmental Laboratory Accreditation Program”  
Crosby & Overton Analytical Laboratory Certificate No. 1568
- Los Angeles County Sanitation District  
Industrial Waste Discharge Permit No. 1317
- City of Long Beach  
Business License BU88024970  
CUPA Permit No. HC00001447  
CUPA Permit No. HC00002572  
CUPA Permit No. HC00004174  
Fire Permit No. FP22015719

#### **M. CERTIFICATE S OF TREATMENT / RECEIPT**

The completed hazardous waste manifest, signed by the facility, serves as the certificate of treatment and receipt. However, if additional documentation is necessary, contact the Crosby & Overton Customer Service Department.

#### **4. HAYWARD TRANSFER FACILITY**

Crosby & Overton operates an exempt 10-day transfer facility in Hayward California. Waste is transferred to the Long Beach Facility for further processing.



**ACKNOWLEDGEMENT OF NOTIFICATION  
OF HAZARDOUS WASTE ACTIVITY**

This is to acknowledge that you have filed a Notification of Hazardous Waste Activity for the installation located at the address shown in the box below to comply with Section 3010 of the Resource Conservation and Recovery Act (RCRA). Your EPA Identification Number for that installation appears in the box below. The EPA Identification Number must be included on all shipping manifests for transporting hazardous wastes; on all Annual Reports that generators of hazardous waste, and owners and operators of hazardous waste treatment, storage and disposal facilities must file with EPA; on all applications for a Federal Hazardous Waste Permit; and other hazardous waste management reports and documents required under Subtitle C of RCRA.

EPA I.D. NUMBER

CA0028409019

INSTALLATION ADDRESS

CROSBY & OVERTON INC  
1620 W. 16TH ST.  
LONG BEACH CA 90815  
  
1620 W. 16TH ST.  
LONG BEACH CA 90815





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
REGION IX  
75 Hawthorne Street  
San Francisco, CA 94105

NOV 13 1999

Environmental Affairs Manager  
Crosby & Overton  
1610 West 17th Street  
Long Beach, CA 90813

RE: Environmental Protection Agency Region 9 Determination of Acceptability  
under the CERCLA Off-Site Rule

In response to your request for approval to receive CERCLA waste at your facility, this letter serves to inform you that the U.S. Environmental Protection Agency (EPA), Region 9 has made an affirmative determination regarding the acceptability status of Crosby & Overton (CAD028409019) pursuant to the CERCLA Off-Site Rule, 40 CFR. §300.440. As of the date of this letter, Crosby & Overton may accept CERCLA waste generated as a result of a CERCLA remedial or removal action.

On September 16, 1993, EPA amended the National Oil and Hazardous Substances Pollution Contingency Plan (NCP), 40 CFR Part 300, by adding Section 300.440, now known as the Off-Site Rule ("Rule"). The Rule codifies the requirements contained in Section 121(d)(3) of CERCLA, 42 U.S.C. §9621 (d)(3), and incorporates many provisions of EPA's former Off-Site Policy. The Rule established criteria and procedures for determining whether facilities are acceptable for the receipt of CERCLA waste. A copy of the Rule as published in the Federal Register, is enclosed for your reference (58 Fed. Reg. 49200 - 49218, September 22, 1993).

The Rule requires that prior to a facility's initial receipt of CERCLA waste, EPA must determine that there are no relevant violations or relevant releases at the facility. Should any new information affecting this determination be obtained in the future, EPA reserves the right to re-evaluate the acceptability of Crosby and Overton to receive CERCLA waste in accordance with the Rule.

If you have any questions concerning this matter, please contact Kandice Bellamy, Region 9's CERCLA Off-Site Rule Coordinator, at (415) 744-2091.

Sincerely,

  
Rick Vaille, Chief  
State Programs & Compliance Branch



Department of Toxic Substances Control

**Yana Garcia**  
Secretary for  
Environmental Protection

Meredith Williams, Ph.D., Director  
9211 Oakdale Avenue  
Chatsworth, California 91311

**Gavin Newsom**  
Governor

March 22, 2024

*Via U.S. Certified Mail No. 7021 1970 0001 5302 3115*  
*Return Receipt Requested*

Ms. Linda Alonso  
Chief Executive Officer  
Crosby & Overton, Inc.  
1610 West 17th Street  
Long Beach, California, 90813  
LAlonso@crosbyoverton.com

ADMINISTRATIVE COMPLETENESS DETERMINATION FOR THE RCRA PERMIT RENEWAL APPLICATION FOR CROSBY & OVERTON, INC., 1610 WEST 17TH STREET, LONG BEACH, CALIFORNIA 90813, EPA ID NO. CAD 028 409 019

Dear Ms. Linda Alonso:

The Department of Toxic Substances Control (DTSC) received the Hazardous Waste Facility Permit Renewal Application, dated February 23, 2024, for the Crosby & Overton, Inc. located at 1630 West 17th Street, Long Beach, California.

DTSC has completed the initial review of the Permit Application and has determined that it is administratively complete. DTSC will now begin the technical review of the Permit Application. Pursuant to Cal. Code Regs, tit. 22 §66270.51(b), Crosby & Overton, Inc. expired permit will remain fully in effect and enforceable until the effective date of a new permit. DTSC will notify Crosby & Overton, Inc. if any deficiencies in the Permit Application are identified.

The expected project schedule is as follows:

| Permitting Event                            | Due Date       |
|---|----------------|
| Public Notice receipt of permit application | April 19, 2024 |

Ms. Linda Alonso  
Crosby & Overton, Inc.  
March 22, 2023  
Page 2

|   |                    |
|---|--------------------|
| Issuance of First Notice of Deficiency (NOD)                | August 26, 2024    |
| Permittee's response to the First NOD                       | September 25, 2024 |
| Issuance of Second NOD                                      | November 25, 2024  |
| Permittee's response to the Second NOD                      | December 26, 2024  |
| Technical review completed                                  | January 24, 2025   |
| Public Notice for Draft Permit, Begin Public Comment Period | June 2, 2025       |
| Issue Final Permit Decision                                 | December 31, 2025  |

If you have any questions about this letter, please contact me at (818) 717-6693 or Roberto.Castro@dtsc.ca.gov.

Sincerely,

*Roberto Castro*

Roberto Castro  
Hazardous Substances Engineer  
Permitting Division  
Department of Toxic Substances Control

cc: Ms. Andora Sprecher  
Director  
A&S Environmental Management, Inc.  
aandsenv@gmail.com

Ms. Jessica Malberg  
Managing Consultant  
All4, Inc.  
jmalberg@all4inc.com

Ms. Muzhda Ferouz, P.E.  
Branch Chief, Permitting Division



**California Environmental Protection Agency  
Department of Toxic Substances Control**

**HAZARDOUS WASTE FACILITY PERMIT**

**Facility Name:**

Crosby & Overton, Inc.  
1630 West 17<sup>th</sup> Street  
Long Beach, California 90813-0000

**Facility Owner Name:**

Crosby & Overton, Inc.  
1610 West 17<sup>th</sup> Street  
Long Beach, California 90813-0000

**Operator Name:**

Crosby & Overton, Inc.  
1610 West 17<sup>th</sup> Street  
Long Beach, California 90813-0000

**Facility EPA ID Number:**

CAD028409019

**Effective Date:** August 22, 2014

**Expiration Date:** August 21, 2024

Pursuant to California Health and Safety Code section 25200, this Resource Conservation and Recovery Act (RCRA)-equivalent Hazardous Waste Facility Permit is hereby issued to Crosby & Overton, Inc. Facility at 1630 West 17<sup>th</sup> Street, Long Beach California 90813.

The Issuance of this Permit is subject to the terms and conditions set forth in Attachment A and the Part "B" Application (Operation Plan) dated February 14, 2014. The Attachment A consists of 47 pages including Appendices 1.

Farshad T. Vakili, P.E.,  
Senior Hazardous Substances Engineer  
Office of Permitting  
Department of Toxic Substances Control  
Date:

Table I

*ACCEPTABLE DRUMMED EPA CODES*

|      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|
| D001 | D002 | D003 | D004 | D005 | D006 | D007 | D008 | D009 | D010 |
| D011 | D012 | D013 | D014 | D015 | D018 | D019 | D020 | D021 | D022 |
| D023 | D024 | D025 | D026 | D027 | D028 | D029 | D030 | D031 | D032 |
| D033 | D034 | D035 | D036 | D038 | D039 | D040 | D041 | D042 | D043 |
| F001 | F002 | F003 | F004 | F005 | F006 | F007 | F008 | F009 | F010 |
| F011 | F012 | F027 | F037 | F038 |      |      |      |      |      |
| K048 | K049 | K050 | K051 |      |      |      |      |      |      |
| P001 | P002 | P004 | P010 | P011 | P012 | P014 | P020 | P021 | P024 |
| P028 | P029 | P030 | P034 | P037 | P040 | P041 | P044 | P045 | P046 |
| P050 | P051 | P054 | P059 | P060 | P070 | P071 | P074 | P088 | P089 |
| P098 | P099 | P104 | P106 | P108 | P110 | P121 | P123 |      |      |
| U001 | U002 | U031 | U032 | U044 | U056 | U057 | U070 | U071 | U072 |
| U078 | U079 | U080 | U081 | U082 | U092 | U101 | U108 | U112 | U121 |
| U122 | U123 | U125 | U129 | U131 | U140 | U151 | U154 | U159 | U161 |
| U165 | U166 | U182 | U188 | U196 | U210 | U211 | U220 | U221 | U223 |
| U225 | U226 | U227 | U228 | U239 | U247 | U359 |      |      |      |

*ACCEPTABLE STATE CODES*

|     |     |     |     |     |     |     |     |     |     |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 121 | 122 | 123 | 131 | 132 | 133 | 134 | 135 | 141 | 151 |
| 162 | 171 | 172 | 181 | 211 | 212 | 213 | 214 | 221 | 222 |
| 223 | 231 | 232 | 241 | 251 | 252 | 261 | 271 | 272 | 281 |
| 291 | 311 | 331 | 341 | 342 | 343 | 351 | 352 | 411 | 421 |
| 431 | 441 | 451 | 461 | 481 | 491 | 511 | 512 | 513 | 521 |
| 541 | 551 | 561 | 571 | 591 | 611 | 612 | 725 | 741 | 751 |
| 791 | 792 |     |     |     |     |     |     |     |     |

*ACCEPTABLE BULK EPA CODES*

|      |      |      |      |      |      |      |      |      |  |
|------|------|------|------|------|------|------|------|------|--|
| D001 | D008 | D018 | F037 | F038 | K048 | K049 | K050 | K051 |  |
|------|------|------|------|------|------|------|------|------|--|

*ACCEPTABLE STATE CODES*

|     |     |     |     |     |     |     |     |     |     |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 123 | 132 | 133 | 134 | 135 | 141 | 212 | 213 | 214 | 221 |
| 222 | 223 | 241 | 252 | 291 | 331 | 342 | 343 | 421 | 451 |
| 491 | 521 | 551 | 561 |     |     |     |     |     |     |

If the code does not appear on this sheet, the code is *unacceptable*.



State Water Resources Control Board

April 10, 2023

Arturo M. Dayoan
Crosby & Overton Analytical Laboratory
1610 West 17th Street
Long Beach, CA 90813

Dear Arturo M. Dayoan:

Certificate No. 1568

Congratulations! This notice advises that the laboratory named above has been accredited as an environmental testing laboratory pursuant to the provisions of the California Health and Safety Code (HSC) Sections 100825-100920. The analyses for which this laboratory is accredited are shown on the enclosed "Fields of Accreditation" List.

The laboratory's accreditation begins on the date printed on the enclosed certificate. If you did not submit your application by the renewal deadline, there may be a lapse in your accreditation. You are responsible for ensuring no data is submitted for regulatory purposes during a period the laboratory is not accredited.

Be advised, the laboratory may have been denied accreditation for one or more analyses for which it applied due to failure to comply with regulatory requirements for application or accreditation. It is the laboratory's responsibility to review the enclosed documents and know which methods it has been accredited for. This accreditation is a final action of the State Water Resources Control Board subject to petition under HSC Section 116701 within 30 days. However, if you believe that an FOA has been left off of your accreditation in error, before you file a petition you may submit to ELAP within 30 days of this letter, an "Accreditation Inquiry Request Form" located at www.waterboards.ca.gov/elap identifying any mistakes or errors you believe occurred in your accreditation. ELAP will then review all timely submitted "Accreditation Inquiry Request Forms" and will make a final determination, which could then be petitioned to the State Water Resources Control Board. Failure to submit an "Accreditation Inquiry Request Form" to ELAP within 30 days of this letter or to timely petition ELAP's final decision to the State Water Resources Control Board will prohibit you from obtaining any further review of your accreditation. HSC Section 100890 lists the civil penalties for environmental laboratories that perform analyses for state regulatory purposes without a valid certificate.

Continued accreditation is contingent upon compliance with HSC Sections 100825-100920 and California Code of Regulations, Title 22, Division 4, Chapter 19, Certification of Environmental Laboratories. ELAP reserves the right to take enforcement action, including issuance of civil penalties, or suspension and revocation of the laboratory's ELAP certificate, for failure to comply with all applicable regulations, statutes and orders.

Johnnie Brown | 916.439.7200 | 916.439.7200

1001 I Street, Sacramento, CA 95814 | Mailing Address: P.O. Box 100, Sacramento, CA 95812-0100 | www.waterboards.ca.gov



Thank you,



Christine Sotelo, Program Manager

California Environmental Laboratory Accreditation Program (CA ELAP)

E. Jonathan Blazquez, owner | E. Lisa Sotelo, Executive Director

1001 I Street, Sacramento, CA 95814 | Mailing Address: P.O. Box 100, Sacramento, CA 95812-0100 | [www.waterboards.ca.gov](http://www.waterboards.ca.gov)





STATE WATER RESOURCES CONTROL BOARD  
REGIONAL WATER QUALITY CONTROL BOARDS

CALIFORNIA STATE



ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

**CERTIFICATE OF  
ENVIRONMENTAL LABORATORY ACCREDITATION**

Is hereby granted to

**Crosby & Overton Analytical Laboratory**

1655 Canal Street

Long Beach, CA 90813

Scope of the certificate is limited to the  
"Fields of Accreditation"  
which accompany this Certificate.

Continued accredited status depends on compliance with applicable laws and regulations,  
proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of  
Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1568**

Effective Date: **8/1/2023**

Expiration Date: **7/31/2025**

Sacramento, California  
subject to forfeiture or revocation

Christine Sotelo, Program Manager  
Environmental Laboratory Accreditation Program





**CALIFORNIA STATE  
ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM  
Fields of Accreditation**



**Crosby & Overton Analytical Laboratory**

1655 Canal Street  
Long Beach, CA 90813  
Phone: 5624325445

Certificate Number: 1568  
Expiration Date: 7/31/2025

**Field of Accreditation:108 - Inorganic Constituents in Non-Potable Water**

|         |     |                                 |                   |
|---------|-----|---------------------------------|-------------------|
| 108.005 | 001 | Hydrogen Ion (pH)               | EPA 150.2         |
| 108.023 | 001 | Cyanide, Total                  | EPA 335.4         |
| 108.045 | 001 | Chemical Oxygen Demand          | EPA 410.4         |
| 108.053 | 002 | Oil & Grease, Total Recoverable | EPA 1664 B        |
| 108.075 | 001 | Residue, Non-filterable TSS     | SM 2540 D-2011    |
| 108.125 | 001 | Cyanide, Total                  | SM 4500-CN E-2011 |
| 108.137 | 001 | Hydrogen Ion (pH)               | SM 4500-H+ B-2011 |
| 108.201 | 001 | Sulfide (as S)                  | SM 4500-S D-2011  |

**Field of Accreditation:109 - Metals and Trace Elements in Non-Potable Water**

|         |     |          |           |
|---------|-----|----------|-----------|
| 109.623 | 003 | Arsenic  | EPA 200.7 |
| 109.623 | 007 | Cadmium  | EPA 200.7 |
| 109.623 | 008 | Chromium | EPA 200.7 |
| 109.623 | 009 | Cobalt   | EPA 200.7 |
| 109.623 | 010 | Copper   | EPA 200.7 |
| 109.623 | 012 | Lead     | EPA 200.7 |
| 109.623 | 015 | Nickel   | EPA 200.7 |
| 109.623 | 017 | Silver   | EPA 200.7 |
| 109.623 | 019 | Tin      | EPA 200.7 |
| 109.623 | 022 | Zinc     | EPA 200.7 |
| 109.635 | 001 | Mercury  | EPA 245.1 |

**Field of Accreditation:110 - Volatile Organic Constituents in Non-Potable Water**

|         |     |   |           |
|---------|-----|---|-----------|
| 110.040 | 005 | Benzene                                     | EPA 624.1 |
| 110.040 | 006 | Bromodichloromethane                        | EPA 624.1 |
| 110.040 | 007 | Bromoform                                   | EPA 624.1 |
| 110.040 | 008 | Bromomethane (Methyl Bromide)               | EPA 624.1 |
| 110.040 | 010 | Carbon Tetrachloride                        | EPA 624.1 |
| 110.040 | 011 | Chlorobenzene                               | EPA 624.1 |
| 110.040 | 012 | Chloroethane                                | EPA 624.1 |
| 110.040 | 013 | 2-Chloroethyl vinyl Ether                   | EPA 624.1 |
| 110.040 | 014 | Chloroform                                  | EPA 624.1 |
| 110.040 | 015 | Chloromethane (Methyl Chloride)             | EPA 624.1 |
| 110.040 | 016 | Dibromochloromethane (Chlorodibromomethane) | EPA 624.1 |
| 110.040 | 017 | 1,2-Dichlorobenzene                         | EPA 624.1 |

As of 8/1/2023 , this list supersedes all previous lists for this certificate number.  
Customers: Please verify the current accreditation standing with the State.

|         |     |   |           |
|---------|-----|---|-----------|
| 110.040 | 018 | 1,3-Dichlorobenzene                                     | EPA 624.1 |
| 110.040 | 019 | 1,4-Dichlorobenzene                                     | EPA 624.1 |
| 110.040 | 020 | 1,1-Dichloroethane                                      | EPA 624.1 |
| 110.040 | 021 | 1,2-Dichloroethane (Ethylene Dichloride)                | EPA 624.1 |
| 110.040 | 022 | 1,1-Dichloroethylene (1,1-Dichloroethene)               | EPA 624.1 |
| 110.040 | 023 | trans-1,2-Dichloroethylene (trans- 1,2 Dichloroethene)  | EPA 624.1 |
| 110.040 | 024 | 1,2-Dichloropropane                                     | EPA 624.1 |
| 110.040 | 025 | cis-1,3-Dichloropropylene (cis 1,3 Dichloropropene)     | EPA 624.1 |
| 110.040 | 026 | trans-1,3-Dichloropropylene (trans-1,3 Dichloropropene) | EPA 624.1 |
| 110.040 | 029 | Ethylbenzene  | EPA 624.1 |
| 110.040 | 031 | Methylene Chloride (Dichloromethane)                    | EPA 624.1 |
| 110.040 | 034 | 1,1,2,2-Tetrachloroethane                               | EPA 624.1 |
| 110.040 | 035 | Tetrachloroethylene (Tetrachloroethene)                 | EPA 624.1 |
| 110.040 | 037 | Toluene   | EPA 624.1 |
| 110.040 | 038 | 1,1,1-Trichloroethane                                   | EPA 624.1 |
| 110.040 | 039 | 1,1,2-Trichloroethane                                   | EPA 624.1 |
| 110.040 | 040 | Trichloroethylene (Trichloroethene)                     | EPA 624.1 |
| 110.040 | 041 | Vinyl Chloride  | EPA 624.1 |
| 110.040 | 042 | m-Xylene  | EPA 624.1 |
| 110.040 | 043 | o-Xylene  | EPA 624.1 |
| 110.040 | 044 | p-Xylene  | EPA 624.1 |
| 110.040 | 046 | m+p-Xylene  | EPA 624.1 |

**Field of Accreditation:114 - Inorganic Constituents in Hazardous Waste**

|         |     |            |            |
|---------|-----|------------|------------|
| 114.315 | 002 | Antimony   | EPA 6010 B |
| 114.315 | 003 | Arsenic    | EPA 6010 B |
| 114.315 | 004 | Barium     | EPA 6010 B |
| 114.315 | 005 | Beryllium  | EPA 6010 B |
| 114.315 | 007 | Cadmium    | EPA 6010 B |
| 114.315 | 009 | Chromium   | EPA 6010 B |
| 114.315 | 010 | Cobalt     | EPA 6010 B |
| 114.315 | 011 | Copper     | EPA 6010 B |
| 114.315 | 013 | Lead       | EPA 6010 B |
| 114.315 | 016 | Molybdenum | EPA 6010 B |
| 114.315 | 017 | Nickel     | EPA 6010 B |
| 114.315 | 019 | Selenium   | EPA 6010 B |
| 114.315 | 020 | Silver     | EPA 6010 B |
| 114.315 | 023 | Thallium   | EPA 6010 B |
| 114.315 | 026 | Vanadium   | EPA 6010 B |
| 114.315 | 027 | Zinc       | EPA 6010 B |
| 114.535 | 001 | Mercury    | EPA 7471 A |

**Field of Accreditation:115 - Leaching/Extraction Tests and Physical Characteristics of Hazardous Waste**

|         |     |                             |                                       |
|---------|-----|-----------------------------|---------------------------------------|
| 115.055 | 001 | Waste Extraction Test (WET) | CCR Chapter11, Article 5, Appendix II |
|---------|-----|-----------------------------|---------------------------------------|

|         |     |   |            |
|---------|-----|---|------------|
| 115.085 | 001 | Toxicity Characteristic Leaching Procedure (TCLP) | EPA 1311   |
| 115.135 | 001 | Corrosivity - pH Determination                    | EPA 9045 C |

**Field of Accreditation:130 - Inorganic constituents in Hazardous waste (Matrix Aqueous)**

|         |     |            |            |
|---------|-----|------------|------------|
| 130.010 | 002 | Antimony   | EPA 6010 B |
| 130.010 | 003 | Arsenic    | EPA 6010 B |
| 130.010 | 004 | Barium     | EPA 6010 B |
| 130.010 | 005 | Beryllium  | EPA 6010 B |
| 130.010 | 007 | Cadmium    | EPA 6010 B |
| 130.010 | 009 | Chromium   | EPA 6010 B |
| 130.010 | 010 | Cobalt     | EPA 6010 B |
| 130.010 | 011 | Copper     | EPA 6010 B |
| 130.010 | 013 | Lead       | EPA 6010 B |
| 130.010 | 016 | Molybdenum | EPA 6010 B |
| 130.010 | 017 | Nickel     | EPA 6010 B |
| 130.010 | 019 | Selenium   | EPA 6010 B |
| 130.010 | 020 | Silver     | EPA 6010 B |
| 130.010 | 023 | Thallium   | EPA 6010 B |
| 130.010 | 026 | Vanadium   | EPA 6010 B |
| 130.010 | 027 | Zinc       | EPA 6010 B |
| 130.250 | 001 | Mercury    | EPA 7470 A |

**Field of Accreditation:131 - Leaching/Extraction, Physical Characteristics in Hazardous Waste (Matrix Aqueous)**

|         |     |              |          |
|---------|-----|--------------|----------|
| 131.060 | 001 | Ignitability | EPA 1010 |
|---------|-----|--------------|----------|



A Waters Company

October 2, 2023

Arturo M. Dayoan  
Crosby & Overton Analytical Lab  
1610 West 17th St.  
Long Beach, CA 90813

Enclosed is your final report for ERA's WP-343 WatR™ Pollution Proficiency Testing (PT) study. Your final report includes an evaluation of all results submitted by your laboratory to ERA.

**Data Evaluation Protocols:** All analytes in ERA's WP-343 WatR™ Pollution Proficiency Testing study have been evaluated using the following tiered approach. If the analyte is listed in the most current TNI Fields of Proficiency Testing (FoPT) table the evaluation was completed by comparing the reported result to the acceptance limits generated using the criteria contained in the table and the evaluation criteria contained in the 2016 TNI Standard, Volume 3. If the analyte is not included in the TNI FoPT table, the reported result has been evaluated using the procedures outlined in ERA's Standard Operating Procedure for the Generation of Performance Acceptance Limits (SOP 730002268).

**Corrective Action Help:** As part of your accreditation(s), you may be required to identify the root cause of any "Not Acceptable" results, implement the necessary corrective actions, and then satisfy your PT requirements by participating in a Supplemental (QuiK™ Response) or future ERA PT study. ERA's technical staff is available to help your laboratory resolve any technical issues that may be impairing your PT performance and possibly affecting your routine data quality. Our laboratory and technical staff have many years of collective experience in performing the full range of environmental analyses. As part of our technical support, ERA offers QC samples that can be useful in helping you work through your technical issues.

Thank you for your participation in ERA's WP-343 WatR™ Pollution Proficiency Testing study. If you have any questions, please contact our Proficiency Testing Department at 1-800-372-0122.

Sincerely,

A handwritten signature in black ink, appearing to read "Craig Huff", with a stylized flourish at the end.

Craig Huff  
Senior Technical Manager

attachments



# CERTIFICATE OF RECOGNITION

ERA congratulates  
**Crosby & Overton Analytical Lab**  
**WP-343**

For your participation and successful evaluation, we recognize the performance of this laboratory for achieving acceptable evaluation in the following standards.

|               |                |
|---------------|----------------|
| Demand        | Hardness       |
| Mercury       | pH             |
| Sulfide       | Tin & Titanium |
| Total Cyanide | Trace Metals   |
| Volatiles     |                |



---

Craig Huff  
Senior Technical Manager



A Waters Company

November 29, 2023

Arturo M. Dayoan  
Crosby & Overton Analytical Lab  
1610 West 17th St.  
Long Beach, CA 90813

Enclosed is your final report for ERA's WP-345 WatR™ Pollution Proficiency Testing (PT) study. Your final report includes an evaluation of all results submitted by your laboratory to ERA.

**Data Evaluation Protocols:** All analytes in ERA's WP-345 WatR™ Pollution Proficiency Testing study have been evaluated using the following tiered approach. If the analyte is listed in the most current TNI Fields of Proficiency Testing (FoPT) table the evaluation was completed by comparing the reported result to the acceptance limits generated using the criteria contained in the table and the evaluation criteria contained in the 2016 TNI Standard, Volume 3. If the analyte is not included in the TNI FoPT table, the reported result has been evaluated using the procedures outlined in ERA's Standard Operating Procedure for the Generation of Performance Acceptance Limits (SOP 730002268).

**Corrective Action Help:** As part of your accreditation(s), you may be required to identify the root cause of any "Not Acceptable" results, implement the necessary corrective actions, and then satisfy your PT requirements by participating in a Supplemental (QuiK™ Response) or future ERA PT study. ERA's technical staff is available to help your laboratory resolve any technical issues that may be impairing your PT performance and possibly affecting your routine data quality. Our laboratory and technical staff have many years of collective experience in performing the full range of environmental analyses. As part of our technical support, ERA offers QC samples that can be useful in helping you work through your technical issues.

Thank you for your participation in ERA's WP-345 WatR™ Pollution Proficiency Testing study. If you have any questions, please contact our Proficiency Testing Department at 1-800-372-0122.

Sincerely,

A handwritten signature in black ink, appearing to read "Craig Huff", with a horizontal line drawn through the signature.

Craig Huff  
Senior Technical Manager

attachments



# CERTIFICATE OF EXCELLENCE

In recognition of the quality of your laboratory in proficiency testing for  
**WP-345**

## Crosby & Overton Analytical Lab

is issued this certificate of achievement by ERA. This laboratory has been recognized as a Laboratory of Excellence for achieving 100% acceptable data in this study which included 673 participating laboratories. This achievement is a demonstration of the superior quality of the laboratory in evaluation of the standards listed below.

Oil & Grease



---

Craig Huff  
Senior Technical Manager



A Waters Company

December 6, 2023

Arturo M. Dayoan  
Crosby & Overton Analytical Lab  
1610 West 17th St.  
Long Beach, CA 90813

Enclosed is your final report for ERA's SOIL-124 Proficiency Testing (PT) study. Your final report includes an evaluation of all results submitted by your laboratory to ERA.

Data Evaluation Protocols: All analytes in ERA's SOIL-124 Proficiency Testing study have been evaluated using the following tiered approach. If the analyte is listed in the most current TNI Fields of Proficiency Testing (FoPT) table the evaluation was completed by comparing the reported result to the acceptance limits generated using the criteria contained in the table and the evaluation criteria contained in the 2016 TNI Standard, Volume 3. If the analyte is not included in the TNI FoPT table, the reported result has been evaluated using the procedures outlined in ERA's Standard Operating Procedure for the Generation of Performance Acceptance Limits (SOP 730002268).

Corrective Action Help: As part of your accreditation(s), you may be required to identify the root cause of any "Not Acceptable" results, implement the necessary corrective actions, and then satisfy your PT requirements by participating in a Supplemental (QuiK™Response) or future ERA PT study. ERA's technical staff is available to help your laboratory resolve any technical issues that may be impairing your PT performance and possibly affecting your routine data quality. Our laboratory and technical staff have many years of collective experience in performing the full range of environmental analyses. As part of our technical support, ERA offers QC samples that can be useful in helping you work through your technical issues.

Thank you for your participation in ERA's SOIL-124 Proficiency Testing study. If you have any questions, please contact our Proficiency Testing Department at 1-800-372-0122.

Sincerely,

A handwritten signature in black ink, appearing to read 'Craig Huff', with some scribbles below it.

Craig Huff  
Senior Technical Manager

attachments





# CERTIFICATE OF EXCELLENCE

In recognition of the quality of your laboratory in proficiency testing for

**SOIL-124**

**Crosby & Overton Analytical Lab**

is issued this certificate of achievement by ERA. This laboratory has been recognized as a Laboratory of Excellence for achieving 100% acceptable data in this study which included 281 participating laboratories. This achievement is a demonstration of the superior quality of the laboratory in evaluation of the standards listed below.

Corrosivity/pH in Soil  
Ignitability/Flashpoint  
Metals in Soil  
TCLP Metals in Soil



---

Craig Huff  
Senior Technical Manager



STATE OF CALIFORNIA  
DEPARTMENT OF CALIFORNIA HIGHWAY PATROL

**HAZARDOUS MATERIALS  
TRANSPORTATION LICENSE**  
CHP 360H (REV. 1/00) OPI 062

|                              |                          |  |   |                              |
|------------------------------|--------------------------|--|---|------------------------------|
| CONTROL NUMBER<br>272662     | LICENSE NUMBER<br>223064 | ISSUE DATE<br>8/1/2024   | EFFECTIVE DATE<br>9/1/2024  | EXPIRATION DATE<br>8/31/2025 |
| CHP CARRIER NUMBER<br>CA 302 | LOCATION<br>530          | <input type="checkbox"/> Duplicate<br><input type="checkbox"/> Initial | <input type="checkbox"/> Replacement<br><input checked="" type="checkbox"/> Renewal |                              |

**PROPERTY OF THE CALIFORNIA HIGHWAY PATROL (CHP)**

The original valid license must be kept at the licensee's place of business as indicated on the license and a legible copy must be carried in any vehicle or combination transporting hazardous materials and must be presented to any CHP officer upon request. This license is NON-TRANSFERABLE and must be surrendered to the CHP upon demand or as required by law. A majority change in ownership or control of the licensed activity shall require a new license. This license may be renewed by submitting an application and appropriate fee to the CHP. Persons whose licenses have expired or are otherwise no longer valid must immediately cease the activity requiring a license. THERE IS NO GRACE PERIOD. For licensing information contact CHP, Commercial Vehicle Section at (916) 843-3400.

LICENSEE NAME AND PHYSICAL STATION ADDRESS (if different than below)

**CROSBY & OVERTON INC**  
**1630 W. 17TH ST.**  
**LONG BEACH CA, US 90813**

LICENSEE NAME AND MAILING ADDRESS

Attention: Linda Alonso  
**CROSBY & OVERTON INC**  
**1610 W. 17TH ST.**  
**LONG BEACH CA, US 90813**

This carrier is on the special routing/safe stopping place mailing lists as indicated below:

- (HMX) Explosives subject to Division 14, California Vehicle Code (CVC).
- (HMPH) Poison Inhalation Hazard materials in bulk packages subject to Division 14.3, CVC.
- (HMRCQ) Highway Route Controlled Quantity radioactive materials subject to Division 14.5, CVC.

Any person who dumps, spills, or causes the release of hazardous materials or hazardous waste upon any highway shall immediately notify the CHP or the agency having jurisdiction for that highway. The minimum fine for failure to make the appropriate notification is \$2,000.00. (CVC Section 23112.5)

**DEPARTMENT OF MOTOR VEHICLES**


Registration Operations Division MS H875  
 P.O. BOX 932370 Sacramento, CA. 94232-3700  
 (916) 657-8153



08/04/2016



CROSBY & OVERTON INC  
 1610 W. 17TH ST.  
 LONG BEACH, CA 90813

|   |                        |                             |
|---|------------------------|-----------------------------|
|  <p><b>NON-EXPIRING<br/>MOTOR CARRIER PERMIT<br/>Combined Carrier</b></p>  |                        |                             |
| DEPARTMENT OF MOTOR VEHICLES<br>Registration Operations Division<br>P.O. BOX 932370 Sacramento, CA. 94232-3700<br><br>CROSBY & OVERTON INC<br>1610 W. 17TH ST.<br>LONG BEACH, CA 90813  | Valid From: 08/04/2016 | Valid Through: Non-Expiring |
|   | CA#: 0000302           |                             |
| <p>The carrier named on this permit is subject to the Unified Carrier Registration Act (UCRA) of 2005, and is granted a non-expiring permit of the following classification:</p> <p style="text-align: center;"><b>Private Corporation</b></p> <p style="text-align: center;"><b>Not Valid for Intrastate Only Operations</b></p> |                        |                             |
| Pmt Date: 08/04/2016  | Office #: 154          |                             |
| Account #: 660065   | Tech ID: AG            |                             |
| Sequence #: 0002  | Amt Paid: \$154.00     |                             |

**!!!IMPORTANT REMINDERS!!!**

1. This non-expiring Motor Carrier Permit (MCP) will remain valid as long as you continue to conduct interstate operations. The Unified Carrier Registration Act (UCRA) of 2005 exempts combined carriers (carriers who operate both intra and interstate) from MCP requirements.
2. Federal Motor Carrier Safety Administration insurance requirements must be maintained.
3. If you commence intrastate only operations, you must renew your MCP.

California Relay Telephone Service for the deaf or hearing impaired from TDD Phones: 1-800-735-2929; from Voice Phones: 1-800-735-2922

UNITED STATES OF AMERICA  
DEPARTMENT OF TRANSPORTATION  
PIPELINE AND HAZARDOUS MATERIALS SAFETY ADMINISTRATION



**HAZARDOUS MATERIALS  
CERTIFICATE OF REGISTRATION  
FOR REGISTRATION YEAR(S) 2024-2025**

**Registrant:** CROSBY & OVERTON, INC.

ATTN: Andora Sprecher  
1610 W 17TH ST  
LONG BEACH, CA 90813

This certifies that the registrant is registered with the U.S. Department of Transportation as required by 49 CFR Part 107, Subpart G.

This certificate is issued under the authority of 49 U.S.C. 5108. It is unlawful to alter or falsify this document.

**Reg. No: 061924550247G    Effective: July 1, 2024    Expires: June 30, 2025**

**HM Company ID: 174537**

**Record Keeping Requirements for the Registration Program**

The following must be maintained at the principal place of business for a period of three years from the date of issuance of this Certificate of Registration:

- (1) A copy of the registration statement filed with PHMSA; and
- (2) This Certificate of Registration

Each person subject to the registration requirement must furnish that person's Certificate of Registration (or a copy) and all other records and information pertaining to the information contained in the registration statement to an authorized representative or special agent of the U. S. Department of Transportation upon request.

Each motor carrier (private or for-hire) and each vessel operator subject to the registration requirement must keep a copy of the current Certificate of Registration or another document bearing the registration number identified as the "U.S. DOT Hazmat Reg. No." in each truck and truck tractor or vessel (trailers and semi-trailers not included) used to transport hazardous materials subject to the registration requirement. The Certificate of Registration or document bearing the registration number must be made available, upon request, to enforcement personnel.

For information, contact the Hazardous Materials Registration Manager, PHH-52, Pipeline and Hazardous Materials Safety Administration, U.S. Department of Transportation, 1200 New Jersey Avenue, SE, Washington, DC 20590, telephone (202) 366-4109.



**Yana Garcia**  
Secretary for  
Environmental Protection



Department of Toxic Substances Control

Meredith Williams, Ph.D., Director  
1001 I Street  
P.O. Box 806  
Sacramento, California 95812-0806



**Gavin Newsom**  
Governor

**Hazardous Waste Transporter Registration Certificate**

Name and Address of Registered Transporter:

CROSBY & OVERTON INC  
1610 W 17TH ST  
LONG BEACH, CA 90813

Transporter Registration Number: 0025

Effective Date: August 1, 2024

Expiration Date: August 30, 2025

This is to certify that the firm named above is duly registered to transport hazardous waste in the State of California in accordance with the provisions of Chapter 6.5, Division 20 of the Health and Safety Code and Title 22 of the California Code of Regulations, Division 4.5.

July 8, 2024


Authorized Signature

Date

Name and Title of Authorized Representative: Xavier Gaulman, Program Technician II

**This registration certificate must be carried with each shipment of hazardous waste. For registration information, please call 1-800-618-6942 or email [transporter@dtsc.ca.gov](mailto:transporter@dtsc.ca.gov).**

# Alliance for Uniform Hazmat Transportation Procedures Uniform Program Credentials



**ALLIANCE  
FOR UNIFORM  
HAZMAT  
TRANSPORTATION  
PROCEDURES**

CROSBY AND OVERTON INC  
1610 W 17TH STREET  
LONG BEACH CA 90813

USDOT CENSUS #: 9933

MC #: 157215

EPA TRANSPORTER ID #: CAD028409019

PHMSA #: 061523550329F

TELEPHONE NUMBER TO CALL IN CASE OF ACCIDENT OR EMERGENCY:  
**800-424-9300**

UNIFORM PROGRAM #: UPM9933NV

CERTIFIED BY: D. WENZEL

REGISTRATION ISSUED: **01 JANUARY 2024**  
REGISTRATION EXPIRATION: **31 DECEMBER 2024**

ISSUING AGENCY: NEVADA HIGHWAY PATROL  
AGENCY TELEPHONE NUMBER: 775-684-4622





CONTRACTORS  
STATE LICENSE BOARD  
ACTIVE LICENSE



License Number **450744** Entity **CORP**  
Business Name **CROSBY & OVERTON INC**

Classification(s) **A ASB HAZ**

Expiration Date **12/31/2025**

[www.csib.ca.gov](http://www.csib.ca.gov)





**Department of Food and Agriculture**  
Division of Measurement Standards

6790 Florin Perkins Rd., Ste. 100, Sacramento, California 95828-1812

Email: [dms@cdfa.ca.gov](mailto:dms@cdfa.ca.gov) Web Address: [www.cdfa.ca.gov/dms/programs/wm/wm.html](http://www.cdfa.ca.gov/dms/programs/wm/wm.html)

Phone # : (916) 229-3000 Fax # : (916) 229-3055

Remit fees payable to: **CDFA 90361**, PO Box 942872, Sacramento, CA 94271-2872

# Weighmaster License

**Weighmaster**

**CROSBY & OVERTON, INC.**  
1610 W 17TH STREET  
LONG BEACH, CA 90813-1295  
Attn: LINDA ALONSO

**License No: 009152**

**Total Fees Remitted: \$175.00**

**Issue Date: N/A**

**Revision Date: 8/16/2024**

## License Year: 9/1/2024 - 9/1/2025

The Weighmaster is responsible to renew this license. (Division 5, Chapter 7, Section 12707, Business and Professions Code)

**THIS LICENSE SHALL BE AVAILABLE TO WEIGHTS AND MEASURES OFFICIALS AT EACH WEIGHING LOCATION.**

This license is not transferable. Any change in ownership requires a new license.

**Principal Location**

1630 W 17TH ST.  
LONG BEACH, CA 90813  
COUNTY: LOS ANGELES  
(562) 432-5445

**Additional Location(s) - 0**

**Only persons listed below may perform the functions of a Deputy Weighmaster for the licensed Weighmaster.**

(Division 5, Chapter 7, Section 12703, Business and Professions Code)

**For instructions on adding/deleting Deputies to your license, refer to the instruction sheet on our website.**  
<http://www.cdfa.ca.gov/dms/programs/wm/wm.html>.

**Deputy Weighmaster(s) - 5**

|                  |               |                |
|------------------|---------------|----------------|
| CASTILLO, JOSE L | LOGAN, BENTON | PATINO, FELIPE |
| PULIDO, NAZARIO  | SAENZ, JOSE   |                |

**Number of vacant deputy positions: 0**





**Yana Garcia**  
Secretary for  
Environmental Protection



## Department of Toxic Substances Control



**Gavin Newsom**  
Governor

Meredith Williams, Ph.D.  
Director

8800 Cal Center Drive  
Sacramento, California 95826-3200

February 27, 2024

Josephine Paragas  
Plant Manager  
Crosby & Overton  
1630 W. 17<sup>th</sup> Street  
Long Beach, California 90813

Certified Mail No.: 7020 1810 0000 6007 6884

FINANCIAL RESPONSIBILITY REVIEW FINDINGS – CROSBY & OVERTON, 1630 W  
17<sup>TH</sup> STREET, LONG BEACH, CALIFORNIA 90813, ENVIRONMENTAL PROTECTION  
AGENCY IDENTIFICATION NUMBER CAD028409019

Dear Josephine Paragas:

On February 27, 2024, the California Environmental Protection Agency, Department of Toxic Substances Control (DTSC), conducted a financial responsibility review of Crosby & Overton at 1630 W 17<sup>th</sup> Street, Long Beach, California. The enclosed review describes the findings of the review.

Because no violations were discovered during the review, no written response to this letter is required. DTSC appreciates your efforts to comply with the financial assurance regulations.

All pertinent information derived from the inspection, including financial assurance documents are included as attachments to the review.

This report will become a public document; you may request that any trade secret or facility security information be withheld from public disclosure. (See Health and Safety Code section 25173)

If you wish to assert the trade secret privilege after you have reviewed the report, within 30 days from receipt of this letter, please provide specific answers to each of the following questions for each item:

- To what extent is there knowledge of the information conveyed by the photograph/document outside of your business?

Josephine Paragas  
February 27, 2024  
Page 2 of 3

- To what extent is there knowledge of the information conveyed by the photograph/document, by employees and others in your business?
- To what extent have measures been taken to guard the secrecy of the information?
- Is the information valuable to competitors? If so, why?
- Has there been substantial monetary expenditure in the development of the information?
- Could the information be easily and properly acquired or duplicated by others?

DTSC will review your response to these questions to determine if the information should be treated as trade secret and will notify you of its decision.

*Pursuant to the Violations Scoring Procedure for Hazardous Waste Facility Operations regulations found at California Code of Regulations, title 22, sections 66271.50 through 66271.57, this financial responsibility review and report findings will be considered and scored by the Department of Toxic Substances Control (DTSC). DTSC's provisional inspection violation score for the attached financial responsibility review and, if applicable, any corresponding inspection report, will be mailed to your facility under separate cover by DTSC's Enforcement and Emergency Response Division.*

If you have any questions regarding this letter, please contact Dawn Johnson at (916) 327-4500 or Elina Kolbach, Financial Responsibility Unit, at (916) 255-6404 or via email at [elina.kolbach@dtsc.ca.gov](mailto:elina.kolbach@dtsc.ca.gov).

Sincerely,

*Original signed by Julie Mullins*

Julie Mullins  
Staff Services Manager I  
Financial Responsibility Unit  
Hazardous Waste Management Program

Enclosures

cc: see next page

Josephine Paragas  
February 27, 2024  
Page 3 of 3

cc: Linda Alonso  
Crosby & Overton  
1610 W. 17th Street  
Long Beach, California 90813

Ellen Pates (w/o checklist enclosures)  
Senior Environmental Scientist, Supervisory  
Cypress and San Diego Enforcement Branch  
Hazardous Waste Management Program  
Department of Toxic Substances Control  
5796 Corporate Avenue  
Cypress, California 90630-4732

Dawn Johnson (w/o checklist enclosures)  
Environmental Scientist  
Cypress and San Diego Enforcement Branch  
Hazardous Waste Management Program  
Department of Toxic Substances Control  
5796 Corporate Avenue  
Cypress, California 90630-4732

Julie Mullins  
Staff Services Manager I  
Financial Responsibility Unit  
Hazardous Waste Management Program  
Department of Toxic Substances Control  
8800 Cal Center Drive, 3<sup>rd</sup> Floor  
Sacramento, California 95826-3200

Elina Kolbach  
Associate Governmental Program Analyst  
Financial Responsibility Unit  
Hazardous Waste Management Program  
Department of Toxic Substances Control  
8800 Cal Center Drive, 3<sup>rd</sup> Floor  
Sacramento, California 95826-3200



**Yana Garcia**  
Secretary for  
Environmental Protection



## Department of Toxic Substances Control

Meredith Williams, Ph.D., Director  
1001 "I" Street  
P.O. Box 806  
Sacramento, California 95812-0806



**Gavin Newsom**  
Governor

September 27, 2024

Linda Alonso  
Crosby & Overton  
1610 W 17<sup>th</sup> Street  
Long Beach, California 90813-1217

### NOTICE OF 2024 FACILITY VIOLATIONS SCORING PROCEDURE SCORE AND COMPLIANCE TIER ASSIGNMENT

Dear Linda Alonso:

**2024 Facility Violations Scoring Procedure (VSP) Score:** 0.00  
**2024 Compliance Tier Assignment:** Acceptable

The purpose of this letter is to provide Crosby & Overton, CAD028409019, located at 1630 West 17<sup>th</sup> Street, Long Beach, California 90813 (hereinafter, the "Facility") with the 2024 Facility VSP Score and 2024 compliance tier assignment pursuant to California Code of Regulations (CCR), title 22, section 66271.54, subdivision (c). The 2024 Facility VSP Score and compliance tier assignment do not constitute an enforcement action.

Based on the inspection violation scores for the Facility for the ten (10) year period beginning January 1, 2014, through December 31, 2023, DTSC calculated a Facility VSP Score of "**0.00**" for the Facility. A Facility VSP Score is the sum of the provisional or final inspection violation scores for each compliance inspection conducted during the preceding ten (10) year period, divided by the number of such inspections. (See 22 CCR, § 66271.54, subd. (a).)

A facility is assigned to one of three compliance tiers based on its Facility VSP Score:

- "Acceptable." A facility that receives a Facility VSP Score of less than 20 shall be designated as having a Facility VSP Score that is "acceptable". (See 22 CCR § 66271.54, subd. (b)(1).)
- "Conditionally Acceptable." A facility that receives a Facility VSP Score equal to or greater than 20 and less than 40 shall be designated as having a Facility VSP Score that is "conditionally acceptable." (See 22 CCR § 66271.54, subd. (b)(2).) Facilities that receive a

final compliance tier assignment of “conditionally acceptable” are required to comply with the additional requirements specified in CCR, title 22, section 66271.56.

- “Unacceptable.” A facility that receives a Facility VSP Score equal to or greater than 40 shall be designated as having a Facility VSP Score that is “unacceptable.” (See 22 CCR § 66271.54, subd. (b)(3).) DTSC is required to initiate permit denial, suspension, or revocation proceedings for facilities that receive a final compliance tier assignment of “unacceptable.” (See 22 CCR § 66271.57.)

As a result of the Facility’s Facility VSP Score, DTSC assigned the Facility to a compliance tier of **“Acceptable.”**

### **Compliance Tier Assignment Challenges**

A facility’s compliance tier assignment of “acceptable” or “conditionally acceptable” becomes final after all inspection violation scores upon which the Facility VSP Score is based become final pursuant to CCR, title 22, section 66271.53, subdivision (d). Final compliance tier assignments of “acceptable” or “conditionally acceptable” are not subject to additional administrative dispute resolution. (See 22 CCR § 66271.54, subd. (e).) Owners or operators of facilities assigned to a compliance tier of “unacceptable” may challenge their compliance tier assignment pursuant to CCR, title 22, section 66271.57, subdivision (b). (See 22 CCR § 66271.54, subd. (f).)

Please direct any VSP inquiries, as follows:

[VSP\\_Info@dtsc.ca.gov](mailto:VSP_Info@dtsc.ca.gov) – for scoring process

[VSP\\_Dispute\\_Inbox@dtsc.ca.gov](mailto:VSP_Dispute_Inbox@dtsc.ca.gov) – for dispute process

[VSP\\_TierChallenge@dtsc.ca.gov](mailto:VSP_TierChallenge@dtsc.ca.gov) – for compliance tier challenge process

<https://www.envirostor.dtsc.ca.gov/public/> - for permit, permitting process, or DTSC Permitting Project Manager.

Sincerely,

*Maria Salomon*

Maria Salomon  
Branch Chief  
Enforcement and Emergency Response Division

Enclosure(s)

Violation Scoring Matrix

### Violation Scoring Matrix

| Facility Name: CROSBY & OVERTON<br>Address: 1630 WEST 17TH STREET, LONG BEACH, CA 90813<br>EPA ID: CAD028409019   |                              | 2014-2023<br>Number of Inspections: 9<br>Total Number of Violations Scored: 0 |                           | 10 Year Date Range:<br>Number of Inspections:<br>Total Number of Violations Scored: |   | Permit Effective Dates:<br>Permit Expiration Date:<br>Date VSP Completed: |                        | 8/22/2014<br>8/21/2024<br>1/12/2024 |                                      | Link to Enforcement<br>Inspection Reports - SOVs<br>etc. |                                     |
|---|------------------------------|---|---------------------------|---|---|---|------------------------|-------------------------------------|--------------------------------------|--|-------------------------------------|
| Inspection Date:<br>Inspection Type:<br>Class 1 Violations:   | Class 1 Justification<br>n/a | Citation<br>n/a   | Potential for Harm<br>n/a | Extent of Deviation<br>n/a  | Potential for Harm Justification<br>n/a | Extent of Deviation Justification<br>n/a                                  | Repeat (Yes/No)<br>n/a | Initial Score<br>n/a                | Date(s) of Previous Violation<br>n/a | Adjusted Score<br>0.00                                   | Inspection Violation Score:<br>0.00 |
| 6/20/2016 CEI & CEI & FRR   | Class 1 Justification        | Citation  | Potential for Harm        | Extent of Deviation   | Potential for Harm Justification        | Extent of Deviation Justification   | Repeat (Yes/No)        | Initial Score                       | Date(s) of Previous Violation        | Adjusted Score   | Inspection Violation Score:         |
| 4/25/2017 CEI & CEI & FRR   | Class 1 Justification        | Citation  | Potential for Harm        | Extent of Deviation   | Potential for Harm Justification        | Extent of Deviation Justification   | Repeat (Yes/No)        | Initial Score                       | Date(s) of Previous Violation        | Adjusted Score   | Inspection Violation Score:         |
| 2/22/2018 CEI & CEI & FRR   | Class 1 Justification        | Citation  | Potential for Harm        | Extent of Deviation   | Potential for Harm Justification        | Extent of Deviation Justification   | Repeat (Yes/No)        | Initial Score                       | Date(s) of Previous Violation        | Adjusted Score   | Inspection Violation Score:         |
| 2/17/2019 CEI & CEI & FRR   | Class 1 Justification        | Citation  | Potential for Harm        | Extent of Deviation   | Potential for Harm Justification        | Extent of Deviation Justification   | Repeat (Yes/No)        | Initial Score                       | Date(s) of Previous Violation        | Adjusted Score   | Inspection Violation Score:         |
| 2/25/2020 CEI & CEI & FRR   | Class 1 Justification        | Citation  | Potential for Harm        | Extent of Deviation   | Potential for Harm Justification        | Extent of Deviation Justification   | Repeat (Yes/No)        | Initial Score                       | Date(s) of Previous Violation        | Adjusted Score   | Inspection Violation Score:         |
| 2/22/2021 CEI & CEI & FRR   | Class 1 Justification        | Citation  | Potential for Harm        | Extent of Deviation   | Potential for Harm Justification        | Extent of Deviation Justification   | Repeat (Yes/No)        | Initial Score                       | Date(s) of Previous Violation        | Adjusted Score   | Inspection Violation Score:         |
| 4/11/2023 CEI/Transporter & CEI & FRR   | Class 1 Justification        | Citation  | Potential for Harm        | Extent of Deviation   | Potential for Harm Justification        | Extent of Deviation Justification   | Repeat (Yes/No)        | Initial Score                       | Date(s) of Previous Violation        | Adjusted Score   | Inspection Violation Score:         |
| <p><b>Facility VSP Score</b> = Sum of Inspection Violation Scores / Total Number of Inspections conducted in 10 year (calendar) timeframe<br/> <b>FACILITY VSP SCORE</b> = 0.00</p> |                              |   |                           |   |   |   |                        |                                     |                                      |  |                                     |

### Violation Scoring Matrix

| Facility Name: CROSBY & OVERTON<br>Address: 1630 WEST 17TH STREET, LONG BEACH, CA 90813<br>EPA ID: CAD028409019   |                              | 2014-2023<br>Number of Inspections: 9<br>Total Number of Violations Scored: 0 |                           | 10 Year Date Range:<br>Number of Inspections:<br>Total Number of Violations Scored: |   | Permit Effective Dates:<br>Permit Expiration Date:<br>Date VSP Completed: |                        | 8/22/2014<br>8/21/2024<br>1/12/2024 |                                      | Link to Enforcement<br>Inspection Reports - SOVs<br>etc. |                                     |
|---|------------------------------|---|---------------------------|---|---|---|------------------------|-------------------------------------|--------------------------------------|--|-------------------------------------|
| Inspection Date:<br>Inspection Type:<br>Class 1 Violations:   | Class 1 Justification<br>n/a | Citation<br>n/a   | Potential for Harm<br>n/a | Extent of Deviation<br>n/a  | Potential for Harm Justification<br>n/a | Extent of Deviation Justification<br>n/a                                  | Repeat (Yes/No)<br>n/a | Initial Score<br>n/a                | Date(s) of Previous Violation<br>n/a | Adjusted Score<br>0.00                                   | Inspection Violation Score:<br>0.00 |
| 3/27/2014 CEI & CEI & FRR   | Class 1 Justification        | Citation  | Potential for Harm        | Extent of Deviation   | Potential for Harm Justification        | Extent of Deviation Justification   | Repeat (Yes/No)        | Initial Score                       | Date(s) of Previous Violation        | Adjusted Score   | Inspection Violation Score:         |
| 6/20/2016 CEI & CEI & FRR   | Class 1 Justification        | Citation  | Potential for Harm        | Extent of Deviation   | Potential for Harm Justification        | Extent of Deviation Justification   | Repeat (Yes/No)        | Initial Score                       | Date(s) of Previous Violation        | Adjusted Score   | Inspection Violation Score:         |
| 4/25/2017 CEI & CEI & FRR   | Class 1 Justification        | Citation  | Potential for Harm        | Extent of Deviation   | Potential for Harm Justification        | Extent of Deviation Justification   | Repeat (Yes/No)        | Initial Score                       | Date(s) of Previous Violation        | Adjusted Score   | Inspection Violation Score:         |
| 2/22/2018 CEI & CEI & FRR   | Class 1 Justification        | Citation  | Potential for Harm        | Extent of Deviation   | Potential for Harm Justification        | Extent of Deviation Justification   | Repeat (Yes/No)        | Initial Score                       | Date(s) of Previous Violation        | Adjusted Score   | Inspection Violation Score:         |
| 2/12/2019 CEI & CEI & FRR   | Class 1 Justification        | Citation  | Potential for Harm        | Extent of Deviation   | Potential for Harm Justification        | Extent of Deviation Justification   | Repeat (Yes/No)        | Initial Score                       | Date(s) of Previous Violation        | Adjusted Score   | Inspection Violation Score:         |
| 2/25/2020 CEI & CEI & FRR   | Class 1 Justification        | Citation  | Potential for Harm        | Extent of Deviation   | Potential for Harm Justification        | Extent of Deviation Justification   | Repeat (Yes/No)        | Initial Score                       | Date(s) of Previous Violation        | Adjusted Score   | Inspection Violation Score:         |
| 4/11/2022 CEI & CEI & FRR   | Class 1 Justification        | Citation  | Potential for Harm        | Extent of Deviation   | Potential for Harm Justification        | Extent of Deviation Justification   | Repeat (Yes/No)        | Initial Score                       | Date(s) of Previous Violation        | Adjusted Score   | Inspection Violation Score:         |
| 4/11/2023 CEI/Transporter & CEI & FRR   | Class 1 Justification        | Citation  | Potential for Harm        | Extent of Deviation   | Potential for Harm Justification        | Extent of Deviation Justification   | Repeat (Yes/No)        | Initial Score                       | Date(s) of Previous Violation        | Adjusted Score   | Inspection Violation Score:         |
| <p><b>Facility VSP Score</b> = Sum of Inspection Violation Scores / Total Number of Inspections conducted in 10 year (calendar) timeframe<br/> <b>FACILITY VSP SCORE</b> = 0.00</p> |                              |   |                           |   |   |   |                        |                                     |                                      |  |                                     |

### Facility VSP Score

| Inspection Number                  | Inspection Type(s) | Inspection Date(s)                       | Inspection Violation Score |
|------------------------------------|--------------------|--|----------------------------|
| 1                                  | CEI & FRR          | 3/27/2014 CEI & 6/27/2014 FRR            | 0.00                       |
| 2                                  | CEI & FRR          | 6/20/2016 CEI & 7/22/2016 FRR            | 0.00                       |
| 3                                  | CEI & FRR          | 4/25/2017 CEI & 6/20/2017 FRR            | 0.00                       |
| 4                                  | CEI & FRR          | 2/22/2018 CEI & 3/19/2018 FRR            | 0.00                       |
| 5                                  | CEI & FRR          | 2/12/2019 CEI & 2/21/2019 FRR            | 0.00                       |
| 6                                  | CEI & FRR          | 2/25/2020 CEI & 3/11/2020 FRR            | 0.00                       |
| 7                                  | CEI & FRR          | 4/11/2022 CEI & 3/9/2021 FRR             | 0.00                       |
| 8                                  | CEI & FRR          | 4/11/2022 CEI & 5/10/2022 FRR            | 0.00                       |
| 9                                  | CEI & FRR          | 4/11/2023 CEI/Transporter & 5/2/2023 FRR | 0.00                       |
| Sum of Inspection Violation Scores |                    |  | 0.00                       |

### Violation Scoring Matrix

| Facility Name: CROSBY & OVERTON                      |  | 2014-2023                 |  | Permit Effective Date:  |  | 8/22/2014                        |  | Link to EnviroStor Inspection Reports: <a href="#">SOVS etc.</a> |  |
|--|--|---------------------------|--|-------------------------|--|----------------------------------|--|--|--|
| Address: 1630 WEST 17TH STREET, LONG BEACH, CA 90813 |  | 10 Year Date Range:       |  | Permit Expiration Date: |  | 8/21/2024                        |  | Link to EnviroStor Inspection Reports: <a href="#">SOVS etc.</a> |  |
| EPA ID: CAD028490019                                 |  | Number of Inspections:    |  | Date VSP Completed:     |  | 1/12/2024                        |  | Link to EnviroStor Inspection Reports: <a href="#">SOVS etc.</a> |  |
| Total Number of Violations Scored:                   |  | 0                         |  | Extent of Deviation:    |  | Potential for Harm Justification |  | Initial Score  |  |
| Inspection Date:                                     |  | 3/27/2014 CEI & CEI & FRR |  | Inspection Type:        |  | Class I Justification            |  | Repeat (Yes/No)  |  |
| Inspection Types:                                    |  | 0                         |  | Violations:             |  | 0                                |  | Date(s) of Previous Violation                                    |  |
| Class I Violations:                                  |  | 0                         |  | No Class I Violations:  |  | n/a                              |  | n/a  |  |
| Inspection Date:                                     |  | 6/20/2015 CEI & CEI & FRR |  | Inspection Type:        |  | Class I Justification            |  | Repeat (Yes/No)  |  |
| Inspection Types:                                    |  | 0                         |  | Violations:             |  | 0                                |  | Date(s) of Previous Violation                                    |  |
| Class I Violations:                                  |  | 0                         |  | No Class I Violations:  |  | n/a                              |  | n/a  |  |
| Inspection Date:                                     |  | 4/25/2017 CEI & CEI & FRR |  | Inspection Type:        |  | Class I Justification            |  | Repeat (Yes/No)  |  |
| Inspection Types:                                    |  | 0                         |  | Violations:             |  | 0                                |  | Date(s) of Previous Violation                                    |  |
| Class I Violations:                                  |  | 0                         |  | No Class I Violations:  |  | n/a                              |  | n/a  |  |
| Inspection Date:                                     |  | 2/22/2018 CEI & CEI & FRR |  | Inspection Type:        |  | Class I Justification            |  | Repeat (Yes/No)  |  |
| Inspection Types:                                    |  | 0                         |  | Violations:             |  | 0                                |  | Date(s) of Previous Violation                                    |  |
| Class I Violations:                                  |  | 0                         |  | No Class I Violations:  |  | n/a                              |  | n/a  |  |
| Inspection Date:                                     |  | 2/25/2020 CEI & CEI & FRR |  | Inspection Type:        |  | Class I Justification            |  | Repeat (Yes/No)  |  |
| Inspection Types:                                    |  | 0                         |  | Violations:             |  | 0                                |  | Date(s) of Previous Violation                                    |  |
| Class I Violations:                                  |  | 0                         |  | No Class I Violations:  |  | n/a                              |  | n/a  |  |
| Inspection Date:                                     |  | 2/12/2019 CEI & CEI & FRR |  | Inspection Type:        |  | Class I Justification            |  | Repeat (Yes/No)  |  |
| Inspection Types:                                    |  | 0                         |  | Violations:             |  | 0                                |  | Date(s) of Previous Violation                                    |  |
| Class I Violations:                                  |  | 0                         |  | No Class I Violations:  |  | n/a                              |  | n/a  |  |
| Inspection Date:                                     |  | 2/25/2020 CEI & CEI & FRR |  | Inspection Type:        |  | Class I Justification            |  | Repeat (Yes/No)  |  |
| Inspection Types:                                    |  | 0                         |  | Violations:             |  | 0                                |  | Date(s) of Previous Violation                                    |  |
| Class I Violations:                                  |  | 0                         |  | No Class I Violations:  |  | n/a                              |  | n/a  |  |
| Inspection Date:                                     |  | 4/11/2023 CEI & CEI & FRR |  | Inspection Type:        |  | Class I Justification            |  | Repeat (Yes/No)  |  |
| Inspection Types:                                    |  | 0                         |  | Violations:             |  | 0                                |  | Date(s) of Previous Violation                                    |  |
| Class I Violations:                                  |  | 0                         |  | No Class I Violations:  |  | n/a                              |  | n/a  |  |

### Violation Scoring Matrix

| Facility Name: CROSBY & OVERTON                      |  | 2014-2023                                |  | Permit Effective Date:  |  | 8/22/2014                        |  | Link to EnviroStor Inspection Reports: <a href="#">SOVS etc.</a> |  |
|--|--|--|--|-------------------------|--|----------------------------------|--|--|--|
| Address: 1630 WEST 17TH STREET, LONG BEACH, CA 90813 |  | 10 Year Date Range:                      |  | Permit Expiration Date: |  | 8/21/2024                        |  | Link to EnviroStor Inspection Reports: <a href="#">SOVS etc.</a> |  |
| EPA ID: CAD028490019                                 |  | Number of Inspections:                   |  | Date VSP Completed:     |  | 1/12/2024                        |  | Link to EnviroStor Inspection Reports: <a href="#">SOVS etc.</a> |  |
| Total Number of Violations Scored:                   |  | 0  |  | Extent of Deviation:    |  | Potential for Harm Justification |  | Initial Score  |  |
| Inspection Date:                                     |  | 5/10/2022 CEI & CEI & FRR                |  | Inspection Type:        |  | Class I Justification            |  | Repeat (Yes/No)  |  |
| Inspection Types:                                    |  | 0  |  | Violations:             |  | 0                                |  | Date(s) of Previous Violation                                    |  |
| Class I Violations:                                  |  | 0  |  | No Class I Violations:  |  | n/a                              |  | n/a  |  |
| Inspection Date:                                     |  | 4/11/2023 CEI/Transporter & 5/2/2023 FRR |  | Inspection Type:        |  | Class I Justification            |  | Repeat (Yes/No)  |  |
| Inspection Types:                                    |  | 0  |  | Violations:             |  | 0                                |  | Date(s) of Previous Violation                                    |  |
| Class I Violations:                                  |  | 0  |  | No Class I Violations:  |  | n/a                              |  | n/a  |  |

| FACILITY VIOLATIONS SCORING PROCEDURE SCORE  |                    |  |                            |  |  |  |  |  |  |
|--|--------------------|--|----------------------------|--|--|--|--|--|--|
| Inspection Number  | Inspection Type(s) | Inspection Date(s)                       | Inspection Violation Score |  |  |  |  |  |  |
| 1  | CEI & FRR          | 3/27/2014 CEI & 6/27/2014 FRR            | 0.00                       |  |  |  |  |  |  |
| 2  | CEI & FRR          | 6/20/2016 CEI & 7/22/2016 FRR            | 0.00                       |  |  |  |  |  |  |
| 3  | CEI & FRR          | 4/25/2017 CEI & 6/20/2017 FRR            | 0.00                       |  |  |  |  |  |  |
| 4  | CEI & FRR          | 2/22/2018 CEI & 3/19/2018 FRR            | 0.00                       |  |  |  |  |  |  |
| 5  | CEI & FRR          | 2/12/2019 CEI & 2/21/2019 FRR            | 0.00                       |  |  |  |  |  |  |
| 6  | CEI & FRR          | 2/25/2020 CEI & 3/11/2020 FRR            | 0.00                       |  |  |  |  |  |  |
| 7  | CEI & FRR          | 2/22/2021 CEI & 3/9/2021 FRR             | 0.00                       |  |  |  |  |  |  |
| 8  | CEI & FRR          | 4/11/2023 CEI & 5/10/2022 FRR            | 0.00                       |  |  |  |  |  |  |
| 9  | CEI & FRR          | 4/11/2023 CEI/Transporter & 5/2/2023 FRR | 0.00                       |  |  |  |  |  |  |
| Sum of Inspection Violation Scores   |                    |  | 0.00                       |  |  |  |  |  |  |
| *FACILITY VSP SCORE = Sum of Inspection Violation Scores/Total Number of Inspections conducted in 10 year (calendar) timeframe |                    |  | 0.00                       |  |  |  |  |  |  |



**Yana Garcia**  
Secretary for  
Environmental Protection



## Department of Toxic Substances Control

---

Meredith Williams, Ph.D., Director  
5796 Corporate Avenue  
Cypress, California 90630



**Gavin Newsom**  
Governor

March 26, 2024

Josephine Paragas  
Crosby & Overton, Inc.  
1610 W. 17<sup>th</sup>. St.  
Long Beach, CA 90813

### ISSUANCE OF INSPECTION REPORT AND NOTICE OF PROVISIONAL INSPECTION VIOLATION SCORE

Dear Josephine Paragas:

On February 14, 2024, and February 27, 2024, the Department of Toxic Substances Control (DTSC) conducted a Compliance Evaluation Inspection and Financial Responsibility Review of Crosby & Overton, Inc. CAD028409019, located at 1630 W 17<sup>th</sup> Street, Long Beach, California 90813. The purpose of this letter is to notify Crosby & Overton, Inc. of the results of this inspection and provide notice of the provisional inspection violation score calculated by DTSC for this inspection pursuant to California Code of Regulations (CCR), title 22, section 66271.53, subdivision (a).

As detailed in the enclosed inspection report and Financial Responsibility Review Findings<sup>1</sup>, DTSC did not discover any violations of the Hazardous Waste Control Law and its implementing regulations during this inspection. DTSC appreciates your compliance efforts.

---

<sup>1</sup> While a copy of the Financial Responsibility Review Findings has been enclosed with this letter, Crosby & Overton, Inc. shall receive from the Financial Responsibility Unit, under separate cover, all pertinent information derived from the financial review, including any financial assurance documents.



Josephine Paragas  
Crosby & Overton, Inc.  
March 26, 2024  
Page 2

All pertinent information derived by DTSC from this inspection, including documents and photographs, are included as attachments to the enclosed inspection report.

Please note that the enclosed inspection report will become a public document. Pursuant to Health and Safety Code section 25173 (<https://codes.findlaw.com/ca/health-and-safety-code/hsc-sect-25173.html>), you may request that any trade secret or facility security information be withheld from public disclosure.

If you wish to assert the trade secret privilege, please provide DTSC with detailed, written responses to each of the following questions within 10 days of receipt of this letter:

- To what extent is there knowledge of the information conveyed by the photograph/document outside of your business?
- To what extent is there knowledge of the information conveyed by the photograph/document, by employees and others in your business?
- To what extent have measures been taken to guard the secrecy of the information?
- Is the information valuable to competitors? If so, why?
- Has there been substantial monetary expenditure in the development of the information?
- Could the information be easily and properly acquired or duplicated by others?

DTSC will review your response to these questions to determine if the information should be treated as trade secret and will notify you of its decision prior to making the enclosed inspection report available to the public.

**Provisional Inspection Violation Score: 0.00**

Concurrent with this report, DTSC is providing you with the provisional inspection violation score calculated by DTSC for this inspection in the enclosed Violation Scoring Matrix. (See 22 CCR § 66271.53, subd. (b).) A provisional inspection violation score is the sum of the initial score of each Class I violation that occurred during this compliance

inspection,<sup>2</sup> including any adjustment to an initial Class I violation score based on repeat violations.<sup>3</sup> (See 22 CCR § 66271.53, subd. (a).) The basis for the score for each Class I violation is also provided in the enclosed Violation Scoring Matrix.

### **Provisional Inspection Violation Score Dispute**

An owner or operator of a facility may dispute a provisional inspection score pursuant to CCR, title 22, section 66271.53, subdivision (c) by filing a Provisional Inspection Violation Score Dispute Document (template available at <https://dtsc.ca.gov/violations-scoring-procedure/> under "VSP Links") within sixty (60) calendar days of this notice. All of the following information must be enclosed with the Dispute Document cover letter:

- A statement that describes in detail the factual and legal basis of the dispute and the relief sought;
- Any claimed erroneous facts, assumptions, approaches, or conclusions of law made by DTSC;
- A statement describing in detail any efforts already made by the owner or operator to resolve the dispute with DTSC; and
- Any photographs, documents, or any other material that supports the owner's or operator's position regarding the disputed provisional inspection violation score.

---

<sup>2</sup> A "compliance inspection" includes, but is not limited to, scheduled and unscheduled inspections by DTSC during which DTSC evaluates a "hazardous waste facility's compliance with any operating hazardous waste management requirement set out in statute, regulation, permit, order, stipulation, agreement, settlement document, judgment, decree, grant of authorization issued by DTSC, or other document establishing requirements upon operations at the facility." (22 CCR § 66271.50, subd. (a).) A compliance inspection may include, but is not limited to, the following inspection types: Compliance Evaluation Inspection, Facility Self Disclosure, Financial Record Review, Focused Compliance Inspection, and Follow-Up Inspection.

If a subsequent inspection is conducted that is considered by DTSC to be part of this compliance inspection, DTSC will issue an updated provisional inspection score concurrent with the related inspection report or findings. Once issued, the owner or operator of the facility can follow the dispute process outlined in this letter with respect to any newly scored Class I violations.

<sup>3</sup> For purposes of calculating a facility's inspection violation score, DTSC may also consider Class II violations that meet the definition of a Class I violation as specified in CCR, title 22, section 66260.10. (See 22 CCR § 66271.50, subd. (d)(1).)

Josephine Paragas  
Crosby & Overton, Inc.  
March 26, 2024  
Page 4

The owner or operator of a facility may request a one-time extension of up to sixty (60) calendar days to submit a dispute document (template available at <https://dtsc.ca.gov/violations-scoring-procedure/> under "VSP Links").

DTSC will issue a written decision, granting or denying, in whole or in part, the relief sought by the owner or operator of a facility disputing a provisional inspection violation score. A provisional inspection violation score will become the final inspection violation score consistent with DTSC's written decision. A provisional inspection violation score will also become the final inspection violation score if the owner or operator of a facility does not file a Dispute Document within sixty (60) calendar days of this notice.

Submit any questions regarding the provisional inspection violation score to [VSP\\_Info@dtsc.ca.gov](mailto:VSP_Info@dtsc.ca.gov). If you have any questions regarding the dispute process, please contact [VSP\\_Dispute\\_Inbox@dtsc.ca.gov](mailto:VSP_Dispute_Inbox@dtsc.ca.gov).

If you have any questions regarding the inspection report, or if you wish to meet with DTSC to discuss any questions or concerns you have with the inspection or the report, please e-mail or call Dawn Johnson, Environmental Scientist, [Dawn.Johnson@DTSC.ca.gov](mailto:Dawn.Johnson@DTSC.ca.gov) at 7.

Sincerely,

  
Ellen Pates (Mar 26, 2024 13:06 PDT)

**Ellen Pates**

E-signed 2024-03-26 01:06PM PDT  
[Ellen.Pates@dtsc.ca.gov](mailto:Ellen.Pates@dtsc.ca.gov)  
CALEPA - Department of Toxic  
Substance Control

Ellen Pates, Senior Environmental Scientist, Supervisor  
Enforcement & Emergency Response Division  
Cypress/San Diego Enforcement Branch

Enclosure(s)

Inspection Report  
Violation Scoring Matrix  
Financial Responsibility Report Findings  
Return Receipt Requested



**INDUSTRIAL WASTEWATER DISCHARGE PERMIT  
 REQUIREMENT LIST**

The approval and issuance of this permit is being made conditionally and subject to Crosby & Overton Incorporated being in compliance with all indicated items on this list and accompanying data sheet. Satisfactory evidence of compliance with these conditions should be supplied to the Districts where requested. Satisfactory evidence will consist of a minimum of written notification signed by a responsible company official, and in some cases may involve the submission of additional drawings and data, or verification by a Districts representative. Failure to comply with all items on the requirement list, including all deadlines specified, invalidates this approval and issuance. Invalidation of this permit will result in Crosby & Overton Incorporated being deemed to be operating without a valid permit and subject to immediate discontinuance of sewer services for industrial operations. Per Section 401 of the Districts' Wastewater Ordinance, this permit is not transferable.

|                           |                               |
|---------------------------|-------------------------------|
| <b>FACILITY NAME</b>      | Crosby & Overton Incorporated |
| <b>FACILITY ID</b>        | 1422530                       |
| <b>PERMIT NUMBER</b>      | 001317                        |
| <b>DATE OF APPROVAL</b>   | September 30, 2020            |
| <b>DATE OF EXPIRATION</b> | September 29, 2025            |

**1. Acceptable and Unacceptable Wastewater**

Types of Wastewater That May Be Accepted and May not Be Accepted for Treatment

- a) Wastes accepted for treatment may not exceed the Districts' Phase I total cyanide limitation of 10 mg/l.
- b) The permittee is prohibited from accepting any wastes containing explosive materials or radioactive materials. In addition, wastes accepted for on-site treatment must not contain detectable quantities of organochlorinated pesticides (including DDT, DDE, DDD, chlordane, trans-nonachlor, oxychlordane, heptachlor, heptachlor epoxide, endrin, aldrin, dieldrin, hexachlorocyclohexane, and toxaphene) or polychlorinated biphenyls (PCBs). The permittee is also not allowed to accept any concentrated waste organic solvent for on-site treatment.
- c) The permittee shall not accept and treat any wastes regulated under Subpart A (Metals Treatment and Recovery Subcategory) of the Centralized Waste Treatment Category (40 CFR 437). The definitions for metal-bearing wastes can be found in 40 CFR 437.2.
- d) Prior to acceptance of any new type of commercial or industrial wastes not yet approved by the Districts, the permittee must demonstrate its capability of treating such new wastestreams by running a testing program. The Districts will review the performance data of the evaluation runs prior to determining whether Crosby & Overton, Inc. will be allowed to accept the new wastes proposed for on-site treatment. The identity of each new waste type will dictate whether additional effluent limitations apply.



**LOS ANGELES COUNTY  
SANITATION DISTRICTS**  
*Converting Waste Into Resources*

**Robert C. Ferrante**

Chief Engineer and General Manager

1955 Workman Mill Road, Whittier, CA 90601-1400  
Mailing Address: P.O. Box 4998, Whittier, CA 90607-4998  
(562) 699-7411 • www.lacsd.org

Mrs. Josephine Paragas  
Plant Manager  
Crosby & Overton Incorporated  
1610 W 17th Street  
Long Beach, CA 90813

September 14, 2022  
Facility ID: 1422530

Dear Mrs. Paragas:

**Certificate of Recognition for Compliance, Year 2021**

Congratulations for being in compliance with wastewater discharge limits and permit requirements of the Los Angeles County Sanitation Districts for Year 2021. The Sanitation Districts are pleased to recognize your efforts by presenting you with a Certificate of Recognition.

The purpose of the certificate is to recognize industries that are in full compliance with their wastewater discharge requirements. A total of 370 facilities that are Significant Industrial Users are being recognized for their efforts, including 93 companies who have remained in compliance for five or more consecutive years. The following criteria were used to establish which industries were to receive a certificate.

1. The discharger was required to be a Significant Industrial User (i.e., a discharger with wastewater flows greater than 25,000 gallons per day, a discharger subject to federal categorical pretreatment standards, or a discharger with a capability of adversely impacting the Sanitation Districts' sewerage system);
2. The discharger received no Notices of Violation during year 2021. Violations could have included exceeding discharge limits, failure to pay wastewater disposal charges, or noncompliance with general permit conditions (including reporting requirements and Self-Monitoring Report due dates);
3. The discharger was not found to have contributed to equipment failure such as effluent flow meters, sampling devices, pH meters, spill containment systems or rainwater diversion systems;
4. The discharger had appropriate industrial wastewater discharge permits for the facility.

Congratulations again on receiving a Certificate of Recognition. Additionally, we are enclosing, for your use, a removable window display recognizing your achievements. Please continue your efforts in order to maintain compliance during 2022. If there are any corrections that you believe need to be made to the certificate, or if you have questions about the recognition program, please contact Jyoti Banaji, Senior Engineer of the Industrial Waste Section, at extension 2906 or e-mail at [jbanaji@lacsd.org](mailto:jbanaji@lacsd.org).

Very truly yours,

Robert C. Ferrante  
Chief Engineer and General Manager

RCF:JB/mm



**LOS ANGELES COUNTY  
SANITATION DISTRICTS**  
Converting Waste Into Resources

# Certificate of Recognition

## 2021

*Crosby & Overton Incorporated*

*(Facility ID: 1422530)*

*for complying with U.S. EPA and  
Los Angeles County Sanitation Districts  
Industrial Wastewater Discharge Limits and Requirements*

*Robert C. Ferrante  
Chief Engineer and General Manager*



# South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178  
(909) 396-2000 • www.aqmd.gov

DATE: 01/02/2024

EQUIPMENT LOCATED AT: 1610-30 W 17TH ST  
LONG BEACH,CA 90813-1295

LEGAL OWNER CO. ID: 34149  
OR OPERATOR CROSBY & OVERTON, INC.  
1610 W 17TH ST  
LONG BEACH,CA,90813-1295

## PERMIT/APPLICATION RENEWAL

| PERMIT/<br>APPL NBR | EQUIPMENT DESCRIPTION                    | NEXT RENEWAL<br>DATE |
|---------------------|--|----------------------|
| BILLING YEAR: 2023  |  |                      |
| D70386              | DUST COLLECTOR CARTRIDGE TYPE            | 01/01/2025           |
| D70387              | Activated Carbon Adsorber Drum Vent s.s. | 01/01/2025           |
| D70388              | Activated Carbon Adsorber Drum Vent s.s. | 01/01/2025           |
| D70389              | Activated Carbon Adsorber Drum Vent s.s. | 01/01/2025           |
| F90949              | Activated Carbon Adsorber Drum Vent s.s. | 01/01/2025           |
| G68612              | WASTE WATER SEPARATION                   | 01/01/2025           |



**CITY OF LONG BEACH, CALIFORNIA**  
**BUSINESS LICENSE**  
**OWNERSHIP NON-TRANSFERABLE**  
LICENSE EXPIRES: 10/17/2025

PREPARED: 10/28/2024  
P33

THE LICENSEE NAMED BELOW IS AUTHORIZED TO OPERATE THE FOLLOWING:

|                        |                                  |   |
|------------------------|----------------------------------|---|
| <b>ACCOUNT NUMBER:</b> | <b>BU88024970</b>                | <b>BUSINESS TYPE: CONTRACTING – ENGINEERING</b> |
| <b>OWNER:</b>          | <b>CROSBY &amp; OVERTON, INC</b> |   |
| <b>LOCATED AT:</b>     | <b>1610 W 17TH ST</b>            |   |

AUTHORIZED BY: KEVIN RIPER  
DIRECTOR OF FINANCIAL MANAGEMENT

← LICENSE HOLDER - - PLEASE NOTE →

THE TOP PORTION OF THIS FORM IS YOUR LICENSE. YOU MUST DISPLAY THE LICENSE IN A CONSPICUOUS PLACE ON THE BUSINESS PREMISES.

THE DATE YOUR LICENSE EXPIRES IS INDICATED ON THE FACE OF THE LICENSE. IF YOU DO NOT RECEIVE A RENEWAL NOTICE BY THE EXPIRATION DATE, CONTACT THE BUSINESS LICENSE DIVISION AT (562) 570-6211 OR SEND AN EMAIL TO [LBBIZ@LONGBEACH.GOV](mailto:LBBIZ@LONGBEACH.GOV).

**NOTE: YOU ARE RESPONSIBLE FOR RENEWING THE LICENSE ON OR BEFORE THE LICENSE EXPIRATION DATE.**

(PLEASE NOTIFY THE BUSINESS LICENSE DIVISION IF YOU ARE NO LONGER IN BUSINESS.)

PLEASE REPORT IMMEDIATELY ANY CHANGE IN OWNERSHIP, BUSINESS LOCATION, MAILING ADDRESS, OR BUSINESS ACTIVITY TO THE BUSINESS LICENSE DIVISION.

**CROSBY & OVERTON, INC**  
**1610 W 17TH ST**  
**LONG BEACH, CA 908131217**





**CITY OF LONG BEACH, CALIFORNIA**  
**CERTIFIED UNIFIED PROGRAM AGENCY**  
**UNIFIED PROGRAM FACILITY PERMIT**  
 PERMIT EXPIRES ON: 10/31/2025

PREPARED: 11/07/2024  
 P238

THE CUPA GRANTS THE FOLLOWING AUTHORIZATIONS TO THE PERMITTEE NAMED BELOW:

|                        |                                 |                       |                                |
|------------------------|---------------------------------|-----------------------|--------------------------------|
| <b>ACCOUNT NUMBER:</b> | <b>HC00001447</b>               | <b>BUSINESS TYPE:</b> | <b>(1) HAZMAT/DISCLOS: Y</b>   |
| <b>OWNER:</b>          | <b>CROSBY &amp; OVERTON INC</b> |                       | <b>(2) TIERED PERMIT: N</b>    |
| <b>LOCATED AT:</b>     | <b>1630 W 17TH ST</b>           |                       | <b>(3) SPCC: N</b>             |
| <b>DBA NAME:</b>       | <b>CROSBY &amp; OVERTON INC</b> |                       | <b>(4) HAZWASTE GEN: Y</b>     |
|                        |                                 |                       | <b>(5) CALARP: N</b>           |
|                        |                                 |                       | <b>(6) HAZ MAT: Y</b>          |
|                        |                                 |                       | <b>(7) DISPENSING: N</b>       |
|                        |                                 |                       | <b>(8) UST # OF TANKS: N/A</b> |

**AUTHORIZED BY: ALISON KING**  
**CUPA EXECUTIVE DIRECTOR**

—————  
 ───────────────────────────────────▶ **PERMIT HOLDER - - PLEASE NOTE** ◀──────────────────────────────────

THE PERSON, AGENCY, OR CORPORATION HEREON NAMED IS GRANTED A PERMIT TO OPERATE IN CONFORMITY WITH EXISTING FEDERAL AND STATE LAWS AND LOCAL ORDINANCES.

THIS PERMIT IS NOT TRANSFERABLE, AND MAY BE SUSPENDED OR REVOKED FOR JUST CAUSE OR FOR FAILING TO ADHERE TO THE FOLLOWING PERMIT CONDITIONS.

THE CUPA IS AUTHORIZED TO ADMINISTER THESE PROGRAMS PER SECTION 154100 ET SEQ OF TITLE 27 OF CCR:

- HAZARDOUS MATERIAL DISCLOSURE (BUSINESS PLAN) PROGRAM SHALL COMPLY WITH CH&SC DIV 20, CHAPTER 6.95, ARTICLE 1; CCR TITLE 19, DIVISION 2, CHAPTER 4; CCR TITLE 24, PART 9, CHAPTER 50.
- CALIFORNIA ACCIDENTAL RELEASE PREVENTION (CALARP)/RISK MANAGEMENT PLAN (RMP) PROGRAM SHALL COMPLY WITH CS&SC DIVISION 20, CHAPTER 6.95, ARTICLE 1; CCR TITLE 19, DIVISION 2, CHAPTER 4.5.
- ABOVEGROUND STORAGE/SPILL PREVENTION CONTROL (SPCC) PROGRAM SHALL COMPLY WITH CH&SC DIVISION 20, CHAPTER 6.67.
- HAZARDOUS WASTE GENERATOR PROGRAM SHALL COMPLY WITH CH&SC DIVISION 20, CHAPTER 6.5; CCR TITLE 22, DIVISION 4 AND 4.5.
- TIERED PERMIT ON-SITE HAZARDOUS WASTE TREATMENT (PBR/CA/CE) PROGRAM SHALL COMPLY WITH CH&SC DIV 20, CHAPTER 6.5; CCR TITLE 22, DIV 4 & 4.5.
- HAZARDOUS MATERIALS PROGRAM SHALL COMPLY WITH CCR TITLE 25, PART 9; CALIFORNIA FIRE CODE CHAPTER 50 AND APPENDIX H.
- MOTOR FUEL DISPENSING SHALL COMPLY WITH CH&SC DIV 20, CH 6.7 AND 6.75; CCR TITLE 23, CH 16 & 18; CCR TITLE 24, PART 9; CALIFORNIA FIRE CODE CHAPTER 23 (FIRE PERMIT F33 - AIRCRAFT REFUELING, FP37 - AUTO FUELING OR FP43A - MARINE FUELING).

**CROSBY & OVERTON INC**  
**ACCOUNTS PAYABLE**  
**1610 W 17TH ST**  
**LONG BEACH, CA 90813-1217**





**CITY OF LONG BEACH, CALIFORNIA**  
**CERTIFIED UNIFIED PROGRAM AGENCY**  
**UNIFIED PROGRAM FACILITY PERMIT**  
 PERMIT EXPIRES ON: 10/31/2025

PREPARED: 11/07/2024  
 P217

THE CUPA GRANTS THE FOLLOWING AUTHORIZATIONS TO THE PERMITTEE NAMED BELOW:

|                        |                                 |                       |                                |
|------------------------|---------------------------------|-----------------------|--------------------------------|
| <b>ACCOUNT NUMBER:</b> | <b>HC00002572</b>               | <b>BUSINESS TYPE:</b> | <b>(1) HAZMAT/DISCLOS: Y</b>   |
| <b>OWNER:</b>          | <b>CROSBY &amp; OVERTON INC</b> |                       | <b>(2) TIERED PERMIT: N</b>    |
| <b>LOCATED AT:</b>     | <b>1573 CANAL AVE</b>           |                       | <b>(3) SPCC: N</b>             |
| <b>DBA NAME:</b>       | <b>CROSBY &amp; OVERTON INC</b> |                       | <b>(4) HAZWASTE GEN: N</b>     |
|                        |                                 |                       | <b>(5) CALARP: N</b>           |
|                        |                                 |                       | <b>(6) HAZ MAT: Y</b>          |
|                        |                                 |                       | <b>(7) DISPENSING: N</b>       |
|                        |                                 |                       | <b>(8) UST # OF TANKS: N/A</b> |

**AUTHORIZED BY: ALISON KING**  
**CUPA EXECUTIVE DIRECTOR**


**PERMIT HOLDER - - PLEASE NOTE**


THE PERSON, AGENCY, OR CORPORATION HEREON NAMED IS GRANTED A PERMIT TO OPERATE IN CONFORMITY WITH EXISTING FEDERAL AND STATE LAWS AND LOCAL ORDINANCES.

THIS PERMIT IS NOT TRANSFERABLE, AND MAY BE SUSPENDED OR REVOKED FOR JUST CAUSE OR FOR FAILING TO ADHERE TO THE FOLLOWING PERMIT CONDITIONS.

THE CUPA IS AUTHORIZED TO ADMINISTER THESE PROGRAMS PER SECTION 154100 ET SEQ OF TITLE 27 OF CCR:

- HAZARDOUS MATERIAL DISCLOSURE (BUSINESS PLAN) PROGRAM SHALL COMPLY WITH CH&SC DIV 20, CHAPTER 6.95, ARTICLE 1; CCR TITLE 19, DIVISION 2, CHAPTER 4; CCR TITLE 24, PART 9, CHAPTER 50.
- CALIFORNIA ACCIDENTAL RELEASE PREVENTION (CALARP)/RISK MANAGEMENT PLAN (RMP) PROGRAM SHALL COMPLY WITH CS&SC DIVISION 20, CHAPTER 6.95, ARTICLE 1; CCR TITLE 19, DIVISION 2, CHAPTER 4.5.
- ABOVEGROUND STORAGE/SPILL PREVENTION CONTROL (SPCC) PROGRAM SHALL COMPLY WITH CH&SC DIVISION 20, CHAPTER 6.67.
- HAZARDOUS WASTE GENERATOR PROGRAM SHALL COMPLY WITH CH&SC DIVISION 20, CHAPTER 6.5; CCR TITLE 22, DIVISION 4 AND 4.5.
- TIERED PERMIT ON-SITE HAZARDOUS WASTE TREATMENT (PBR/CA/CE) PROGRAM SHALL COMPLY WITH CH&SC DIV 20, CHAPTER 6.5; CCR TITLE 22, DIV 4 & 4.5.
- HAZARDOUS MATERIALS PROGRAM SHALL COMPLY WITH CCR TITLE 25, PART 9; CALIFORNIA FIRE CODE CHAPTER 50 AND APPENDIX H.
- MOTOR FUEL DISPENSING SHALL COMPLY WITH CH&SC DIV 20, CH 6.7 AND 6.75; CCR TITLE 23, CH 16 & 18; CCR TITLE 24, PART 9; CALIFORNIA FIRE CODE CHAPTER 23 (FIRE PERMIT F33 - AIRCRAFT REFUELING, FP37 - AUTO FUELING OR FP43A - MARINE FUELING).

**CROSBY & OVERTON INC**  
**ACCOUNTS PAYABLE**  
**1610 W 17TH ST**  
**LONG BEACH, CA 90813-1217**





**CITY OF LONG BEACH, CALIFORNIA**  
**CERTIFIED UNIFIED PROGRAM AGENCY**  
**UNIFIED PROGRAM FACILITY PERMIT**  
 PERMIT EXPIRES ON: 10/31/2025

PREPARED: 11/07/2024  
 P205

THE CUPA GRANTS THE FOLLOWING AUTHORIZATIONS TO THE PERMITTEE NAMED BELOW:

|                        |                                 |                       |                                |
|------------------------|---------------------------------|-----------------------|--------------------------------|
| <b>ACCOUNT NUMBER:</b> | <b>HC00004174</b>               | <b>BUSINESS TYPE:</b> | <b>(1) HAZMAT/DISCLOS: Y</b>   |
| <b>OWNER:</b>          | <b>CROSBY &amp; OVERTON INC</b> |                       | <b>(2) TIERED PERMIT: N</b>    |
| <b>LOCATED AT:</b>     | <b>1640 W 16TH ST</b>           |                       | <b>(3) SPCC: N</b>             |
| <b>DBA NAME:</b>       | <b>CROSBY &amp; OVERTON INC</b> |                       | <b>(4) HAZWASTE GEN: N</b>     |
|                        |                                 |                       | <b>(5) CALARP: N</b>           |
|                        |                                 |                       | <b>(6) HAZ MAT: Y</b>          |
|                        |                                 |                       | <b>(7) DISPENSING: N</b>       |
|                        |                                 |                       | <b>(8) UST # OF TANKS: N/A</b> |

**AUTHORIZED BY: ALISON KING**  
 CUPA EXECUTIVE DIRECTOR


**PERMIT HOLDER - - PLEASE NOTE**


THE PERSON, AGENCY, OR CORPORATION HEREON NAMED IS GRANTED A PERMIT TO OPERATE IN CONFORMITY WITH EXISTING FEDERAL AND STATE LAWS AND LOCAL ORDINANCES.

THIS PERMIT IS NOT TRANSFERABLE, AND MAY BE SUSPENDED OR REVOKED FOR JUST CAUSE OR FOR FAILING TO ADHERE TO THE FOLLOWING PERMIT CONDITIONS.

THE CUPA IS AUTHORIZED TO ADMINISTER THESE PROGRAMS PER SECTION 154100 ET SEQ OF TITLE 27 OF CCR:

- HAZARDOUS MATERIAL DISCLOSURE (BUSINESS PLAN) PROGRAM SHALL COMPLY WITH CH&SC DIV 20, CHAPTER 6.95, ARTICLE 1; CCR TITLE 19, DIVISION 2, CHAPTER 4; CCR TITLE 24, PART 9, CHAPTER 50.
- CALIFORNIA ACCIDENTAL RELEASE PREVENTION (CALARP)/RISK MANAGEMENT PLAN (RMP) PROGRAM SHALL COMPLY WITH CS&SC DIVISION 20, CHAPTER 6.95, ARTICLE 1; CCR TITLE 19, DIVISION 2, CHAPTER 4.5.
- ABOVEGROUND STORAGE/SPILL PREVENTION CONTROL (SPCC) PROGRAM SHALL COMPLY WITH CH&SC DIVISION 20, CHAPTER 6.67.
- HAZARDOUS WASTE GENERATOR PROGRAM SHALL COMPLY WITH CH&SC DIVISION 20, CHAPTER 6.5; CCR TITLE 22, DIVISION 4 AND 4.5.
- TIERED PERMIT ON-SITE HAZARDOUS WASTE TREATMENT (PBR/CA/CE) PROGRAM SHALL COMPLY WITH CH&SC DIV 20, CHAPTER 6.5; CCR TITLE 22, DIV 4 & 4.5.
- HAZARDOUS MATERIALS PROGRAM SHALL COMPLY WITH CCR TITLE 25, PART 9; CALIFORNIA FIRE CODE CHAPTER 50 AND APPENDIX H.
- MOTOR FUEL DISPENSING SHALL COMPLY WITH CH&SC DIV 20, CH 6.7 AND 6.75; CCR TITLE 23, CH 16 & 18; CCR TITLE 24, PART 9; CALIFORNIA FIRE CODE CHAPTER 23 (FIRE PERMIT F33 - AIRCRAFT REFUELING, FP37 - AUTO FUELING OR FP43A - MARINE FUELING).

**CROSBY & OVERTON INC**  
**ACCOUNTS PAYABLE**  
**1610 W 17TH ST**  
**LONG BEACH, CA 90813-1217**



**CITY OF LONG BEACH, CALIFORNIA**  
**ANNUAL FIRE PERMIT**  
**PERMIT TO OPERATE**  
 PERMIT EXPIRES ON: 09/17/2025

PREPARED: 09/18/2024  
 P114

THE PERMITTEE NAMED BELOW IS AUTHORIZED TO OPERATE THE FOLLOWING:

|                        |                                 |                        |  |
|------------------------|---------------------------------|------------------------|--|
| <b>ACCOUNT NUMBER:</b> | <b>FP22015712</b>               | <b>PERMIT TYPE(S):</b> | <b>ANNUAL FIRE PERMIT FP06C Comprsd</b>          |
| <b>OWNER:</b>          | <b>CROSBY &amp; OVERTON INC</b> |                        | <b>Gases Flammable 200-12k CFFP11C</b>           |
| <b>SITE:</b>           | <b>1630 W 17TH ST</b>           |                        | <b>Flam/Combust Liquid Class I/II/IIIAFP14A</b>  |
| <b>DBA NAME:</b>       | <b>CROSBY &amp; OVERTON INC</b> |                        | <b>HazMats CorrosivesFP14B HazMats Oxidizing</b> |
|                        |                                 |                        | <b>MaterialsFP14H HazMats Toxic Materials</b>    |

**AUTHORIZED BY: ROBBIE GREGO**  
**DEPUTY CHIEF/FIRE MARSHAL**

—————  
 → **PERMIT HOLDER - - PLEASE NOTE** ←

THE TOP PORTION OF THIS FORM IS YOUR PERMIT. YOU MUST DISPLAY THE PERMIT IN A CONSPICUOUS PLACE ON THE BUSINESS PREMISES.

THE PERSON, AGENCY, OR ORGANIZATION HEREIN NAMED IS GRANTED A PERMIT TO OPERATE IDENTIFIED FACILITIES, EQUIPMENT, SYSTEMS, AND/OR PROCESSES SUBJECT TO APPLICABLE REQUIREMENTS AND RESTRICTIONS OF L.B.M.C TITLE 18.48 AND FIRE PREVENTION REQUIREMENTS.

THE DATE YOUR PERMIT EXPIRES IS INDICATED ON THE FACE OF THE PERMIT. IF YOU DO NOT RECEIVE A RENEWAL NOTICE BY THE EXPIRATION DATE, CONTACT THE BUREAU OF FIRE PREVENTION AT (562) 570-2560.

**NOTE: YOU ARE RESPONSIBLE FOR RENEWING THE PERMIT ON OR BEFORE THE PERMIT EXPIRATION DATE.**

(PLEASE NOTIFY THE BUREAU OF FIRE PREVENTION IF YOU ARE NO LONGER IN BUSINESS.)

PLEASE REPORT IMMEDIATELY ANY CHANGE IN OWNERSHIP, BUSINESS LOCATION, MAILING ADDRESS, OR BUSINESS ACTIVITY TO THE BUREAU OF FIRE PREVENTION.

**CROSBY & OVERTON INC**  
**ACCOUNTS PAYABLE**  
**1610 W 17TH ST**  
**LONG BEACH, CA 90813-1217**



**CITY OF LONG BEACH, CALIFORNIA**  
**ANNUAL FIRE PERMIT**  
**PERMIT TO OPERATE**  
PERMIT EXPIRES ON: 10/02/2025

PREPARED: 10/03/2024  
P160

THE PERMITTEE NAMED BELOW IS AUTHORIZED TO OPERATE THE FOLLOWING:

|                        |                                 |                        |                                      |
|------------------------|---------------------------------|------------------------|--------------------------------------|
| <b>ACCOUNT NUMBER:</b> | <b>FP22015719</b>               | <b>PERMIT TYPE(S):</b> | <b>ANNUAL FIRE PERMIT</b>            |
| <b>OWNER:</b>          | <b>CROSBY &amp; OVERTON INC</b> |                        | <b>FP14A HazMats Corrosives</b>      |
| <b>SITE:</b>           | <b>SEE LOCATION</b>             |                        | <b>FP14H HazMats Toxic Materials</b> |
| <b>INCLUDES:</b>       | <b>1640 W. 16TH STREET</b>      |                        |                                      |
| <b>DBA NAME:</b>       | <b>CROSBY &amp; OVERTON INC</b> |                        |                                      |

AUTHORIZED BY: **ROBBIE GREGO**  
DEPUTY CHIEF/FIRE MARSHAL

—————  
→ **PERMIT HOLDER - - PLEASE NOTE** ←

THE TOP PORTION OF THIS FORM IS YOUR PERMIT. YOU MUST DISPLAY THE PERMIT IN A CONSPICUOUS PLACE ON THE BUSINESS PREMISES.

THE PERSON, AGENCY, OR ORGANIZATION HEREIN NAMED IS GRANTED A PERMIT TO OPERATE IDENTIFIED FACILITIES, EQUIPMENT, SYSTEMS, AND/OR PROCESSES SUBJECT TO APPLICABLE REQUIREMENTS AND RESTRICTIONS OF L.B.M.C TITLE 18.48 AND FIRE PREVENTION REQUIREMENTS.

THE DATE YOUR PERMIT EXPIRES IS INDICATED ON THE FACE OF THE PERMIT. IF YOU DO NOT RECEIVE A RENEWAL NOTICE BY THE EXPIRATION DATE, CONTACT THE BUREAU OF FIRE PREVENTION AT (562) 570-2560.

**NOTE: YOU ARE RESPONSIBLE FOR RENEWING THE PERMIT ON OR BEFORE THE PERMIT EXPIRATION DATE.**

(PLEASE NOTIFY THE BUREAU OF FIRE PREVENTION IF YOU ARE NO LONGER IN BUSINESS.)

PLEASE REPORT IMMEDIATELY ANY CHANGE IN OWNERSHIP, BUSINESS LOCATION, MAILING ADDRESS, OR BUSINESS ACTIVITY TO THE BUREAU OF FIRE PREVENTION.

**CROSBY & OVERTON INC**  
**ACCOUNTS PAYABLE**  
**1610 W 17TH ST**  
**LONG BEACH, CA 90813-1217**



THE CITY OF LONG BEACH HEREBY AUTHORIZES THE PERMITTEE NAMED BELOW TO OPERATE THE FOLLOWING:

ACCOUNT NUMBER: AP05861800  
OWNER: INC CROSBY & OVERTON  
LOCATED AT: 1610 W 17TH ST  
ALARM TYPE: COMMERCIAL ALARM

**ALARM PERMITS ARE NON-TRANSFERRABLE**

AUTHORIZED BY: KEVIN RIPER  
DIRECTOR OF FINANCIAL MANAGEMENT

—————  
→ LICENSE HOLDER - - PLEASE NOTE ←

THE PERSON, FIRM OR CORPORATION HEREON NAMED IS GRANTED A PERMIT TO OPERATE IN CONFORMITY WITH EXISTING ORDINANCES REGULATING ALARM PERMITS.

INC CROSBY & OVERTON  
ATTN MICHAEL SHLOUB  
1610 W 17TH ST  
LONG BEACH, CA 908131217

**CHWMEG, Inc.**

<https://chwmeq.org>

Worldwide Headquarters • 470 William Pitt Way • Pittsburgh, PA 15238 USA  
Tel +1 (412) 826-3055 • Fax +1 (586) 461-1856 • [administrator@chwmeq.org](mailto:administrator@chwmeq.org)

Asia-Pacific Support • Singapore Land Tower  
37th Floor, 50 Raffles Place • Singapore 048623  
Tel +65 9237 8445 • Fax +65 6829 7070 • [asia-pacific@chwmeq.org](mailto:asia-pacific@chwmeq.org)

Europe/Africa/Middle East Support • Warsaw Financial Centre - 14th Floor  
Emiliii Plater 53 • 00-113 Warsaw Poland  
Tel +48 60 733 9012 • Fax +48 22 528 6701 • [europe@chwmeq.org](mailto:europe@chwmeq.org)



April 27, 2023

Ms. Josephine Paragas  
Plant Manager  
Crosby & Overton, Inc.  
1610 W. 17th Street  
Long Beach, CA 90813

RE: Recent CHWMEG, Inc. Facility Review Conducted at Crosby & Overton, Inc.

Dear Ms. Paragas:

On behalf of CHWMEG, Inc.'s (CHWMEG) over 295 member enterprises, representing over 910 individual companies, I want to extend appreciation to you and the other staff at your facility for your support of the CHWMEG 2023 Facility Review Program (FRP) review recently completed at your facility. The member companies recognize and appreciate the level of effort required to support the facility review (see enclosed Membership List).

Your efforts enabled the interested CHWMEG member companies, which represent customers or potential customers of your facility, the benefit of receiving the information necessary for their individual contractor/vendor management programs. Further, your support of the CHWMEG process reduces the need to support multiple customer reviews from these individual companies.

CHWMEG continuously strives to improve its practices and procedures. CHWMEG's goals include streamlining the facility review processes and reducing costs. It is hoped that CHWMEG's efforts also benefit the reviewed facility. At your convenience, please complete the enclosed survey, and return it using the enclosed self-addressed, stamped envelope or by fax to +1 (586) 461-1856. Members of CHWMEG will review your feedback.

Also, please find enclosed a plaque recognizing the efforts of you and your colleagues in supporting the 2023 CHWMEG FRP review of your facility. You are encouraged to display this as you deem appropriate.

If you have any questions regarding the CHWMEG program, or wish to refer any of your customers or potential customers to CHWMEG, please contact Jeff Sacre, CHWMEG Administrator, at +1 (412) 826-3056 or via email at [jeff\\_sacre@chwmeq.org](mailto:jeff_sacre@chwmeq.org). You can also contact CHWMEG's Asia-Pacific Director, Mr. David Chng, at +65 9237 8445 (email: [asia-pacific@chwmeq.org](mailto:asia-pacific@chwmeq.org)) or European Director, Mr. Randy Mott, at +48 607 339 012 (email: [europe@chwmeq.org](mailto:europe@chwmeq.org)).

Information about CHWMEG is always available on the internet at <https://chwmeq.org>.

Thank you again for your support and feedback.

Sincerely,

**The 2022-2023 CHWMEG, Inc. Board of Directors**



Kevin Bloomer  
CHWMEG, Inc. Chair



Michael Cakouros  
CHWMEG, Inc. Vice-Chair

Nick Burrows, Ph.D.  
CHWMEG, Inc. Treasurer



Kendall Wilson  
CHWMEG, Inc. Secretary




Mark Williamson  
Board Member-at-Large



Douglas Mieritz  
Board Member-at-Large



Mark Bonenberger  
Board Member-at-Large



Chris Bryant  
Board Member-at-Large



Deanna Ollerman  
Board Member-at-Large

TK et al: jas

encl: CHWMEG, Inc. Membership List  
Feedback Survey with Stamped, Return Envelope  
Appreciation Plaque

cc: Ms. Raquel Angeles - Customer Service

tel: (562) 432-5445

email: [jparagas@crosbyoverton.com](mailto:jparagas@crosbyoverton.com)





# CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)  
11/19/2024

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

**IMPORTANT:** If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

|  |   |                                      |
|--|---|--------------------------------------|
| <b>PRODUCER</b><br>GS Insurance Solutions Inc<br>5201 Great America Parkway<br>Suite 320<br>Santa Clara CA 95054 | <b>CONTACT NAME:</b> Robert Hess<br><b>PHONE (A/C, No, Ext):</b> (844) 694-7467<br><b>E-MAIL ADDRESS:</b> robert@gsisol.com | <b>FAX (A/C, No):</b> (844) 205-6744 |
|  | <b>INSURER(S) AFFORDING COVERAGE</b>  |                                      |
| <b>INSURED</b><br>Crosby & Overton, Inc.<br>1610 W. 17th Street<br>Long Beach CA 90813                           | <b>INSURER A:</b> Everest Indemnity Insurance Company   | <b>NAIC #</b><br>10851               |
|  | <b>INSURER B:</b> Everest Denali Ins. Co.   | <b>NAIC #</b><br>16044               |
|  | <b>INSURER C:</b> Aspen Specialty Insurance Company   | <b>NAIC #</b><br>10717               |
|  | <b>INSURER D:</b> State Compensation Insurance Fund   | <b>NAIC #</b><br>35076               |
|  | <b>INSURER E:</b> Axis Surplus Insurance Co   | <b>NAIC #</b><br>26620               |
|  | <b>INSURER F:</b>   |                                      |


**COVERAGES**      **CERTIFICATE NUMBER:** CL24111984842      **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

| INSR LTR | TYPE OF INSURANCE   | ADDL INSD | SUBR WVD     | POLICY NUMBER  | POLICY EFF (MM/DD/YYYY) | POLICY EXP (MM/DD/YYYY) | LIMITS  |
|----------|---|-----------|--------------|----------------|-------------------------|-------------------------|---|
| A        | <input checked="" type="checkbox"/> <b>COMMERCIAL GENERAL LIABILITY</b><br><input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR<br>GEN'L AGGREGATE LIMIT APPLIES PER:<br><input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PRO. JECT <input type="checkbox"/> LOC<br><input checked="" type="checkbox"/> OTHER: Deductible: \$5,000 |           |              | EF1CE00047-241 | 11/20/2024              | 11/20/2025              | EACH OCCURRENCE \$ 1,000,000<br>DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 300,000<br>MED EXP (Any one person) \$ 25,000<br>PERSONAL & ADV INJURY \$ 1,000,000<br>GENERAL AGGREGATE \$ 2,000,000<br>PRODUCTS - COMP/OP AGG \$ 2,000,000 |
| B        | <input checked="" type="checkbox"/> <b>AUTOMOBILE LIABILITY</b><br><input checked="" type="checkbox"/> ANY AUTO<br><input type="checkbox"/> OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS<br><input type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> NON-OWNED AUTOS ONLY  |           |              | EF1CA00114-241 | 11/20/2024              | 11/20/2025              | COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000<br>BODILY INJURY (Per person) \$<br>BODILY INJURY (Per accident) \$<br>PROPERTY DAMAGE (Per accident) \$   |
| A        | <input checked="" type="checkbox"/> <b>UMBRELLA LIAB</b> <input checked="" type="checkbox"/> OCCUR<br><input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE<br>DED    RETENTION \$  |           |              | EF1XS00055-241 | 11/20/2024              | 11/20/2025              | EACH OCCURRENCE \$ 2,000,000<br>AGGREGATE \$ 2,000,000  |
| D        | <b>WORKERS COMPENSATION AND EMPLOYERS' LIABILITY</b><br>ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH)<br>If yes, describe under DESCRIPTION OF OPERATIONS below   |           | Y/N<br>Y N/A | 9272344-24     | 04/01/2024              | 04/01/2025              | <input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTHER<br>E.L. EACH ACCIDENT \$ 1,000,000<br>E.L. DISEASE - EA EMPLOYEE \$ 1,000,000<br>E.L. DISEASE - POLICY LIMIT \$ 1,000,000                                  |
| A        | Professional Liability  |           |              | EF1CE00047-241 | 11/20/2024              | 11/20/2025              | Limit: \$ 1,000,000<br>Deductible: \$ 25,000<br>Retro Date: 11/20/2022  |

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Auto Physical Damage:  
 Comprehensive Deductible: \$ 5,000  
 Collision Deductible: \$ 5,000

|   |   |
|---|---|
| <b>CERTIFICATE HOLDER</b><br><br>For Information Only | <b>CANCELLATION</b><br><br>SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS. |
|   | AUTHORIZED REPRESENTATIVE<br><br>  |

© 1988-2015 ACORD CORPORATION. All rights reserved.