



CROSBY & OVERTON, INC.
ENVIRONMENTAL SERVICES

AUDIT PACKAGE

February 1, 2025



CROSBY & OVERTON, INC.
ENVIRONMENTAL SERVICES

TABLE OF CONTENTS

	Page
General Facility Information	1 - 5
EPA: Acknowledgement of Notification of Hazardous Waste Activity (EPA ID # CAD028409019)	6
United States Environmental Protection Agency (EPA) CERCLA Approval	7
Hazardous Waste Facility Permit	8
Table of Acceptable "EPA and State Codes"	9
<i>California State Environmental Laboratory Accreditation Program: Certificate No. 1568</i>	10 - 15
• Pollution Proficiency Testing Certificate for WP-343, 345	16
• Certificate of Excellence for WP-332 Proficiency Test	17
• SOIL Proficiency Testing Certificate for SOIL-124	18
Transportation Authority	
• CA Hazardous Waste Transporter Registration	19
• CA Motor Carrier Permit	20
• CA Hazardous Materials Transportation License	21
• DTSC Hazardous Waste Transporter Registration Certificate	22
• Nevada Transportation Credentials	23
State of California Contractors State License	24
Weighmaster License	25
DTSC Letter of Receipt of Permit Renewal	26 -27
DTSC Financial Responsibility Review Findings	28 – 30
DTSC Inspection Report	31 - 32
DTSC Inspection Violation Score	33 - 34
L.A. County Industrial Wastewater Discharge Permit	35
County Sanitation Certificate of Recognition for Compliance	36
South Coast Air Quality Management District Permits	37
City of Long Beach Business and Fire Permit	38 - 39
Certified Unified Program Agency (CUPA)	40 - 41
CHWMEG Facility Review Program	42 - 43
Certificate of Liability Insurance	44

Crosby & Overton, Inc.

General Facility Information

1. GENERAL INFORMATION

Crosby & Overton, Inc.
1610 W. 17th Street
Long Beach, CA 90813

Phone: (562) 432-5445
Fax: (562) 436-7540

SIC Code – 4953
NAICS – 562211

Fed ID: 95-2048228

2. FACILITY INFORMATION

TSDF Plant #1 – Long Beach
1630 W. 17th Street
Long Beach, CA 90813
Phone: (562) 432-5445
Fax: (562) 495-2181

Transfer Station
23285 Connecticut Street
Hayward, CA 94545
Phone: (510) 633-0336
Fax: (510) 633-0759

EPA#: CAD028409019
Hours: *6:00am – 11:00pm

Contact Information:
Sales-Ernie Jaramillo: (714) 715-2923
Facility-Derryl Bailey: (510) 773-9195
Office - Lisa Christensen: (510) 455-1002

*Extended hours to accommodate your project or emergency needs

3. LONG BEACH FACILITY (PLANT) RCRA TSDf

- Years in operation: 75 years
- Approximate size of the TSDf: 43,600 square feet
- Previous company names: None
- Description of any environmental problems: None
- Permitted Capacity: Approximately 16,000,000 gallons of bulk liquid per year
- Drum Capacity: Throughput of 656 drums per day
- Ownership of Land: Crosby & Overton, Inc.
- Surrounding Neighborhood: C & O is located in a heavy industrial area of Long Beach with no residential use in the immediate area.

- **Climatic Conditions:** The site is located in an area with moderate temperatures year round.

- **Site Topography:** The site is approximately 10 ft. above sea level. The entire facility is surrounded by an 8 ft. security fence. Access control is by 3-30 ft. gates which remain closed except when waste transporters are entering or leaving the facility. The site is completely surrounded by berms which are a minimum of 10 inches high. The facility has a minimum of 8 inches of concrete beneath the entire facility and has a rainwater collection system.

A. ACCEPTABLE WASTE STREAMS

1. Bulk Liquids for On-Site Treatment
 - Non Hazardous Liquids
 - Non RCRA & RCRA (see Table 1 for acceptable codes)

2. Drummed Liquids and Solids *
 - Non Hazardous
 - Non RCRA & RCRA (see Table 1 for acceptable codes)
 - Lab Packs
 - Household Hazardous Waste

**Roll-offs and Tri-walls acceptable for some waste streams*

B. UNACCEPTABLE WASTE STREAMS

1. Bulk Liquids
 - Waters with high concentrations of soluble contaminants
 - Waste w/ PCB's
 - Waste w/ Cyanides >1.20 mg/L
 - Waste w/ Sulfides >10 ppm (*high Sulfides may result in additional charges*)
 - Water w/ high metals
 - Water w/>49.9 % Hydrocarbons

2. Bulk Solids

- Because of space restrictions, C & O does not typically manage roll-off box quantities of solid waste.

3. Drummed Liquids & Solids

- Radioactive
- Biological
- Explosive
- PCBs

C. TREATMENT PROCESS

Wastewater containing hydrocarbons and suspended solids are physically separated from the aqueous phase through filtration and centrifugation. The hydrocarbons are sent off for either fuels blending or recycling depending on the quality of the material. Solids which are not suspended are removed through gravity separation and sent to Landfill. Emulsified hydrocarbons are separated from the aqueous phase through chemical treatment and the remaining trace organics are removed through our carbon adsorption system.

D. DISCHARGE LIMITS

Crosby & Overton discharges treated waste water to a POTW (Publicly Owned Treatment Works) under permit from Sanitation Districts of Los Angeles County. Prior to discharge, each batch of waste water is analyzed by C & O's State Certified Laboratory to ensure compliance with our strict effluent discharge limitations.

E. DISPOSAL FACILITIES USED BY CROSBY & OVERTON

During the course of the waste treatment process at Crosby & Overton both hazardous and non-hazardous waste by-products are generated. Crosby & Overton utilizes only nationally recognized and permitted waste management companies for the disposal of these wastes. Whenever possible, Crosby & Overton will recycle the waste by-products, if recycling is not possible then the waste is incinerated. If incineration is not practicable, then the waste is landfilled.

Periodic audits are performed on all of the disposal facilities to ascertain overall compliance with applicable Federal, State and local regulations. These audits are also used to ensure waste is handled and disposed of in accordance with Crosby & Overton's instructions.

F. DRUM STORAGE

The number of hazardous waste drums the facility is permitted to store is 656. The drums are segregated and contained by hazard class in individual drum storage cells.

G. TANK STORAGE

The facility operates 20 treatment tanks for a total capacity of 175,000 gallons (largest tank is 21,000 gallons), which are used to process non-hazardous, non-RCRA hazardous, and RCRA wastewaters under local, and Federal Centralized Waste Treatment regulations. All tanks vent to carbon, and are visually inspected daily, and undergo an annual physical inspection and professional engineer certification.

H. FACILITY SERVICES

Crosby & Overton Inc. operates a state certified laboratory located on site which supports the facility needs. The laboratory runs the following tests for waste certification/disposal:

- Organics (liquids/solids) EPA 601/602, EPA 624, EPA 8021
- Title 22 CAM metals EPA 6010
- Colorimetric Test (sulfides, cyanides, COD)
- Ignitability EPA 1010
- pH
- Free Cyanides
- Metals (in water) EPA 6010B, EPA 200.7

Laboratory services are wastes handled at facility only. Crosby & Overton does not analyze waste for disposal at other facilities.

Crosby & Overton also has a trained field services crew that provides on-site waste classification, and lab-packing for shipment to the Plant (Long Beach TSDF).

I. SAFETY RECORD

C & O is proud of our safety record. There has been two lost time injury in the past three years.

- 2022 – 0 lost time accident
- 2021 – 1 lost time accident
- 2020 – 1 lost time accident

J. CIVIL ACTIONS

No pending

K. INSURANCE CERTIFICATES

The following sample insurance certificates are enclosed: General Liability/Professional Services, Automobile Liability, Umbrella Liability, Pollution Liability, Property and Workers Compensation.

L. LICENSES AND PERMITS

- California Environmental Protection Agency (CAL EPA), Department of Toxic Substances Control (DTSC), Region 4 – 10 Year Long Beach Hazardous Waste Facility Permit for RCRA and Non-RCRA Waste EPA ID Number: CAD 028409019 issued August 22, 2014
- California Hazardous Waste Transportation Registration No. 25
- South Coast Air Quality Management District
Permit Number G68612 (waste water separation)
Permit Number D70386 (dust collector cartridge type)
Permit Number D70387 (activated carbon adsorber)
Permit Number D70388 (activated carbon adsorber)
Permit Number D70389 (activated carbon adsorber)
Permit Number D70390 (activated carbon adsorber)
- State of California “A General Engineering“ License 450744
- State of California “Environmental Laboratory Accreditation Program”
Crosby & Overton Analytical Laboratory Certificate No. 1568
- Los Angeles County Sanitation District
Industrial Waste Discharge Permit No. 1317
- City of Long Beach
Business License BU88024970
CUPA Permit No. HC00001447
CUPA Permit No. HC00002572
CUPA Permit No. HC00004174
Fire Permit No. FP22015719

M. CERTIFICATE S OF TREATMENT / RECEIPT

The completed hazardous waste manifest, signed by the facility, serves as the certificate of treatment and receipt. However, if additional documentation is necessary, contact the Crosby & Overton Customer Service Department.

4. HAYWARD TRANSFER FACILITY

Crosby & Overton operates an exempt 10-day transfer facility in Hayward California. Waste is transferred to the Long Beach Facility for further processing.



ACKNOWLEDGEMENT OF NOTIFICATION
OF HAZARDOUS WASTE ACTIVITY

This is to acknowledge that you have filed a Notification of Hazardous Waste Activity for the installation located at the address shown in the box below to comply with Section 3010 of the Resource Conservation and Recovery Act (RCRA). Your EPA Identification Number for that installation appears in the box below. The EPA Identification Number must be included on all shipping manifests for transporting hazardous wastes; on all Annual Reports that generators of hazardous waste, and owners and operators of hazardous waste treatment, storage and disposal facilities must file with EPA; on all applications for a Federal Hazardous Waste Permit; and other hazardous waste management reports and documents required under Subtitle C of RCRA.

EPA I.D. NUMBER	CA0028409019
INSTALLATION ADDRESS	CROSBY & OVERTON INC 1620 W. 16TH ST. LONG BEACH CA 90813
	1620 W. 16TH ST. LONG BEACH CA 90813

EPA Form 0700-12A (4-80)



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION IX
75 Hawthorne Street
San Francisco, CA 94105

NOV 13 1999

Environmental Affairs Manager
Crosby & Overton
1610 West 17th Street
Long Beach, CA 90813

RE: Environmental Protection Agency Region 9 Determination of Acceptability
under the CERCLA Off-Site Rule

In response to your request for approval to receive CERCLA waste at your facility, this letter serves to inform you that the U.S. Environmental Protection Agency (EPA), Region 9 has made an affirmative determination regarding the acceptability status of Crosby & Overton (CAD028409019) pursuant to the CERCLA Off-Site Rule, 40 CFR. §300.440. As of the date of this letter, Crosby & Overton may accept CERCLA waste generated as a result of a CERCLA remedial or removal action.

On September 16, 1993, EPA amended the National Oil and Hazardous Substances Pollution Contingency Plan (NCP), 40 CFR Part 300, by adding Section 300.440, now known as the Off-Site Rule ("Rule"). The Rule codifies the requirements contained in Section 121(d)(3) of CERCLA, 42 U.S.C. §9621 (d)(3), and incorporates many provisions of EPA's former Off-Site Policy. The Rule established criteria and procedures for determining whether facilities are acceptable for the receipt of CERCLA waste. A copy of the Rule as published in the Federal Register, is enclosed for your reference (58 Fed. Reg. 49200 - 49218, September 22, 1993).

The Rule requires that prior to a facility's initial receipt of CERCLA waste, EPA must determine that there are no relevant violations or relevant releases at the facility. Should any new information affecting this determination be obtained in the future, EPA reserves the right to re-evaluate the acceptability of Crosby and Overton to receive CERCLA waste in accordance with the Rule.

If you have any questions concerning this matter, please contact Kandice Bellamy, Region 9's CERCLA Off-Site Rule Coordinator, at (415) 744-2091.

Sincerely,


Rich Vaile, Chief
State Programs & Compliance Branch



Department of Toxic Substances Control

Yana Garcia
Secretary for
Environmental Protection

Meredith Williams, Ph.D., Director
9211 Oakdale Avenue
Chatsworth, California 91311

Gavin Newsom
Governor

March 22, 2024

Via U.S. Certified Mail No. 7021 1970 0001 5302 3115
Return Receipt Requested

Ms. Linda Alonso
Chief Executive Officer
Crosby & Overton, Inc.
1610 West 17th Street
Long Beach, California, 90813
LAlonso@crosbyoverton.com

ADMINISTRATIVE COMPLETENESS DETERMINATION FOR THE RCRA PERMIT RENEWAL APPLICATION FOR CROSBY & OVERTON, INC., 1610 WEST 17TH STREET, LONG BEACH, CALIFORNIA 90813, EPA ID NO. CAD 028 409 019

Dear Ms. Linda Alonso:

The Department of Toxic Substances Control (DTSC) received the Hazardous Waste Facility Permit Renewal Application, dated February 23, 2024, for the Crosby & Overton, Inc. located at 1630 West 17th Street, Long Beach, California.

DTSC has completed the initial review of the Permit Application and has determined that it is administratively complete. DTSC will now begin the technical review of the Permit Application. Pursuant to Cal. Code Regs, tit. 22 §66270.51(b), Crosby & Overton, Inc. expired permit will remain fully in effect and enforceable until the effective date of a new permit. DTSC will notify Crosby & Overton, Inc. if any deficiencies in the Permit Application are identified.

The expected project schedule is as follows:

Permitting Event	Due Date
Public Notice receipt of permit application	April 19, 2024

Ms. Linda Alonso
Crosby & Overton, Inc.
March 22, 2023
Page 2

Issuance of First Notice of Deficiency (NOD)	August 26, 2024
Permittee's response to the First NOD	September 25, 2024
Issuance of Second NOD	November 25, 2024
Permittee's response to the Second NOD	December 26, 2024
Technical review completed	January 24, 2025
Public Notice for Draft Permit, Begin Public Comment Period	June 2, 2025
Issue Final Permit Decision	December 31, 2025

If you have any questions about this letter, please contact me at (818) 717-6693 or Roberto.Castro@dtsc.ca.gov.

Sincerely,

Roberto Castro

Roberto Castro
Hazardous Substances Engineer
Permitting Division
Department of Toxic Substances Control

cc: Ms. Andora Sprecher
Director
A&S Environmental Management, Inc.
aandsenv@gmail.com

Ms. Jessica Malberg
Managing Consultant
All4, Inc.
jmalberg@all4inc.com

Ms. Muzhda Ferouz, P.E.
Branch Chief, Permitting Division

Table I

ACCEPTABLE DRUMMED EPA CODES

D001	D002	D003	D004	D005	D006	D007	D008	D009	D010
D011	D012	D013	D014	D015	D018	D019	D020	D021	D022
D023	D024	D025	D026	D027	D028	D029	D030	D031	D032
D033	D034	D035	D036	D038	D039	D040	D041	D042	D043
F001	F002	F003	F004	F005	F006	F007	F008	F009	F010
F011	F012	F027	F037	F038					
K048	K049	K050	K051						
P001	P002	P004	P010	P011	P012	P014	P020	P021	P024
P028	P029	P030	P034	P037	P040	P041	P044	P045	P046
P050	P051	P054	P059	P060	P070	P071	P074	P088	P089
P098	P099	P104	P106	P108	P110	P121	P123		
U001	U002	U031	U032	U044	U056	U057	U070	U071	U072
U078	U079	U080	U081	U082	U092	U101	U108	U112	U121
U122	U123	U125	U129	U131	U140	U151	U154	U159	U161
U165	U166	U182	U188	U196	U210	U211	U220	U221	U223
U225	U226	U227	U228	U239	U247	U359			

ACCEPTABLE STATE CODES

121	122	123	131	132	133	134	135	141	151
162	171	172	181	211	212	213	214	221	222
223	231	232	241	251	252	261	271	272	281
291	311	331	341	342	343	351	352	411	421
431	441	451	461	481	491	511	512	513	521
541	551	561	571	591	611	612	725	741	751
791	792								

ACCEPTABLE BULK EPA CODES

D001	D008	D018	F037	F038	K048	K049	K050	K051
------	------	------	------	------	------	------	------	------

ACCEPTABLE STATE CODES

123	132	133	134	135	141	212	213	214	221
222	223	241	252	291	331	342	343	421	451
491	521	551	561						

If the code does not appear on this sheet, the code is *unacceptable*.



State Water Resources Control Board

April 10, 2023

Arturo M. Dayoan
Crosby & Overton Analytical Laboratory
1610 West 17th Street
Long Beach, CA 90813

Dear Arturo M. Dayoan:

Certificate No. 1568

Congratulations! This notice advises that the laboratory named above has been accredited as an environmental testing laboratory pursuant to the provisions of the California Health and Safety Code (HSC) Sections 100825-100920. The analyses for which this laboratory is accredited are shown on the enclosed "Fields of Accreditation" List.

The laboratory's accreditation begins on the date printed on the enclosed certificate. If you did not submit your application by the renewal deadline, there may be a lapse in your accreditation. You are responsible for ensuring no data is submitted for regulatory purposes during a period the laboratory is not accredited.

Be advised, the laboratory may have been denied accreditation for one or more analyses for which it applied due to failure to comply with regulatory requirements for application or accreditation. It is the laboratory's responsibility to review the enclosed documents and know which methods it has been accredited for. This accreditation is a final action of the State Water Resources Control Board subject to petition under HSC Section 116701 within 30 days. However, if you believe that an FOA has been left off of your accreditation in error, before you file a petition you may submit to ELAP within 30 days of this letter, an "Accreditation Inquiry Request Form" located at www.waterboards.ca.gov/elap identifying any mistakes or errors you believe occurred in your accreditation. ELAP will then review all timely submitted "Accreditation Inquiry Request Forms" and will make a final determination, which could then be petitioned to the State Water Resources Control Board. Failure to submit an "Accreditation Inquiry Request Form" to ELAP within 30 days of this letter or to timely petition ELAP's final decision to the State Water Resources Control Board will prohibit you from obtaining any further review of your accreditation. HSC Section 100890 lists the civil penalties for environmental laboratories that perform analyses for state regulatory purposes without a valid certificate.

Continued accreditation is contingent upon compliance with HSC Sections 100825-100920 and California Code of Regulations, Title 22, Division 4, Chapter 19, Certification of Environmental Laboratories. ELAP reserves the right to take enforcement action, including issuance of civil penalties, or suspension and revocation of the laboratory's ELAP certificate, for failure to comply with all applicable regulations, statutes and orders.

Environmental Protection | Water | Public Science | Environmental Protection

1001 I Street, Sacramento, CA 95814 | Mailing Address: P.O. Box 188, Sacramento, CA 95812-0188 | www.waterboards.ca.gov



Thank you,



Christine Sotelo, Program Manager
California Environmental Laboratory Accreditation Program (CA ELAP)



STATE WATER RESOURCES CONTROL BOARD
REGIONAL WATER QUALITY CONTROL BOARDS

CALIFORNIA STATE



ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

**CERTIFICATE OF
ENVIRONMENTAL LABORATORY ACCREDITATION**

Is hereby granted to

Crosby & Overton Analytical Laboratory

1655 Canal Street

Long Beach, CA 90813

Scope of the certificate is limited to the
"Fields of Accreditation"
which accompany this Certificate.

Continued accredited status depends on compliance with applicable laws and regulations,
proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of
Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1568**

Effective Date: **8/1/2023**

Expiration Date: **7/31/2025**

A handwritten signature in blue ink, appearing to read "Christine Sotelo".

Sacramento, California
subject to forfeiture or revocation

Christine Sotelo, Program Manager
Environmental Laboratory Accreditation Program



CALIFORNIA STATE
ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM
Fields of Accreditation



Crosby & Overton Analytical Laboratory

1655 Canal Street
Long Beach, CA 90813
Phone: 5624325445

Certificate Number: 1568
Expiration Date: 7/31/2025

Field of Accreditation:108 - Inorganic Constituents in Non-Potable Water

108.005	001	Hydrogen Ion (pH)	EPA 150.2
108.023	001	Cyanide, Total	EPA 335.4
108.045	001	Chemical Oxygen Demand	EPA 410.4
108.053	002	Oil & Grease, Total Recoverable	EPA 1664 B
108.075	001	Residue, Non-filterable TSS	SM 2540 D-2011
108.125	001	Cyanide, Total	SM 4500-CN E-2011
108.137	001	Hydrogen Ion (pH)	SM 4500-H+ B-2011
108.201	001	Sulfide (as S)	SM 4500-S D-2011

Field of Accreditation:109 - Metals and Trace Elements in Non-Potable Water

109.623	003	Arsenic	EPA 200.7
109.623	007	Cadmium	EPA 200.7
109.623	008	Chromium	EPA 200.7
109.623	009	Cobalt	EPA 200.7
109.623	010	Copper	EPA 200.7
109.623	012	Lead	EPA 200.7
109.623	015	Nickel	EPA 200.7
109.623	017	Silver	EPA 200.7
109.623	019	Tin	EPA 200.7
109.623	022	Zinc	EPA 200.7
109.635	001	Mercury	EPA 245.1

Field of Accreditation:110 - Volatile Organic Constituents in Non-Potable Water

110.040	005	Benzene	EPA 624.1
110.040	006	Bromodichloromethane	EPA 624.1
110.040	007	Bromoform	EPA 624.1
110.040	008	Bromomethane (Methyl Bromide)	EPA 624.1
110.040	010	Carbon Tetrachloride	EPA 624.1
110.040	011	Chlorobenzene	EPA 624.1
110.040	012	Chloroethane	EPA 624.1
110.040	013	2-Chloroethyl vinyl Ether	EPA 624.1
110.040	014	Chloroform	EPA 624.1
110.040	015	Chloromethane (Methyl Chloride)	EPA 624.1
110.040	016	Dibromochloromethane (Chlorodibromomethane)	EPA 624.1
110.040	017	1,2-Dichlorobenzene	EPA 624.1

As of 8/1/2023 , this list supersedes all previous lists for this certificate number.
Customers: Please verify the current accreditation standing with the State.

110.040	018	1,3-Dichlorobenzene	EPA 624.1
110.040	019	1,4-Dichlorobenzene	EPA 624.1
110.040	020	1,1-Dichloroethane	EPA 624.1
110.040	021	1,2-Dichloroethane (Ethylene Dichloride)	EPA 624.1
110.040	022	1,1-Dichloroethylene (1,1-Dichloroethene)	EPA 624.1
110.040	023	trans-1,2-Dichloroethylene (trans- 1,2 Dichloroethene)	EPA 624.1
110.040	024	1,2-Dichloropropane	EPA 624.1
110.040	025	cis-1,3-Dichloropropylene (cis 1,3 Dichloropropene)	EPA 624.1
110.040	026	trans-1,3-Dichloropropylene (trans-1,3 Dichloropropene)	EPA 624.1
110.040	029	Ethylbenzene	EPA 624.1
110.040	031	Methylene Chloride (Dichloromethane)	EPA 624.1
110.040	034	1,1,2,2-Tetrachloroethane	EPA 624.1
110.040	035	Tetrachloroethylene (Tetrachloroethene)	EPA 624.1
110.040	037	Toluene	EPA 624.1
110.040	038	1,1,1-Trichloroethane	EPA 624.1
110.040	039	1,1,2-Trichloroethane	EPA 624.1
110.040	040	Trichloroethylene (Trichloroethene)	EPA 624.1
110.040	041	Vinyl Chloride	EPA 624.1
110.040	042	m-Xylene	EPA 624.1
110.040	043	o-Xylene	EPA 624.1
110.040	044	p-Xylene	EPA 624.1
110.040	046	m+p-Xylene	EPA 624.1

Field of Accreditation:114 - Inorganic Constituents in Hazardous Waste

114.315	002	Antimony	EPA 6010 B
114.315	003	Arsenic	EPA 6010 B
114.315	004	Barium	EPA 6010 B
114.315	005	Beryllium	EPA 6010 B
114.315	007	Cadmium	EPA 6010 B
114.315	009	Chromium	EPA 6010 B
114.315	010	Cobalt	EPA 6010 B
114.315	011	Copper	EPA 6010 B
114.315	013	Lead	EPA 6010 B
114.315	016	Molybdenum	EPA 6010 B
114.315	017	Nickel	EPA 6010 B
114.315	019	Selenium	EPA 6010 B
114.315	020	Silver	EPA 6010 B
114.315	023	Thallium	EPA 6010 B
114.315	026	Vanadium	EPA 6010 B
114.315	027	Zinc	EPA 6010 B
114.535	001	Mercury	EPA 7471 A

Field of Accreditation:115 - Leaching/Extraction Tests and Physical Characteristics of Hazardous Waste

115.055	001	Waste Extraction Test (WET)	CCR Chapter11, Article 5, Appendix II
---------	-----	-----------------------------	---------------------------------------

115.085	001	Toxicity Characteristic Leaching Procedure (TCLP)	EPA 1311
115.135	001	Corrosivity - pH Determination	EPA 9045 C
Field of Accreditation:130 - Inorganic constituents in Hazardous waste (Matrix Aqueous)			
130.010	002	Antimony	EPA 6010 B
130.010	003	Arsenic	EPA 6010 B
130.010	004	Barium	EPA 6010 B
130.010	005	Beryllium	EPA 6010 B
130.010	007	Cadmium	EPA 6010 B
130.010	009	Chromium	EPA 6010 B
130.010	010	Cobalt	EPA 6010 B
130.010	011	Copper	EPA 6010 B
130.010	013	Lead	EPA 6010 B
130.010	016	Molybdenum	EPA 6010 B
130.010	017	Nickel	EPA 6010 B
130.010	019	Selenium	EPA 6010 B
130.010	020	Silver	EPA 6010 B
130.010	023	Thallium	EPA 6010 B
130.010	026	Vanadium	EPA 6010 B
130.010	027	Zinc	EPA 6010 B
130.250	001	Mercury	EPA 7470 A
Field of Accreditation:131 - Leaching/Extraction, Physical Characteristics in Hazardous Waste (Matrix Aqueous)			
131.060	001	Ignitability	EPA 1010



A Waters Company

October 2, 2023

Arturo M. Dayoan
Crosby & Overton Analytical Lab
1610 West 17th St.
Long Beach, CA 90813

Enclosed is your final report for ERA's WP-343 WatR™ Pollution Proficiency Testing (PT) study. Your final report includes an evaluation of all results submitted by your laboratory to ERA.

Data Evaluation Protocols: All analytes in ERA's WP-343 WatR™ Pollution Proficiency Testing study have been evaluated using the following tiered approach. If the analyte is listed in the most current TNI Fields of Proficiency Testing (FoPT) table the evaluation was completed by comparing the reported result to the acceptance limits generated using the criteria contained in the table and the evaluation criteria contained in the 2016 TNI Standard, Volume 3. If the analyte is not included in the TNI FoPT table, the reported result has been evaluated using the procedures outlined in ERA's Standard Operating Procedure for the Generation of Performance Acceptance Limits (SOP 730002268).

Corrective Action Help: As part of your accreditation(s), you may be required to identify the root cause of any "Not Acceptable" results, implement the necessary corrective actions, and then satisfy your PT requirements by participating in a Supplemental (QuiK™ Response) or future ERA PT study. ERA's technical staff is available to help your laboratory resolve any technical issues that may be impairing your PT performance and possibly affecting your routine data quality. Our laboratory and technical staff have many years of collective experience in performing the full range of environmental analyses. As part of our technical support, ERA offers QC samples that can be useful in helping you work through your technical issues.

Thank you for your participation in ERA's WP-343 WatR™ Pollution Proficiency Testing study. If you have any questions, please contact our Proficiency Testing Department at 1-800-372-0122.

Sincerely,

A handwritten signature in black ink, appearing to read "Craig Huff", with a stylized flourish at the end.

Craig Huff
Senior Technical Manager

attachments



CERTIFICATE OF RECOGNITION

ERA congratulates
Crosby & Overton Analytical Lab
WP-343

For your participation and successful evaluation, we recognize the performance of this laboratory for achieving acceptable evaluation in the following standards.

- | | |
|---------------|----------------|
| Demand | Hardness |
| Mercury | pH |
| Sulfide | Tin & Titanium |
| Total Cyanide | Trace Metals |
| Volatiles | |



Craig Huff
Senior Technical Manager



A Waters Company

November 29, 2023

Arturo M. Dayoan
Crosby & Overton Analytical Lab
1610 West 17th St.
Long Beach, CA 90813

Enclosed is your final report for ERA's WP-345 WatR™ Pollution Proficiency Testing (PT) study. Your final report includes an evaluation of all results submitted by your laboratory to ERA.

Data Evaluation Protocols: All analytes in ERA's WP-345 WatR™ Pollution Proficiency Testing study have been evaluated using the following tiered approach. If the analyte is listed in the most current TNI Fields of Proficiency Testing (FoPT) table the evaluation was completed by comparing the reported result to the acceptance limits generated using the criteria contained in the table and the evaluation criteria contained in the 2016 TNI Standard, Volume 3. If the analyte is not included in the TNI FoPT table, the reported result has been evaluated using the procedures outlined in ERA's Standard Operating Procedure for the Generation of Performance Acceptance Limits (SOP 730002268).

Corrective Action Help: As part of your accreditation(s), you may be required to identify the root cause of any "Not Acceptable" results, implement the necessary corrective actions, and then satisfy your PT requirements by participating in a Supplemental (QuiK™ Response) or future ERA PT study. ERA's technical staff is available to help your laboratory resolve any technical issues that may be impairing your PT performance and possibly affecting your routine data quality. Our laboratory and technical staff have many years of collective experience in performing the full range of environmental analyses. As part of our technical support, ERA offers QC samples that can be useful in helping you work through your technical issues.

Thank you for your participation in ERA's WP-345 WatR™ Pollution Proficiency Testing study. If you have any questions, please contact our Proficiency Testing Department at 1-800-372-0122.

Sincerely,

A handwritten signature in black ink, appearing to read "Craig Huff", with a stylized flourish at the end.

Craig Huff
Senior Technical Manager

attachments



CERTIFICATE OF EXCELLENCE

In recognition of the quality of your laboratory in proficiency testing for

WP-345

Crosby & Overton Analytical Lab

is issued this certificate of achievement by ERA. This laboratory has been recognized as a Laboratory of Excellence for achieving 100% acceptable data in this study which included 673 participating laboratories. This achievement is a demonstration of the superior quality of the laboratory in evaluation of the standards listed below.

Oil & Grease



Craig Huff
Senior Technical Manager



A Waters Company

December 6, 2023

Arturo M. Dayoan
Crosby & Overton Analytical Lab
1610 West 17th St.
Long Beach, CA 90813

Enclosed is your final report for ERA's SOIL-124 Proficiency Testing (PT) study. Your final report includes an evaluation of all results submitted by your laboratory to ERA.

Data Evaluation Protocols: All analytes in ERA's SOIL-124 Proficiency Testing study have been evaluated using the following tiered approach. If the analyte is listed in the most current TNI Fields of Proficiency Testing (FoPT) table the evaluation was completed by comparing the reported result to the acceptance limits generated using the criteria contained in the table and the evaluation criteria contained in the 2016 TNI Standard, Volume 3. If the analyte is not included in the TNI FoPT table, the reported result has been evaluated using the procedures outlined in ERA's Standard Operating Procedure for the Generation of Performance Acceptance Limits (SOP 730002268).

Corrective Action Help: As part of your accreditation(s), you may be required to identify the root cause of any "Not Acceptable" results, implement the necessary corrective actions, and then satisfy your PT requirements by participating in a Supplemental (QuiK™Response) or future ERA PT study. ERA's technical staff is available to help your laboratory resolve any technical issues that may be impairing your PT performance and possibly affecting your routine data quality. Our laboratory and technical staff have many years of collective experience in performing the full range of environmental analyses. As part of our technical support, ERA offers QC samples that can be useful in helping you work through your technical issues.

Thank you for your participation in ERA's SOIL-124 Proficiency Testing study. If you have any questions, please contact our Proficiency Testing Department at 1-800-372-0122.

Sincerely,

A handwritten signature in black ink, appearing to read "Craig Huff", with a large, stylized initial "C" and "H".

Craig Huff
Senior Technical Manager

attachments



CERTIFICATE OF EXCELLENCE

In recognition of the quality of your laboratory in proficiency testing for

SOIL-124

Crosby & Overton Analytical Lab

is issued this certificate of achievement by ERA. This laboratory has been recognized as a Laboratory of Excellence for achieving 100% acceptable data in this study which included 281 participating laboratories. This achievement is a demonstration of the superior quality of the laboratory in evaluation of the standards listed below.

Corrosivity/pH in Soil
Ignitability/Flashpoint
Metals in Soil
TCLP Metals in Soil



Craig Huff
Senior Technical Manager



STATE OF CALIFORNIA
DEPARTMENT OF CALIFORNIA HIGHWAY PATROL

**HAZARDOUS MATERIALS
TRANSPORTATION LICENSE**
CHP 360H (REV. 1/00) OPI 062

CONTROL NUMBER	LICENSE NUMBER	ISSUE DATE	EFFECTIVE DATE	EXPIRATION DATE
272662	223064	8/1/2024	9/1/2024	8/31/2025
CHP CARRIER NUMBER	LOCATION	<input type="checkbox"/> Duplicate	<input type="checkbox"/> Replacement	
CA 302	530	<input type="checkbox"/> Initial	<input checked="" type="checkbox"/> Renewal	

PROPERTY OF THE CALIFORNIA HIGHWAY PATROL (CHP)

The original valid license must be kept at the licensee's place of business as indicated on the license and a legible copy must be carried in any vehicle or combination transporting hazardous materials and must be presented to any CHP officer upon request. This license is NON-TRANSFERABLE and must be surrendered to the CHP upon demand or as required by law. A majority change in ownership or control of the licensed activity shall require a new license. This license may be renewed by submitting an application and appropriate fee to the CHP. Persons whose licenses have expired or are otherwise no longer valid must immediately cease the activity requiring a license. THERE IS NO GRACE PERIOD. For licensing information contact CHP, Commercial Vehicle Section at (916) 843-3400.

LICENSEE NAME AND PHYSICAL STATION ADDRESS (if different than below)

CROSBY & OVERTON INC
1630 W. 17TH ST.
LONG BEACH CA, US 90813

This carrier is on the special routing/safe stopping place mailing lists as indicated below:

- (HMX) Explosives subject to Division 14, California Vehicle Code (CVC).
- (HMPH) Poison Inhalation Hazard materials in bulk packages subject to Division 14.3, CVC.
- (HMRCQ) Highway Route Controlled Quantity radioactive materials subject to Division 14.5, CVC.

LICENSEE NAME AND MAILING ADDRESS

Attention: Linda Alonso
CROSBY & OVERTON INC
1610 W. 17TH ST.
LONG BEACH CA, US 90813

Any person who dumps, spills, or causes the release of hazardous materials or hazardous waste upon any highway shall immediately notify the CHP or the agency having jurisdiction for that highway. The minimum fine for failure to make the appropriate notification is \$2,000.00. (CVC Section 23112.5)


DEPARTMENT OF MOTOR VEHICLES

Registration Operations Division MS H875
 P.O. BOX 932370 Sacramento, CA. 94232-3700
 (916) 657-8153



08/04/2016

CROSBY & OVERTON INC
 1610 W. 17TH ST.
 LONG BEACH, CA 90813

 DEPARTMENT OF MOTOR VEHICLES A Public Service Agency		NON-EXPIRING MOTOR CARRIER PERMIT Combined Carrier			
DEPARTMENT OF MOTOR VEHICLES Registration Operations Division P.O. BOX 932370 Sacramento, CA. 94232-3700 CROSBY & OVERTON INC 1610 W. 17TH ST. LONG BEACH, CA 90813		Valid From:	08/04/2016	Valid Through:	Non-Expiring
		CA#:	0000302		
		The carrier named on this permit is subject to the Unified Carrier Registration Act (UCRA) of 2005, and is granted a non-expiring permit of the following classification: Private Corporation			
		Not Valid for Intrastate Only Operations			
Pmt Date:	08/04/2016	Office #:	154		
Account #:	660065	Tech ID:	AG		
Sequence #:	0002	Amt Paid:	\$154.00		

!!!IMPORTANT REMINDERS!!!

1. This non-expiring Motor Carrier Permit (MCP) will remain valid as long as you continue to conduct interstate operations. The Unified Carrier Registration Act (UCRA) of 2005 exempts combined carriers (carriers who operate both intra and interstate) from MCP requirements.
2. Federal Motor Carrier Safety Administration insurance requirements must be maintained.
3. If you commence intrastate only operations, you must renew your MCP.

California Relay Telephone Service for the deaf or hearing impaired from TDD Phones: 1-800-735-2929; from Voice Phones: 1-800-735-2922

UNITED STATES OF AMERICA
DEPARTMENT OF TRANSPORTATION
PIPELINE AND HAZARDOUS MATERIALS SAFETY ADMINISTRATION



**HAZARDOUS MATERIALS
CERTIFICATE OF REGISTRATION
FOR REGISTRATION YEAR(S) 2024-2025**

Registrant: CROSBY & OVERTON, INC.

ATTN: Andora Sprecher
1610 W 17TH ST
LONG BEACH, CA 90813

This certifies that the registrant is registered with the U.S. Department of Transportation as required by 49 CFR Part 107, Subpart G.

This certificate is issued under the authority of 49 U.S.C. 5108. It is unlawful to alter or falsify this document.

Reg. No: 061924550247G Effective: July 1, 2024 Expires: June 30, 2025

HM Company ID: 174537

Record Keeping Requirements for the Registration Program

The following must be maintained at the principal place of business for a period of three years from the date of issuance of this Certificate of Registration:

- (1) A copy of the registration statement filed with PHMSA; and
- (2) This Certificate of Registration

Each person subject to the registration requirement must furnish that person's Certificate of Registration (or a copy) and all other records and information pertaining to the information contained in the registration statement to an authorized representative or special agent of the U. S. Department of Transportation upon request.

Each motor carrier (private or for-hire) and each vessel operator subject to the registration requirement must keep a copy of the current Certificate of Registration or another document bearing the registration number identified as the "U.S. DOT Hazmat Reg. No." in each truck and truck tractor or vessel (trailers and semi-trailers not included) used to transport hazardous materials subject to the registration requirement. The Certificate of Registration or document bearing the registration number must be made available, upon request, to enforcement personnel.

For information, contact the Hazardous Materials Registration Manager, PHH-52, Pipeline and Hazardous Materials Safety Administration, U.S. Department of Transportation, 1200 New Jersey Avenue, SE, Washington, DC 20590, telephone (202) 366-4109.



Yana Garcia
Secretary for
Environmental Protection



Department of Toxic Substances Control

Meredith Williams, Ph.D., Director
1001 I Street
P.O. Box 806
Sacramento, California 95812-0806



Gavin Newsom
Governor

Hazardous Waste Transporter Registration Certificate

Name and Address of Registered Transporter:

CROSBY & OVERTON INC
1610 W 17TH ST
LONG BEACH, CA 90813

Transporter Registration Number: 0025

Effective Date: August 1, 2024

Expiration Date: August 30, 2025

This is to certify that the firm named above is duly registered to transport hazardous waste in the State of California in accordance with the provisions of Chapter 6.5, Division 20 of the Health and Safety Code and Title 22 of the California Code of Regulations, Division 4.5.

July 8, 2024

Authorized Signature


Date

Name and Title of Authorized Representative: Xavier Gaulman, Program Technician II

This registration certificate must be carried with each shipment of hazardous waste. For registration information, please call 1-800-618-6942 or email transporter@dtsc.ca.gov.

Alliance for Uniform Hazmat Transportation Procedures Uniform Program Credentials

CROSBY AND OVERTON INC
1610 W 17TH STREET
LONG BEACH CA 90813



**ALLIANCE
FOR UNIFORM
HAZMAT
TRANSPORTATION
PROCEDURES**

USDOT CENSUS #: 9933

MC #: 157215

EPA TRANSPORTER ID #: CAD028409019

PHMSA #: 061523550329F

TELEPHONE NUMBER TO CALL IN CASE OF ACCIDENT OR EMERGENCY:
800-424-9300

UNIFORM PROGRAM #: UPM9933NV

CERTIFIED BY: D. WENZEL

REGISTRATION ISSUED: **01 JANUARY 2024**
REGISTRATION EXPIRATION: **31 DECEMBER 2024**

ISSUING AGENCY: NEVADA HIGHWAY PATROL
AGENCY TELEPHONE NUMBER: 775-684-4622





CONTRACTORS
STATE LICENSE BOARD
ACTIVE LICENSE



License Number **450744** Entity **CORP**
Business Name **CROSBY & OVERTON INC**

Classification(s) **A ASB HAZ**

Expiration Date **12/31/2025**

www.csib.ca.gov





Department of Food and Agriculture
Division of Measurement Standards

6790 Florin Perkins Rd., Ste. 100, Sacramento, California 95828-1812
Email: dms@cdfa.ca.gov Web Address: www.cdfa.ca.gov/dms/programs/wm/wm.html
Phone # : (916) 229-3000 Fax # : (916) 229-3055
Remit fees payable to: **CDFA 90361**, PO Box 942872, Sacramento, CA 94271-2872

Weighmaster License

Weighmaster

CROSBY & OVERTON, INC.
1610 W 17TH STREET
LONG BEACH, CA 90813-1295
Attn: LINDA ALONSO

License No: 009152
Total Fees Remitted: \$175.00
Issue Date: N/A
Revision Date: 8/16/2024

License Year: 9/1/2024 - 9/1/2025

The Weighmaster is responsible to renew this license. (Division 5, Chapter 7, Section 12707, Business and Professions Code)

THIS LICENSE SHALL BE AVAILABLE TO WEIGHTS AND MEASURES OFFICIALS AT EACH WEIGHING LOCATION.
This license is not transferable. Any change in ownership requires a new license.

Principal Location

1630 W 17TH ST.
LONG BEACH, CA 90813
COUNTY: LOS ANGELES
(562) 432-5445

Additional Location(s) - 0

Only persons listed below may perform the functions of a Deputy Weighmaster for the licensed Weighmaster.

(Division 5, Chapter 7, Section 12703, Business and Professions Code)

For instructions on adding/deleting Deputies to your license, refer to the instruction sheet on our website.
<http://www.cdfa.ca.gov/dms/programs/wm/wm.html>.

Deputy Weighmaster(s) - 5

CASTILLO, JOSE L LOGAN, BENTON PATINO, FELIPE
PULIDO, NAZARIO SAENZ, JOSE

Number of vacant deputy positions: 0



Yana Garcia
Secretary for
Environmental Protection



Department of Toxic Substances Control

Meredith Williams, Ph.D.
Director
8800 Cal Center Drive
Sacramento, California 95826-3200



Gavin Newsom
Governor

February 27, 2024

Josephine Paragas
Plant Manager
Crosby & Overton
1630 W. 17th Street
Long Beach, California 90813

Certified Mail No.: 7020 1810 0000 6007 6884

FINANCIAL RESPONSIBILITY REVIEW FINDINGS – CROSBY & OVERTON, 1630 W
17TH STREET, LONG BEACH, CALIFORNIA 90813, ENVIRONMENTAL PROTECTION
AGENCY IDENTIFICATION NUMBER CAD028409019

Dear Josephine Paragas:

On February 27, 2024, the California Environmental Protection Agency, Department of Toxic Substances Control (DTSC), conducted a financial responsibility review of Crosby & Overton at 1630 W 17th Street, Long Beach, California. The enclosed review describes the findings of the review.

Because no violations were discovered during the review, no written response to this letter is required. DTSC appreciates your efforts to comply with the financial assurance regulations.

All pertinent information derived from the inspection, including financial assurance documents are included as attachments to the review.

This report will become a public document; you may request that any trade secret or facility security information be withheld from public disclosure. (See Health and Safety Code section 25173)

If you wish to assert the trade secret privilege after you have reviewed the report, within 30 days from receipt of this letter, please provide specific answers to each of the following questions for each item:

- To what extent is there knowledge of the information conveyed by the photograph/document outside of your business?

Josephine Paragas
February 27, 2024
Page 2 of 3

- To what extent is there knowledge of the information conveyed by the photograph/document, by employees and others in your business?
- To what extent have measures been taken to guard the secrecy of the information?
- Is the information valuable to competitors? If so, why?
- Has there been substantial monetary expenditure in the development of the information?
- Could the information be easily and properly acquired or duplicated by others?

DTSC will review your response to these questions to determine if the information should be treated as trade secret and will notify you of its decision.

Pursuant to the Violations Scoring Procedure for Hazardous Waste Facility Operations regulations found at California Code of Regulations, title 22, sections 66271.50 through 66271.57, this financial responsibility review and report findings will be considered and scored by the Department of Toxic Substances Control (DTSC). DTSC's provisional inspection violation score for the attached financial responsibility review and, if applicable, any corresponding inspection report, will be mailed to your facility under separate cover by DTSC's Enforcement and Emergency Response Division.

If you have any questions regarding this letter, please contact Dawn Johnson at (916) 327-4500 or Elina Kolbach, Financial Responsibility Unit, at (916) 255-6404 or via email at elina.kolbach@dtsc.ca.gov.

Sincerely,

Original signed by Julie Mullins

Julie Mullins
Staff Services Manager I
Financial Responsibility Unit
Hazardous Waste Management Program

Enclosures

cc: see next page

Josephine Paragas
February 27, 2024
Page 3 of 3

cc: Linda Alonso
Crosby & Overton
1610 W. 17th Street
Long Beach, California 90813

Ellen Pates (w/o checklist enclosures)
Senior Environmental Scientist, Supervisory
Cypress and San Diego Enforcement Branch
Hazardous Waste Management Program
Department of Toxic Substances Control
5796 Corporate Avenue
Cypress, California 90630-4732

Dawn Johnson (w/o checklist enclosures)
Environmental Scientist
Cypress and San Diego Enforcement Branch
Hazardous Waste Management Program
Department of Toxic Substances Control
5796 Corporate Avenue
Cypress, California 90630-4732

Julie Mullins
Staff Services Manager I
Financial Responsibility Unit
Hazardous Waste Management Program
Department of Toxic Substances Control
8800 Cal Center Drive, 3rd Floor
Sacramento, California 95826-3200

Elina Kolbach
Associate Governmental Program Analyst
Financial Responsibility Unit
Hazardous Waste Management Program
Department of Toxic Substances Control
8800 Cal Center Drive, 3rd Floor
Sacramento, California 95826-3200



Yana Garcia
Secretary for
Environmental Protection



Department of Toxic Substances Control

Meredith Williams, Ph.D., Director
1001 "I" Street
P.O. Box 806
Sacramento, California 95812-0806



Gavin Newsom
Governor

September 27, 2024

Linda Alonso
Crosby & Overton
1610 W 17th Street
Long Beach, California 90813-1217

NOTICE OF 2024 FACILITY VIOLATIONS SCORING PROCEDURE SCORE AND COMPLIANCE TIER ASSIGNMENT

Dear Linda Alonso:

2024 Facility Violations Scoring Procedure (VSP) Score: 0.00
2024 Compliance Tier Assignment: Acceptable

The purpose of this letter is to provide Crosby & Overton, CAD028409019, located at 1630 West 17th Street, Long Beach, California 90813 (hereinafter, the "Facility") with the 2024 Facility VSP Score and 2024 compliance tier assignment pursuant to California Code of Regulations (CCR), title 22, section 66271.54, subdivision (c). The 2024 Facility VSP Score and compliance tier assignment do not constitute an enforcement action.

Based on the inspection violation scores for the Facility for the ten (10) year period beginning January 1, 2014, through December 31, 2023, DTSC calculated a Facility VSP Score of "0.00" for the Facility. A Facility VSP Score is the sum of the provisional or final inspection violation scores for each compliance inspection conducted during the preceding ten (10) year period, divided by the number of such inspections. (See 22 CCR, § 66271.54, subd. (a).)

A facility is assigned to one of three compliance tiers based on its Facility VSP Score:

- "Acceptable." A facility that receives a Facility VSP Score of less than 20 shall be designated as having a Facility VSP Score that is "acceptable". (See 22 CCR § 66271.54, subd. (b)(1).)
- "Conditionally Acceptable." A facility that receives a Facility VSP Score equal to or greater than 20 and less than 40 shall be designated as having a Facility VSP Score that is "conditionally acceptable." (See 22 CCR § 66271.54, subd. (b)(2).) Facilities that receive a

final compliance tier assignment of “conditionally acceptable” are required to comply with the additional requirements specified in CCR, title 22, section 66271.56.

- “Unacceptable.” A facility that receives a Facility VSP Score equal to or greater than 40 shall be designated as having a Facility VSP Score that is “unacceptable.” (See 22 CCR § 66271.54, subd. (b)(3).) DTSC is required to initiate permit denial, suspension, or revocation proceedings for facilities that receive a final compliance tier assignment of “unacceptable.” (See 22 CCR § 66271.57.)

As a result of the Facility’s Facility VSP Score, DTSC assigned the Facility to a compliance tier of **“Acceptable.”**

Compliance Tier Assignment Challenges

A facility’s compliance tier assignment of “acceptable” or “conditionally acceptable” becomes final after all inspection violation scores upon which the Facility VSP Score is based become final pursuant to CCR, title 22, section 66271.53, subdivision (d). Final compliance tier assignments of “acceptable” or “conditionally acceptable” are not subject to additional administrative dispute resolution. (See 22 CCR § 66271.54, subd. (e).) Owners or operators of facilities assigned to a compliance tier of “unacceptable” may challenge their compliance tier assignment pursuant to CCR, title 22, section 66271.57, subdivision (b). (See 22 CCR § 66271.54, subd. (f).)

Please direct any VSP inquiries, as follows:

VSP_Info@dtsc.ca.gov – for scoring process

VSP_Dispute_Inbox@dtsc.ca.gov – for dispute process

VSP_TierChallenge@dtsc.ca.gov – for compliance tier challenge process

<https://www.envirostor.dtsc.ca.gov/public/> - for permit, permitting process, or DTSC Permitting Project Manager.

Sincerely,

Maria Salomon

Maria Salomon
Branch Chief
Enforcement and Emergency Response Division

Enclosure(s)

Violation Scoring Matrix

Violation Scoring Matrix

Facility Name: CROSBY & OVERTON Address: 1630 WEST 17TH STREET, LONG BEACH, CA 90813 EPA ID: CA0028409019	10 Year Date Range: 2014-2023 Number of Inspections: 9 Total Number of Violations Scored: 0	Permit Effective Date: 8/22/2014 Permit Expiration Date: 8/21/2024 Date VSP Completed: 1/12/2024	LINK TO EMU8308 Inspection Reports, SOVs 8/22/2014 8/21/2024		
Inspection Date: 3/27/2014 CEI & CEI & FRR	Class Justification n/a	Extent of Deviation Potential for Harm	Repeat (Yes/No) n/a	Date(s) of Previous Violation n/a	Adjusted Score 0.00
Inspection Date: 6/27/2014 FRR	Class Justification n/a	Extent of Deviation Potential for Harm	Repeat (Yes/No) n/a	Date(s) of Previous Violation n/a	Adjusted Score 0.00
Inspection Date: 4/25/2017 CEI & CEI & FRR	Class Justification n/a	Extent of Deviation Potential for Harm	Repeat (Yes/No) n/a	Date(s) of Previous Violation n/a	Adjusted Score 0.00
Inspection Date: 5/20/2017 FRR	Class Justification n/a	Extent of Deviation Potential for Harm	Repeat (Yes/No) n/a	Date(s) of Previous Violation n/a	Adjusted Score 0.00
Inspection Date: 3/19/2018 FRR	Class Justification n/a	Extent of Deviation Potential for Harm	Repeat (Yes/No) n/a	Date(s) of Previous Violation n/a	Adjusted Score 0.00
Inspection Date: 2/12/2019 CEI & CEI & FRR	Class Justification n/a	Extent of Deviation Potential for Harm	Repeat (Yes/No) n/a	Date(s) of Previous Violation n/a	Adjusted Score 0.00
Inspection Date: 2/12/2019 CEI & CEI & FRR	Class Justification n/a	Extent of Deviation Potential for Harm	Repeat (Yes/No) n/a	Date(s) of Previous Violation n/a	Adjusted Score 0.00
Inspection Date: 2/25/2020 CEI & CEI & FRR	Class Justification n/a	Extent of Deviation Potential for Harm	Repeat (Yes/No) n/a	Date(s) of Previous Violation n/a	Adjusted Score 0.00
Inspection Date: 3/9/2021 FRR	Class Justification n/a	Extent of Deviation Potential for Harm	Repeat (Yes/No) n/a	Date(s) of Previous Violation n/a	Adjusted Score 0.00
Inspection Date: 4/11/2023 CEI & CEI & FRR	Class Justification n/a	Extent of Deviation Potential for Harm	Repeat (Yes/No) n/a	Date(s) of Previous Violation n/a	Adjusted Score 0.00

Violation Scoring Matrix

Facility Name: CROSBY & OVERTON Address: 1630 WEST 17TH STREET, LONG BEACH, CA 90813 EPA ID: CA0028409019	10 Year Date Range: 2014-2023 Number of Inspections: 9 Total Number of Violations Scored: 0	Permit Effective Date: 8/22/2014 Permit Expiration Date: 8/21/2024 Date VSP Completed: 1/12/2024	LINK TO EMU8308 Inspection Reports, SOVs 8/22/2014 8/21/2024		
Inspection Date: 4/11/2023 CEI & CEI & FRR	Class Justification n/a	Extent of Deviation Potential for Harm	Repeat (Yes/No) n/a	Date(s) of Previous Violation n/a	Adjusted Score 0.00
Inspection Date: 5/10/2023 FRR	Class Justification n/a	Extent of Deviation Potential for Harm	Repeat (Yes/No) n/a	Date(s) of Previous Violation n/a	Adjusted Score 0.00
Inspection Date: 4/11/2023 CEI/Transporter & CEI & FRR	Class Justification n/a	Extent of Deviation Potential for Harm	Repeat (Yes/No) n/a	Date(s) of Previous Violation n/a	Adjusted Score 0.00

FACILITY VIOLATIONS SCORING PROCEDURE SCORE			
Inspection Number	Inspection Type(s)	Inspection Date(s)	Inspection Violation Score
1	CEI & FRR	3/27/2014 CEI & 6/27/2014 FRR	0.00
2	CEI & FRR	6/20/2016 CEI & 7/27/2016 FRR	0.00
3	CEI & FRR	4/25/2017 CEI & 6/20/2017 FRR	0.00
4	CEI & FRR	2/22/2018 CEI & 3/19/2018 FRR	0.00
5	CEI & FRR	2/12/2019 CEI & 2/21/2019 FRR	0.00
6	CEI & FRR	2/25/2020 CEI & 3/11/2020 FRR	0.00
7	CEI & FRR	2/22/2021 CEI & 3/9/2021 FRR	0.00
8	CEI & FRR	4/11/2023 CEI & 5/10/2023 FRR	0.00
9	CEI & FRR	4/11/2023 CEI/Transporter & 5/7/2023 FRR	0.00
Sum of Inspection Violation Scores			0.00
*FACILITY VSP SCORE			0.00

*FACILITY VSP SCORE = Sum of Inspection Violation Scores/Total Number of Inspections conducted in 10 year (calendar) timeframe

Violation Scoring Matrix

Facility Name: CROSBY & OVERTON Address: 1630 WEST 17TH STREET, LONG BEACH, CA 90813 EPA ID: CAD028409019		10 Year Date Range: 2014-2023 Number of Inspections: 9 Total Number of Violations Scored: 0		Permit Effective Date: 8/22/2014 Permit Expiration Date: 8/21/2024 Date VSP Completed: 1/12/2024		Link to EnviroStor Inspection Reports: SOVs [Link]	
Inspection Date: Inspection Type: Class 1 Violations:	Class 1 Justification CEI & FRR	Citation	Violation n/a	Potential for Harm n/a	Potential for Harm Justification n/a	Extent of Deviation n/a	Extent of Deviation Justification n/a
6/20/2016 CEI & FRR	Class 1 Justification CEI & FRR		Violation	Potential for Harm	Potential for Harm Justification	Extent of Deviation	Extent of Deviation Justification
3/17/2014 CEI & FRR	Class 1 Justification CEI & FRR		No Class 1 Violations	n/a	n/a	n/a	n/a
4/25/2017 CEI & FRR	Class 1 Justification CEI & FRR		Violation	Potential for Harm	Potential for Harm Justification	Extent of Deviation	Extent of Deviation Justification
5/19/2018 CEI & FRR	Class 1 Justification CEI & FRR		No Class 1 Violations	n/a	n/a	n/a	n/a
3/22/2018 CEI & FRR	Class 1 Justification CEI & FRR		Violation	Potential for Harm	Potential for Harm Justification	Extent of Deviation	Extent of Deviation Justification
2/21/2019 CEI & FRR	Class 1 Justification CEI & FRR		No Class 1 Violations	n/a	n/a	n/a	n/a
2/25/2020 CEI & FRR	Class 1 Justification CEI & FRR		Violation	Potential for Harm	Potential for Harm Justification	Extent of Deviation	Extent of Deviation Justification
3/11/2020 CEI & FRR	Class 1 Justification CEI & FRR		No Class 1 Violations	n/a	n/a	n/a	n/a
2/22/2021 CEI & FRR	Class 1 Justification CEI & FRR		Violation	Potential for Harm	Potential for Harm Justification	Extent of Deviation	Extent of Deviation Justification
3/9/2021 CEI & FRR	Class 1 Justification CEI & FRR		No Class 1 Violations	n/a	n/a	n/a	n/a
4/11/2022 CEI & FRR	Class 1 Justification CEI & FRR		Violation	Potential for Harm	Potential for Harm Justification	Extent of Deviation	Extent of Deviation Justification
5/10/2022 CEI & FRR	Class 1 Justification CEI & FRR		No Class 1 Violations	n/a	n/a	n/a	n/a
3/2/2023 CEI & FRR	Class 1 Justification CEI & FRR		Violation	Potential for Harm	Potential for Harm Justification	Extent of Deviation	Extent of Deviation Justification
5/2/2023 CEI & FRR	Class 1 Justification CEI & FRR		No Class 1 Violations	n/a	n/a	n/a	n/a
8/22/2014	Repeat (Yes/No)	Repeat (Yes/No)	Initial Score	Adjusted Score	Inspection Violation Score:	Adjusted Score	Inspection Violation Score:
1/12/2024	n/a	n/a	n/a	n/a	0.00	0.00	0.00

Violation Scoring Matrix

Facility Name: CROSBY & OVERTON Address: 1630 WEST 17TH STREET, LONG BEACH, CA 90813 EPA ID: CAD028409019		10 Year Date Range: 2014-2023 Number of Inspections: 9 Total Number of Violations Scored: 0		Permit Effective Date: 8/22/2014 Permit Expiration Date: 8/21/2024 Date VSP Completed: 1/12/2024		Link to EnviroStor Inspection Reports: SOVs [Link]	
Inspection Date: Inspection Type: Class 1 Violations:	Class 1 Justification CEI & FRR	Citation	Violation n/a	Potential for Harm n/a	Potential for Harm Justification n/a	Extent of Deviation n/a	Extent of Deviation Justification n/a
4/11/2023 CEI & FRR	Class 1 Justification CEI & FRR		Violation	Potential for Harm	Potential for Harm Justification	Extent of Deviation	Extent of Deviation Justification
5/10/2022 CEI & FRR	Class 1 Justification CEI & FRR		No Class 1 Violations	n/a	n/a	n/a	n/a
3/2/2023 CEI & FRR	Class 1 Justification CEI & FRR		Violation	Potential for Harm	Potential for Harm Justification	Extent of Deviation	Extent of Deviation Justification
5/2/2023 CEI & FRR	Class 1 Justification CEI & FRR		No Class 1 Violations	n/a	n/a	n/a	n/a
3/27/2014 CEI & FRR	Class 1 Justification CEI & FRR		Violation	Potential for Harm	Potential for Harm Justification	Extent of Deviation	Extent of Deviation Justification
6/20/2016 CEI & FRR	Class 1 Justification CEI & FRR		No Class 1 Violations	n/a	n/a	n/a	n/a
4/25/2017 CEI & FRR	Class 1 Justification CEI & FRR		Violation	Potential for Harm	Potential for Harm Justification	Extent of Deviation	Extent of Deviation Justification
2/22/2018 CEI & FRR	Class 1 Justification CEI & FRR		No Class 1 Violations	n/a	n/a	n/a	n/a
2/12/2019 CEI & FRR	Class 1 Justification CEI & FRR		Violation	Potential for Harm	Potential for Harm Justification	Extent of Deviation	Extent of Deviation Justification
2/25/2020 CEI & FRR	Class 1 Justification CEI & FRR		No Class 1 Violations	n/a	n/a	n/a	n/a
2/22/2021 CEI & FRR	Class 1 Justification CEI & FRR		Violation	Potential for Harm	Potential for Harm Justification	Extent of Deviation	Extent of Deviation Justification
4/11/2023 CEI & FRR	Class 1 Justification CEI & FRR		No Class 1 Violations	n/a	n/a	n/a	n/a
5/2/2023 CEI & FRR	Class 1 Justification CEI & FRR		Violation	Potential for Harm	Potential for Harm Justification	Extent of Deviation	Extent of Deviation Justification
8/22/2014	Repeat (Yes/No)	Repeat (Yes/No)	Initial Score	Adjusted Score	Inspection Violation Score:	Adjusted Score	Inspection Violation Score:
1/12/2024	n/a	n/a	n/a	n/a	0.00	0.00	0.00



Yana Garcia
Secretary for
Environmental Protection



Department of Toxic Substances Control

Meredith Williams, Ph.D., Director
5796 Corporate Avenue
Cypress, California 90630



Gavin Newsom
Governor

March 26, 2024

Josephine Paragas
Crosby & Overton, Inc.
1610 W. 17th. St.
Long Beach, CA 90813

ISSUANCE OF INSPECTION REPORT AND NOTICE OF PROVISIONAL INSPECTION VIOLATION SCORE

Dear Josephine Paragas:

On February 14, 2024, and February 27, 2024, the Department of Toxic Substances Control (DTSC) conducted a Compliance Evaluation Inspection and Financial Responsibility Review of Crosby & Overton, Inc. CAD028409019, located at 1630 W 17th Street, Long Beach, California 90813. The purpose of this letter is to notify Crosby & Overton, Inc. of the results of this inspection and provide notice of the provisional inspection violation score calculated by DTSC for this inspection pursuant to California Code of Regulations (CCR), title 22, section 66271.53, subdivision (a).

As detailed in the enclosed inspection report and Financial Responsibility Review Findings¹, DTSC did not discover any violations of the Hazardous Waste Control Law and its implementing regulations during this inspection. DTSC appreciates your compliance efforts.

¹ While a copy of the Financial Responsibility Review Findings has been enclosed with this letter, Crosby & Overton, Inc. shall receive from the Financial Responsibility Unit, under separate cover, all pertinent information derived from the financial review, including any financial assurance documents.

Josephine Paragas
Crosby & Overton, Inc.
March 26, 2024
Page 2

All pertinent information derived by DTSC from this inspection, including documents and photographs, are included as attachments to the enclosed inspection report.

Please note that the enclosed inspection report will become a public document. Pursuant to Health and Safety Code section 25173 (<https://codes.findlaw.com/ca/health-and-safety-code/hsc-sect-25173.html>), you may request that any trade secret or facility security information be withheld from public disclosure.

If you wish to assert the trade secret privilege, please provide DTSC with detailed, written responses to each of the following questions within 10 days of receipt of this letter:

- To what extent is there knowledge of the information conveyed by the photograph/document outside of your business?
- To what extent is there knowledge of the information conveyed by the photograph/document, by employees and others in your business?
- To what extent have measures been taken to guard the secrecy of the information?
- Is the information valuable to competitors? If so, why?
- Has there been substantial monetary expenditure in the development of the information?
- Could the information be easily and properly acquired or duplicated by others?

DTSC will review your response to these questions to determine if the information should be treated as trade secret and will notify you of its decision prior to making the enclosed inspection report available to the public.

Provisional Inspection Violation Score: 0.00

Concurrent with this report, DTSC is providing you with the provisional inspection violation score calculated by DTSC for this inspection in the enclosed Violation Scoring Matrix. (See 22 CCR § 66271.53, subd. (b).) A provisional inspection violation score is the sum of the initial score of each Class I violation that occurred during this compliance

inspection,² including any adjustment to an initial Class I violation score based on repeat violations.³ (See 22 CCR § 66271.53, subd. (a).) The basis for the score for each Class I violation is also provided in the enclosed Violation Scoring Matrix.

Provisional Inspection Violation Score Dispute

An owner or operator of a facility may dispute a provisional inspection score pursuant to CCR, title 22, section 66271.53, subdivision (c) by filing a Provisional Inspection Violation Score Dispute Document (template available at <https://dtsc.ca.gov/violations-scoring-procedure/> under "VSP Links") within sixty (60) calendar days of this notice. All of the following information must be enclosed with the Dispute Document cover letter:

- A statement that describes in detail the factual and legal basis of the dispute and the relief sought;
- Any claimed erroneous facts, assumptions, approaches, or conclusions of law made by DTSC;
- A statement describing in detail any efforts already made by the owner or operator to resolve the dispute with DTSC; and
- Any photographs, documents, or any other material that supports the owner's or operator's position regarding the disputed provisional inspection violation score.

² A "compliance inspection" includes, but is not limited to, scheduled and unscheduled inspections by DTSC during which DTSC evaluates a "hazardous waste facility's compliance with any operating hazardous waste management requirement set out in statute, regulation, permit, order, stipulation, agreement, settlement document, judgment, decree, grant of authorization issued by DTSC, or other document establishing requirements upon operations at the facility." (22 CCR § 66271.50, subd. (a).) A compliance inspection may include, but is not limited to, the following inspection types: Compliance Evaluation Inspection, Facility Self Disclosure, Financial Record Review, Focused Compliance Inspection, and Follow-Up Inspection.

If a subsequent inspection is conducted that is considered by DTSC to be part of this compliance inspection, DTSC will issue an updated provisional inspection score concurrent with the related inspection report or findings. Once issued, the owner or operator of the facility can follow the dispute process outlined in this letter with respect to any newly scored Class I violations.

³ For purposes of calculating a facility's inspection violation score, DTSC may also consider Class II violations that meet the definition of a Class I violation as specified in CCR, title 22, section 66260.10. (See 22 CCR § 66271.50, subd. (d)(1).)

Josephine Paragas
Crosby & Overton, Inc.
March 26, 2024
Page 4


The owner or operator of a facility may request a one-time extension of up to sixty (60) calendar days to submit a dispute document (template available at <https://dtsc.ca.gov/violations-scoring-procedure/> under "VSP Links").

DTSC will issue a written decision, granting or denying, in whole or in part, the relief sought by the owner or operator of a facility disputing a provisional inspection violation score. A provisional inspection violation score will become the final inspection violation score consistent with DTSC's written decision. A provisional inspection violation score will also become the final inspection violation score if the owner or operator of a facility does not file a Dispute Document within sixty (60) calendar days of this notice.

Submit any questions regarding the provisional inspection violation score to VSP_Info@dtsc.ca.gov. If you have any questions regarding the dispute process, please contact VSP_Dispute_Inbox@dtsc.ca.gov.

If you have any questions regarding the inspection report, or if you wish to meet with DTSC to discuss any questions or concerns you have with the inspection or the report, please e-mail or call Dawn Johnson, Environmental Scientist, Dawn.Johnson@DTSC.ca.gov at 7.

Sincerely,


Ellen Pates (Mar 26, 2024 13:06 PDT)

Ellen Pates, Senior Environmental Scientist, Supervisor
Enforcement & Emergency Response Division
Cypress/San Diego Enforcement Branch

Ellen Pates

E-signed 2024-03-26 01:06PM PDT
Ellen.Pates@dtsc.ca.gov
CALEPA - Department of Toxic
Substance Control

Enclosure(s)

Inspection Report
Violation Scoring Matrix
Financial Responsibility Report Findings
Return Receipt Requested



**LOS ANGELES COUNTY
SANITATION DISTRICTS**
Converting Waste Into Resources

INDUSTRIAL WASTE
SECTION
1955 Workman Mill Road
Whittier, CA 90601
P.O. Box 4998
Whittier, CA 90607-4998
(562) 699-7411 Ext. 2900

**INDUSTRIAL WASTEWATER DISCHARGE PERMIT
REQUIREMENT LIST**

The approval and issuance of this permit requires compliance with the Wastewater Ordinance and is being made conditionally and subject to Crosby & Overton Incorporated being in compliance with all indicated items on this list and accompanying data sheet. Satisfactory evidence of compliance with these conditions should be supplied to the Districts where requested. Satisfactory evidence will consist of a minimum of written notification signed by a responsible company official, and in some cases may involve the submission of additional drawings and data, or verification by a Districts representative. Failure to comply with all items on the requirement list, including all deadlines specified, invalidates this approval and issuance. Invalidation of this permit will result in Crosby & Overton Incorporated being deemed to be operating without a valid permit and subject to immediate discontinuance of sewer services for industrial operations. Per Section 401 of the Districts' Wastewater Ordinance, this permit is not transferable.

FACILITY NAME	Crosby & Overton Incorporated
FACILITY ID	1422530
PERMIT NUMBER	001317
PERMIT TYPE	Industrial Waste - Standard
DATE OF APPROVAL	January 26, 2023
DATE OF EXPIRATION	January 25, 2028

1. Acceptable and Unacceptable Wastewater

Types of Wastewater That May Be Accepted and May not Be Accepted for Treatment

- a) Wastes accepted for treatment may not exceed the Districts' Phase I total cyanide limitation of 10 mg/l.
- b) The permittee is prohibited from accepting any wastes containing explosive materials or radioactive materials. In addition, wastes accepted for on-site treatment must not contain detectable quantities of organochlorinated pesticides (including DDT, DDE, DDD, chlordane, trans-nonachlor, oxychlordane, heptachlor, heptachlor epoxide, endrin, aldrin, dieldrin, hexachlorocyclohexane, and toxaphene) or polychlorinated biphenyls (PCBs). The permittee is also not allowed to accept any concentrated waste organic solvent for on-site treatment.
- c) The permittee shall not accept and treat any wastes regulated under Subpart A (Metals Treatment and Recovery Subcategory) of the Centralized Waste Treatment Category (40 CFR 437). The definitions for metal-bearing wastes can be found in 40 CFR 437.2.
- d) Prior to acceptance of any new type of commercial or industrial wastes not yet approved by the Districts, the permittee must demonstrate its capability of treating such new wastestreams by running a testing program. The Districts will review the performance data of the evaluation runs prior to determining whether Crosby & Overton, Inc. will be allowed to accept the new wastes proposed for on-site treatment. The identity of each new waste type will dictate whether additional effluent limitations apply.



**LOS ANGELES COUNTY
SANITATION DISTRICTS**
Converting Waste Into Resources

Certificate of Recognition

2021

Crosby & Overton Incorporated

(Facility ID: 1422530)

*for complying with U.S. EPA and
Los Angeles County Sanitation Districts
Industrial Wastewater Discharge Limits and Requirements*

*Robert C. Ferrante
Chief Engineer and General Manager*



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

DATE: 01/16/2025

EQUIPMENT LOCATED AT: 1610-30 W 17TH ST
LONG BEACH, CA 90813-1295

LEGAL OWNER CO. ID: 34149
OR OPERATOR CROSBY & OVERTON, INC.
1610 W 17TH ST
LONG BEACH, CA, 90813-1295

PERMIT/APPLICATION RENEWAL

PERMIT/ APPL NBR	EQUIPMENT DESCRIPTION	NEXT RENEWAL DATE
BILLING YEAR: 2024		
D70386	DUST COLLECTOR CARTRIDGE TYPE	01/01/2026
D70387	Activated Carbon Adsorber Drum Vent s.s.	01/01/2026
D70388	Activated Carbon Adsorber Drum Vent s.s.	01/01/2026
D70389	Activated Carbon Adsorber Drum Vent s.s.	01/01/2026
F90949	Activated Carbon Adsorber Drum Vent s.s.	01/01/2026
G68612	WASTE WATER SEPARATION	01/01/2026



CITY OF LONG BEACH, CALIFORNIA
BUSINESS LICENSE
OWNERSHIP NON-TRANSFERABLE
LICENSE EXPIRES: 10/17/2025

PREPARED: 10/28/2024
P33

THE LICENSEE NAMED BELOW IS AUTHORIZED TO OPERATE THE FOLLOWING:

ACCOUNT NUMBER:	BU88024970	BUSINESS TYPE: CONTRACTING – ENGINEERING
OWNER:	CROSBY & OVERTON, INC	
LOCATED AT:	1610 W 17TH ST	

AUTHORIZED BY: KEVIN RIPER
DIRECTOR OF FINANCIAL MANAGEMENT

—————
➔ **LICENSE HOLDER -- PLEASE NOTE** ←

THE TOP PORTION OF THIS FORM IS YOUR LICENSE. YOU MUST DISPLAY THE LICENSE IN A CONSPICUOUS PLACE ON THE BUSINESS PREMISES.

THE DATE YOUR LICENSE EXPIRES IS INDICATED ON THE FACE OF THE LICENSE. IF YOU DO NOT RECEIVE A RENEWAL NOTICE BY THE EXPIRATION DATE, CONTACT THE BUSINESS LICENSE DIVISION AT (562) 570-6211 OR SEND AN EMAIL TO LBBIZ@LONGBEACH.GOV.

NOTE: YOU ARE RESPONSIBLE FOR RENEWING THE LICENSE ON OR BEFORE THE LICENSE EXPIRATION DATE.

(PLEASE NOTIFY THE BUSINESS LICENSE DIVISION IF YOU ARE NO LONGER IN BUSINESS.)

PLEASE REPORT IMMEDIATELY ANY CHANGE IN OWNERSHIP, BUSINESS LOCATION, MAILING ADDRESS, OR BUSINESS ACTIVITY TO THE BUSINESS LICENSE DIVISION.

CROSBY & OVERTON, INC
1610 W 17TH ST
LONG BEACH CA 908131217





CITY OF LONG BEACH, CALIFORNIA
CERTIFIED UNIFIED PROGRAM AGENCY
UNIFIED PROGRAM FACILITY PERMIT
PERMIT EXPIRES ON: 10/31/2025

THE CUPA GRANTS THE FOLLOWING AUTHORIZATIONS TO THE PERMITTEE NAMED BELOW:

ACCOUNT NUMBER:	HC00001447	BUSINESS TYPE:	(1) HAZMAT/DISCLOS: Y
OWNER:	CROSBY & OVERTON INC		(2) TIERED PERMIT: N
LOCATED AT:	1630 W 17TH ST		(3) SPCC: N
DBA NAME:	CROSBY & OVERTON INC		(4) HAZWASTE GEN: Y
			(5) CALARP: N
			(6) HAZ MAT: Y
			(7) DISPENSING: N
			(8) UST # OF TANKS: N/A

AUTHORIZED BY: ALISON KING
CUPA EXECUTIVE DIRECTOR


PERMIT HOLDER - - PLEASE NOTE


THE PERSON, AGENCY, OR CORPORATION HEREON NAMED IS GRANTED A PERMIT TO OPERATE IN CONFORMITY WITH EXISTING FEDERAL AND STATE LAWS AND LOCAL ORDINANCES.

THIS PERMIT IS NOT TRANSFERABLE, AND MAY BE SUSPENDED OR REVOKED FOR JUST CAUSE OR FOR FAILING TO ADHERE TO THE FOLLOWING PERMIT CONDITIONS.

THE CUPA IS AUTHORIZED TO ADMINISTER THESE PROGRAMS PER SECTION 154100 ET SEQ OF TITLE 27 OF CCR:

- HAZARDOUS MATERIAL DISCLOSURE (BUSINESS PLAN) PROGRAM SHALL COMPLY WITH CH&SC DIV 20, CHAPTER 6.95, ARTICLE 1; CCR TITLE 19, DIVISION 2, CHAPTER 4; CCR TITLE 24, PART 9, CHAPTER 50.
- CALIFORNIA ACCIDENTAL RELEASE PREVENTION (CALARP)/RISK MANAGEMENT PLAN (RMP) PROGRAM SHALL COMPLY WITH CS&SC DIVISION 20, CHAPTER 6.95, ARTICLE 1; CCR TITLE 19, DIVISION 2, CHAPTER 4.5.
- ABOVEGROUND STORAGE/SPILL PREVENTION CONTROL (SPCC) PROGRAM SHALL COMPLY WITH CH&SC DIVISION 20, CHAPTER 6.67.
- HAZARDOUS WASTE GENERATOR PROGRAM SHALL COMPLY WITH CH&SC DIVISION 20, CHAPTER 6.5; CCR TITLE 22, DIVISION 4 AND 4.5.
- TIERED PERMIT ON-SITE HAZARDOUS WASTE TREATMENT (PBR/CA/CE) PROGRAM SHALL COMPLY WITH CH&SC DIV 20, CHAPTER 6.5; CCR TITLE 22, DIV 4 & 4.5.
- HAZARDOUS MATERIALS PROGRAM SHALL COMPLY WITH CCR TITLE 25, PART 9; CALIFORNIA FIRE CODE CHAPTER 50 AND APPENDIX H.
- MOTOR FUEL DISPENSING SHALL COMPLY WITH CH&SC DIV 20, CH 6.7 AND 6.75; CCR TITLE 23, CH 16 & 18; CCR TITLE 24, PART 9; CALIFORNIA FIRE CODE CHAPTER 23 (FIRE PERMIT F33 - AIRCRAFT REFUELING, FP37 - AUTO FUELING OR FP43A - MARINE FUELING).

CROSBY & OVERTON INC
ACCOUNTS PAYABLE
1610 W 17TH ST
LONG BEACH, CA 90813-1217





CITY OF LONG BEACH, CALIFORNIA
CERTIFIED UNIFIED PROGRAM AGENCY
UNIFIED PROGRAM FACILITY PERMIT
 PERMIT EXPIRES ON: 10/31/2025

THE CUPA GRANTS THE FOLLOWING AUTHORIZATIONS TO THE PERMITTEE NAMED BELOW:

ACCOUNT NUMBER:	HC00002572	BUSINESS TYPE:	(1) HAZMAT/DISCLOS: Y
OWNER:	CROSBY & OVERTON INC		(2) TIERED PERMIT: N
LOCATED AT:	1573 CANAL AVE		(3) SPCC: N
DBA NAME:	CROSBY & OVERTON INC		(4) HAZWASTE GEN: N
			(5) CALARP: N
			(6) HAZ MAT: Y
			(7) DISPENSING: N
			(8) UST # OF TANKS: N/A

AUTHORIZED BY: ALISON KING
 CUPA EXECUTIVE DIRECTOR


 PERMIT HOLDER -- PLEASE NOTE
 

THE PERSON, AGENCY, OR CORPORATION HEREON NAMED IS GRANTED A PERMIT TO OPERATE IN CONFORMITY WITH EXISTING FEDERAL AND STATE LAWS AND LOCAL ORDINANCES.

THIS PERMIT IS NOT TRANSFERABLE, AND MAY BE SUSPENDED OR REVOKED FOR JUST CAUSE OR FOR FAILING TO ADHERE TO THE FOLLOWING PERMIT CONDITIONS.

THE CUPA IS AUTHORIZED TO ADMINISTER THESE PROGRAMS PER SECTION 154100 ET SEQ OF TITLE 27 OF CCR:

- HAZARDOUS MATERIAL DISCLOSURE (BUSINESS PLAN) PROGRAM SHALL COMPLY WITH CH&SC DIV 20, CHAPTER 6.95, ARTICLE 1; CCR TITLE 19, DIVISION 2, CHAPTER 4; CCR TITLE 24, PART 9, CHAPTER 50.
- CALIFORNIA ACCIDENTAL RELEASE PREVENTION (CALARP)/RISK MANAGEMENT PLAN (RMP) PROGRAM SHALL COMPLY WITH CS&SC DIVISION 20, CHAPTER 6.95, ARTICLE 1; CCR TITLE 19, DIVISION 2, CHAPTER 4.5.
- ABOVEGROUND STORAGE/SPILL PREVENTION CONTROL (SPCC) PROGRAM SHALL COMPLY WITH CH&SC DIVISION 20, CHAPTER 6.67.
- HAZARDOUS WASTE GENERATOR PROGRAM SHALL COMPLY WITH CH&SC DIVISION 20, CHAPTER 6.5; CCR TITLE 22, DIVISION 4 AND 4.5.
- TIERED PERMIT ON-SITE HAZARDOUS WASTE TREATMENT (PBR/CA/CE) PROGRAM SHALL COMPLY WITH CH&SC DIV 20, CHAPTER 6.5; CCR TITLE 22, DIV 4 & 4.5.
- HAZARDOUS MATERIALS PROGRAM SHALL COMPLY WITH CCR TITLE 25, PART 9; CALIFORNIA FIRE CODE CHAPTER 50 AND APPENDIX H.
- MOTOR FUEL DISPENSING SHALL COMPLY WITH CH&SC DIV 20, CH 6.7 AND 6.75; CCR TITLE 23, CH 16 & 18; CCR TITLE 24, PART 9; CALIFORNIA FIRE CODE CHAPTER 23 (FIRE PERMIT F33 - AIRCRAFT REFUELING, FP37 - AUTO FUELING OR FP43A - MARINE FUELING).

CROSBY & OVERTON INC
ACCOUNTS PAYABLE
1610 W 17TH ST
LONG BEACH, CA 90813-1217



CITY OF LONG BEACH, CALIFORNIA
CERTIFIED UNIFIED PROGRAM AGENCY
UNIFIED PROGRAM FACILITY PERMIT
PERMIT EXPIRES ON: 10/31/2025

THE CUPA GRANTS THE FOLLOWING AUTHORIZATIONS TO THE PERMITTEE NAMED BELOW:

ACCOUNT NUMBER:	HC00004174	BUSINESS TYPE:	(1) HAZMAT/DISCLOS: Y
OWNER:	CROSBY & OVERTON INC		(2) TIERED PERMIT: N
LOCATED AT:	1640 W 16TH ST		(3) SPCC: N
DBA NAME:	CROSBY & OVERTON INC		(4) HAZWASTE GEN: N
			(5) CALARP: N
			(6) HAZ MAT: Y
			(7) DISPENSING: N
			(8) UST # OF TANKS: N/A

AUTHORIZED BY: ALISON KING
CUPA EXECUTIVE DIRECTOR

—————
➔ PERMIT HOLDER -- PLEASE NOTE ←

THE PERSON, AGENCY, OR CORPORATION HEREON NAMED IS GRANTED A PERMIT TO OPERATE IN CONFORMITY WITH EXISTING FEDERAL AND STATE LAWS AND LOCAL ORDINANCES.

THIS PERMIT IS NOT TRANSFERABLE, AND MAY BE SUSPENDED OR REVOKED FOR JUST CAUSE OR FOR FAILING TO ADHERE TO THE FOLLOWING PERMIT CONDITIONS.

THE CUPA IS AUTHORIZED TO ADMINISTER THESE PROGRAMS PER SECTION 154100 ET SEQ OF TITLE 27 OF CCR:

- HAZARDOUS MATERIAL DISCLOSURE (BUSINESS PLAN) PROGRAM SHALL COMPLY WITH CH&SC DIV 20, CHAPTER 6.95, ARTICLE 1; CCR TITLE 19, DIVISION 2, CHAPTER 4; CCR TITLE 24, PART 9, CHAPTER 50.
- CALIFORNIA ACCIDENTAL RELEASE PREVENTION (CALARP)/RISK MANAGEMENT PLAN (RMP) PROGRAM SHALL COMPLY WITH CS&SC DIVISION 20, CHAPTER 6.95, ARTICLE 1; CCR TITLE 19, DIVISION 2, CHAPTER 4.5.
- ABOVEGROUND STORAGE/SPILL PREVENTION CONTROL (SPCC) PROGRAM SHALL COMPLY WITH CH&SC DIVISION 20, CHAPTER 6.67.
- HAZARDOUS WASTE GENERATOR PROGRAM SHALL COMPLY WITH CH&SC DIVISION 20, CHAPTER 6.5; CCR TITLE 22, DIVISION 4 AND 4.5.
- TIERED PERMIT ON-SITE HAZARDOUS WASTE TREATMENT (PBR/CA/CE) PROGRAM SHALL COMPLY WITH CH&SC DIV 20, CHAPTER 6.5; CCR TITLE 22, DIV 4 & 4.5.
- HAZARDOUS MATERIALS PROGRAM SHALL COMPLY WITH CCR TITLE 25, PART 9; CALIFORNIA FIRE CODE CHAPTER 50 AND APPENDIX H.
- MOTOR FUEL DISPENSING SHALL COMPLY WITH CH&SC DIV 20, CH 6.7 AND 6.75; CCR TITLE 23, CH 16 & 18; CCR TITLE 24, PART 9; CALIFORNIA FIRE CODE CHAPTER 23 (FIRE PERMIT F33 - AIRCRAFT REFUELING, FP37 - AUTO FUELING OR FP43A - MARINE FUELING).

CROSBY & OVERTON INC
ACCOUNTS PAYABLE
1610 W 17TH ST
LONG BEACH, CA 90813-1217





CITY OF LONG BEACH, CALIFORNIA
ANNUAL FIRE PERMIT
PERMIT TO OPERATE
PERMIT EXPIRES ON: 09/17/2025

PREPARED: 09/18/2024
P114

THE PERMITTEE NAMED BELOW IS AUTHORIZED TO OPERATE THE FOLLOWING:

ACCOUNT NUMBER:	FP22015712	PERMIT TYPE(S):	ANNUAL FIRE PERMIT FP06C Comprsd
OWNER:	CROSBY & OVERTON INC		Gases Flammable 200-12k CFFP11C
SITE:	1630 W 17TH ST		Flam/Combust Liquid Class I/II/IIIAFP14A
DBA NAME:	CROSBY & OVERTON INC		HazMats CorrosivesFP14B HazMats Oxidizing
			MaterialsFP14H HazMats Toxic Materials

AUTHORIZED BY: ROBBIE GREGO
DEPUTY CHIEF/FIRE MARSHAL

—————

PERMIT HOLDER -- PLEASE NOTE

—————

THE TOP PORTION OF THIS FORM IS YOUR PERMIT. YOU MUST DISPLAY THE PERMIT IN A CONSPICUOUS PLACE ON THE BUSINESS PREMISES.

THE PERSON, AGENCY, OR ORGANIZATION HEREIN NAMED IS GRANTED A PERMIT TO OPERATE IDENTIFIED FACILITIES, EQUIPMENT, SYSTEMS, AND/OR PROCESSES SUBJECT TO APPLICABLE REQUIREMENTS AND RESTRICTIONS OF L.B.M.C TITLE 18.48 AND FIRE PREVENTION REQUIREMENTS.

THE DATE YOUR PERMIT EXPIRES IS INDICATED ON THE FACE OF THE PERMIT. IF YOU DO NOT RECEIVE A RENEWAL NOTICE BY THE EXPIRATION DATE, CONTACT THE BUREAU OF FIRE PREVENTION AT (562) 570-2560.

NOTE: YOU ARE RESPONSIBLE FOR RENEWING THE PERMIT ON OR BEFORE THE PERMIT EXPIRATION DATE.

(PLEASE NOTIFY THE BUREAU OF FIRE PREVENTION IF YOU ARE NO LONGER IN BUSINESS.)

PLEASE REPORT IMMEDIATELY ANY CHANGE IN OWNERSHIP, BUSINESS LOCATION, MAILING ADDRESS, OR BUSINESS ACTIVITY TO THE BUREAU OF FIRE PREVENTION.

**CROSBY & OVERTON INC
ACCOUNTS PAYABLE
1610 W 17TH ST
LONG BEACH, CA 90813-1217**



ANNUAL FIRE PERMIT

PERMIT TO OPERATE

PERMIT EXPIRES ON: 10/02/2025

THE PERMITTEE NAMED BELOW IS AUTHORIZED TO OPERATE THE FOLLOWING:

ACCOUNT NUMBER:	FP22015719	PERMIT TYPE(S):	ANNUAL FIRE PERMIT
OWNER:	CROSBY & OVERTON INC		FP14A HazMats Corrosives
SITE:	SEE LOCATION		FP14H HazMats Toxic Materials
INCLUDES:	1640 W. 16TH STREET		
DBA NAME:	CROSBY & OVERTON INC		

AUTHORIZED BY: **ROBBIE GREGO**
DEPUTY CHIEF/FIRE MARSHAL

—————
➔ **PERMIT HOLDER -- PLEASE NOTE** ←

THE TOP PORTION OF THIS FORM IS YOUR PERMIT. YOU MUST DISPLAY THE PERMIT IN A CONSPICUOUS PLACE ON THE BUSINESS PREMISES.

THE PERSON, AGENCY, OR ORGANIZATION HEREIN NAMED IS GRANTED A PERMIT TO OPERATE IDENTIFIED FACILITIES, EQUIPMENT, SYSTEMS, AND/OR PROCESSES SUBJECT TO APPLICABLE REQUIREMENTS AND RESTRICTIONS OF L.B.M.C TITLE 18.48 AND FIRE PREVENTION REQUIREMENTS.

THE DATE YOUR PERMIT EXPIRES IS INDICATED ON THE FACE OF THE PERMIT. IF YOU DO NOT RECEIVE A RENEWAL NOTICE BY THE EXPIRATION DATE, CONTACT THE BUREAU OF FIRE PREVENTION AT (562) 570-2560.

NOTE: YOU ARE RESPONSIBLE FOR RENEWING THE PERMIT ON OR BEFORE THE PERMIT EXPIRATION DATE.

(PLEASE NOTIFY THE BUREAU OF FIRE PREVENTION IF YOU ARE NO LONGER IN BUSINESS.)

PLEASE REPORT IMMEDIATELY ANY CHANGE IN OWNERSHIP, BUSINESS LOCATION, MAILING ADDRESS, OR BUSINESS ACTIVITY TO THE BUREAU OF FIRE PREVENTION.

CROSBY & OVERTON INC
ACCOUNTS PAYABLE
1610 W 17TH ST
LONG BEACH, CA 90813-1217



CITY OF LONG BEACH, CALIFORNIA
PERMIT TO OPERATE
COMMERCIAL ALARM
PERMIT EXPIRES ON: 10/17/2025

THE CITY OF LONG BEACH HEREBY AUTHORIZES THE PERMITTEE NAMED BELOW TO OPERATE THE FOLLOWING:

ACCOUNT NUMBER:	AP05861800
OWNER:	INC CROSBY & OVERTON
LOCATED AT:	1610 W 17TH ST
ALARM TYPE:	COMMERCIAL ALARM

ALARM PERMITS ARE NON-TRANSFERRABLE

AUTHORIZED BY: KEVIN RIPER
DIRECTOR OF FINANCIAL MANAGEMENT

—————
➔ LICENSE HOLDER -- PLEASE NOTE ←

THE PERSON, FIRM OR CORPORATION HEREON NAMED IS GRANTED A PERMIT TO OPERATE IN CONFORMITY WITH EXISTING ORDINANCES REGULATING ALARM PERMITS.

INC CROSBY & OVERTON
ATTN MICHAEL SHLOUB
1610 W 17TH ST
LONG BEACH, CA 908131217

CHWMEG, Inc.

<https://chwmeq.org>

Worldwide Headquarters • 470 William Pitt Way • Pittsburgh, PA 15238 USA
Tel +1 (412) 826-3055 • Fax +1 (586) 461-1856 • administrator@chwmeq.org

Asia-Pacific Support • Singapore Land Tower
37th Floor, 50 Raffles Place • Singapore 048623
Tel +65 9237 8445 • Fax +65 6829 7070 • asia-pacific@chwmeq.org

Europe/Africa/Middle East Support • Warsaw Financial Centre - 14th Floor
Emilii Plater 53 • 00-113 Warsaw Poland
Tel +48 60 733 9012 • Fax +48 22 528 6701 • europe@chwmeq.org



April 27, 2023

Ms. Josephine Paragas
Plant Manager
Crosby & Overton, Inc.
1610 W. 17th Street
Long Beach, CA 90813

RE: Recent CHWMEG, Inc. Facility Review Conducted at Crosby & Overton, Inc.

Dear Ms. Paragas:

On behalf of CHWMEG, Inc.'s (CHWMEG) over 295 member enterprises, representing over 910 individual companies, I want to extend appreciation to you and the other staff at your facility for your support of the CHWMEG 2023 Facility Review Program (FRP) review recently completed at your facility. The member companies recognize and appreciate the level of effort required to support the facility review (see enclosed Membership List).

Your efforts enabled the interested CHWMEG member companies, which represent customers or potential customers of your facility, the benefit of receiving the information necessary for their individual contractor/vendor management programs. Further, your support of the CHWMEG process reduces the need to support multiple customer reviews from these individual companies.

CHWMEG continuously strives to improve its practices and procedures. CHWMEG's goals include streamlining the facility review processes and reducing costs. It is hoped that CHWMEG's efforts also benefit the reviewed facility. At your convenience, please complete the enclosed survey, and return it using the enclosed self-addressed, stamped envelope or by fax to +1 (586) 461-1856. Members of CHWMEG will review your feedback.

Also, please find enclosed a plaque recognizing the efforts of you and your colleagues in supporting the 2023 CHWMEG FRP review of your facility. You are encouraged to display this as you deem appropriate.

If you have any questions regarding the CHWMEG program, or wish to refer any of your customers or potential customers to CHWMEG, please contact Jeff Sacre, CHWMEG Administrator, at +1 (412) 826-3056 or via email at jeff_sacre@chwmeq.org. You can also contact CHWMEG's Asia-Pacific Director, Mr. David Chng, at +65 9237 8445 (email: asia-pacific@chwmeq.org) or European Director, Mr. Randy Mott, at +48 607 339 012 (email: europe@chwmeq.org).

Information about CHWMEG is always available on the internet at <https://chwmeq.org>.

Thank you again for your support and feedback.

Sincerely,

The 2022-2023 CHWMEG, Inc. Board of Directors



Kevin Bloomer
CHWMEG, Inc. Chair



Michael Cakouros
CHWMEG, Inc. Vice-Chair

Nick Burrows, Ph.D.
CHWMEG, Inc. Treasurer



Kendall Wilson
CHWMEG, Inc. Secretary




Mark Williamson
Board Member-at-Large



Douglas Mieritz
Board Member-at-Large



Mark Bonenberger
Board Member-at-Large



Chris Bryant
Board Member-at-Large



Deanna Ollerman
Board Member-at-Large

TK et al: jas

encl: CHWMEG, Inc. Membership List
Feedback Survey with Stamped, Return Envelope
Appreciation Plaque

cc: Ms. Raquel Angeles - Customer Service

tel: (562) 432-5445

email: jparagas@crosbyoverton.com



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

11/19/2024

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER GS Insurance Solutions Inc 5201 Great America Parkway Suite 320 Santa Clara CA 95054	CONTACT NAME: Robert Hess PHONE (A/C, No, Ext): (844) 694-7467 E-MAIL ADDRESS: robert@gsisol.com FAX (A/C, No): (844) 205-6744													
	<table border="1"> <thead> <tr> <th>INSURER(S) AFFORDING COVERAGE</th> <th>NAIC #</th> </tr> </thead> <tbody> <tr> <td>INSURER A : Everest Indemnity Insurance Company</td> <td>10851</td> </tr> <tr> <td>INSURER B : Everest Denali Ins. Co.</td> <td>16044</td> </tr> <tr> <td>INSURER C : Aspen Specialty Insurance Company</td> <td>10717</td> </tr> <tr> <td>INSURER D : State Compensation Insurance Fund</td> <td>35076</td> </tr> <tr> <td>INSURER E : Axis Surplus Insurance Co</td> <td>26620</td> </tr> <tr> <td>INSURER F :</td> <td></td> </tr> </tbody> </table>	INSURER(S) AFFORDING COVERAGE	NAIC #	INSURER A : Everest Indemnity Insurance Company	10851	INSURER B : Everest Denali Ins. Co.	16044	INSURER C : Aspen Specialty Insurance Company	10717	INSURER D : State Compensation Insurance Fund	35076	INSURER E : Axis Surplus Insurance Co	26620	INSURER F :
INSURER(S) AFFORDING COVERAGE	NAIC #													
INSURER A : Everest Indemnity Insurance Company	10851													
INSURER B : Everest Denali Ins. Co.	16044													
INSURER C : Aspen Specialty Insurance Company	10717													
INSURER D : State Compensation Insurance Fund	35076													
INSURER E : Axis Surplus Insurance Co	26620													
INSURER F :														
INSURED Crosby & Overton, Inc. 1610 W. 17th Street Long Beach CA 90813														

COVERAGES **CERTIFICATE NUMBER:** CL24111984842 **REVISION NUMBER:**


THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PRO. JECT <input type="checkbox"/> LOC <input checked="" type="checkbox"/> OTHER: Deductible: \$5,000			EF1CE00047-241	11/20/2024	11/20/2025	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 300,000 MED EXP (Any one person) \$ 25,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000
B	AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> NON-OWNED AUTOS ONLY <input type="checkbox"/> AUTOS ONLY			EF1CA00114-241	11/20/2024	11/20/2025	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$
A	<input checked="" type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED RETENTION \$			EF1XS00055-241	11/20/2024	11/20/2025	EACH OCCURRENCE \$ 2,000,000 AGGREGATE \$ 2,000,000 \$
D	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below		Y/N Y N/A	9272344-24	04/01/2024	04/01/2025	<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER E.L. EACH ACCIDENT \$ 1,000,000 E.L. DISEASE - EA EMPLOYEE \$ 1,000,000 E.L. DISEASE - POLICY LIMIT \$ 1,000,000
A	Professional Liability			EF1CE00047-241	11/20/2024	11/20/2025	Limit: \$ 1,000,000 Deductible: \$ 25,000 Retro Date: 11/20/2022

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Auto Physical Damage:
 Comprehensive Deductible: \$ 5,000
 Collision Deductible: \$ 5,000

CERTIFICATE HOLDER**CANCELLATION**

For Information Only	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
	AUTHORIZED REPRESENTATIVE 

© 1988-2015 ACORD CORPORATION. All rights reserved.