



**CROSBY & OVERTON, INC.**  
ENVIRONMENTAL SERVICES

**AUDIT PACKAGE**

**April 1, 2025**



**CROSBY & OVERTON, INC.**  
ENVIRONMENTAL SERVICES

TABLE OF CONTENTS

	Page
General Facility Information	1 - 5
EPA: Acknowledgement of Notification of Hazardous Waste Activity (EPA ID # CAD028409019)	6
United States Environmental Protection Agency (EPA) CERCLA Approval	7
Hazardous Waste Facility Permit	8
Table of Acceptable "EPA and State Codes"	9
<i>California State Environmental Laboratory Accreditation Program: Certificate No. 1568</i>	10 - 15
• Pollution Proficiency Testing Certificate for WP-343, 345	16
• Certificate of Excellence for WP-332 Proficiency Test	17
• SOIL Proficiency Testing Certificate for SOIL-124	18
Transportation Authority	
• CA Hazardous Waste Transporter Registration	19
• CA Motor Carrier Permit	20
• CA Hazardous Materials Transportation License	21
• DTSC Hazardous Waste Transporter Registration Certificate	22
• Nevada Transportation Credentials	23
State of California Contractors State License	24
Weighmaster License	25
DTSC Letter of Receipt of Permit Renewal	26 -27
DTSC Financial Responsibility Review Findings	28 – 30
DTSC Inspection Report	31 - 32
DTSC Inspection Violation Score	33 - 34
L.A. County Industrial Wastewater Discharge Permit	35
County Sanitation Certificate of Recognition for Compliance	36
South Coast Air Quality Management District Permits	37
City of Long Beach Business and Fire Permit	38 - 39
Certified Unified Program Agency (CUPA)	40 - 41
CHWMEG Facility Review Program	42 - 43
Certificate of Liability Insurance	44

# Crosby & Overton, Inc.

## General Facility Information

### 1. GENERAL INFORMATION

Crosby & Overton, Inc.  
1610 W. 17<sup>th</sup> Street  
Long Beach, CA 90813

Phone: (562) 432-5445  
Fax: (562) 436-7540

SIC Code – 4953  
NAICS – 562211

Fed ID: 95-2048228

### 2. FACILITY INFORMATION

TSDF Plant #1 – Long Beach  
1630 W. 17<sup>th</sup> Street  
Long Beach, CA 90813  
Phone: (562) 432-5445  
Fax: (562) 495-2181

Transfer Station  
23285 Connecticut Street  
Hayward, CA 94545  
Phone: (510) 633-0336  
Fax: (510) 633-0759

EPA#: CAD028409019  
Hours: \*6:00am – 11:00pm

Contact Information:  
Sales-Ernie Jaramillo: (714) 715-2923  
Facility-Derryl Bailey: (510) 773-9195  
Office - Lisa Christensen: (510) 455-1002

\*Extended hours to accommodate your project or emergency needs

### 3. LONG BEACH FACILITY (PLANT) RCRA TSDF

- Years in operation: 75 years
- Approximate size of the TSDF: 43,600 square feet
- Previous company names: None
- Description of any environmental problems: None
- Permitted Capacity: Approximately 16,000,000 gallons of bulk liquid per year
- Drum Capacity: Throughput of 656 drums per day
- Ownership of Land: Crosby & Overton, Inc.
- Surrounding Neighborhood: C & O is located in a heavy industrial area of Long Beach with no residential use in the immediate area.
  
- **Climatic Conditions:** The site is located in an area with moderate temperatures year round.
  
- **Site Topography:** The site is approximately 10 ft. above sea level. The entire facility is surrounded by an 8 ft. security fence. Access control is by 3-30 ft. gates which remain closed except when waste transporters are entering or leaving the facility. The site is completely surrounded by berms which are a minimum of 10 inches high. The facility has a minimum of 8 inches of concrete beneath the entire facility and has a rainwater collection system.

#### A. ACCEPTABLE WASTE STREAMS

1. Bulk Liquids for On-Site Treatment
  - Non Hazardous Liquids
  - Non RCRA & RCRA (see Table 1 for acceptable codes)
  
2. Drummed Liquids and Solids \*
  - Non Hazardous
  - Non RCRA & RCRA (see Table 1 for acceptable codes)
  - Lab Packs
  - Household Hazardous Waste

*\*Roll-offs and Tri-walls acceptable for some waste streams*

#### B. UNACCEPTABLE WASTE STREAMS

1. Bulk Liquids
  - Waters with high concentrations of soluble contaminants
  - Waste w/ PCB's
  - Waste w/ Cyanides >1.20 mg/L
  - Waste w/ Sulfides >10 ppm (*high Sulfides may result in additional charges*)
  - Water w/ high metals
  - Water w/>49.9 % Hydrocarbons

## 2. Bulk Solids

- Because of space restrictions, C & O does not typically manage roll-off box quantities of solid waste.

## 3. Drummed Liquids & Solids

- Radioactive
- Biological
- Explosive
- PCBs

### C. TREATMENT PROCESS

Wastewater containing hydrocarbons and suspended solids are physically separated from the aqueous phase through filtration and centrifugation. The hydrocarbons are sent off for either fuels blending or recycling depending on the quality of the material. Solids which are not suspended are removed through gravity separation and sent to Landfill. Emulsified hydrocarbons are separated from the aqueous phase through chemical treatment and the remaining trace organics are removed through our carbon adsorption system.

### D. DISCHARGE LIMITS

Crosby & Overton discharges treated waste water to a POTW (Publicly Owned Treatment Works) under permit from Sanitation Districts of Los Angeles County. Prior to discharge, each batch of waste water is analyzed by C & O's State Certified Laboratory to ensure compliance with our strict effluent discharge limitations.

### E. DISPOSAL FACILITIES USED BY CROSBY & OVERTON

During the course of the waste treatment process at Crosby & Overton both hazardous and non-hazardous waste by-products are generated. Crosby & Overton utilizes only nationally recognized and permitted waste management companies for the disposal of these wastes. Whenever possible, Crosby & Overton will recycle the waste by-products, if recycling is not possible then the waste is incinerated. If incineration is not practicable, then the waste is landfilled.

Periodic audits are performed on all of the disposal facilities to ascertain overall compliance with applicable Federal, State and local regulations. These audits are also used to ensure waste is handled and disposed of in accordance with Crosby & Overton's instructions.

### F. DRUM STORAGE

The number of hazardous waste drums the facility is permitted to store is 656. The drums are segregated and contained by hazard class in individual drum storage cells.

## **G. TANK STORAGE**

The facility operates 20 treatment tanks for a total capacity of 175,000 gallons (largest tank is 21,000 gallons), which are used to process non-hazardous, non-RCRA hazardous, and RCRA wastewaters under local, and Federal Centralized Waste Treatment regulations. All tanks vent to carbon, and are visually inspected daily, and undergo an annual physical inspection and professional engineer certification.

## **H. FACILITY SERVICES**

Crosby & Overton Inc. operates a state certified laboratory located on site which supports the facility needs. The laboratory runs the following tests for waste certification/disposal:

- Organics (liquids/solids) EPA 601/602, EPA 624, EPA 8021
- Title 22 CAM metals EPA 6010
- Colorimetric Test (sulfides, cyanides, COD)
- Ignitability EPA 1010
- pH
- Free Cyanides
- Metals (in water) EPA 6010B, EPA 200.7

Laboratory services are wastes handled at facility only. Crosby & Overton does not analyze waste for disposal at other facilities.

Crosby & Overton also has a trained field services crew that provides on-site waste classification, and lab-packing for shipment to the Plant (Long Beach TSDF).

## **I. SAFETY RECORD**

C & O is proud of our safety record. There has been two lost time injury in the past three years.

- 2022 – 0 lost time accident
- 2021 – 1 lost time accident
- 2020 – 1 lost time accident

## **J. CIVIL ACTIONS**

No pending

## **K. INSURANCE CERTIFICATES**

The following sample insurance certificates are enclosed: General Liability/Professional Services, Automobile Liability, Umbrella Liability, Pollution Liability, Property and Workers Compensation.

## **L. LICENSES AND PERMITS**

- California Environmental Protection Agency (CAL EPA), Department of Toxic Substances Control (DTSC), Region 4 – 10 Year Long Beach Hazardous Waste Facility Permit for RCRA and Non-RCRA Waste EPA ID Number: CAD 028409019 issued August 22, 2014
- California Hazardous Waste Transportation Registration No. 25
- South Coast Air Quality Management District  
Permit Number G68612 (waste water separation)  
Permit Number D70386 (dust collector cartridge type)  
Permit Number D70387 (activated carbon adsorber)  
Permit Number D70388 (activated carbon adsorber)  
Permit Number D70389 (activated carbon adsorber)  
Permit Number D70390 (activated carbon adsorber)
- State of California “A General Engineering“ License 450744
- State of California “Environmental Laboratory Accreditation Program”  
Crosby & Overton Analytical Laboratory Certificate No. 1568
- Los Angeles County Sanitation District  
Industrial Waste Discharge Permit No. 1317
- City of Long Beach  
Business License BU88024970  
CUPA Permit No. HC00001447  
CUPA Permit No. HC00002572  
CUPA Permit No. HC00004174  
Fire Permit No. FP22015719

## **M. CERTIFICATE S OF TREATMENT / RECEIPT**

The completed hazardous waste manifest, signed by the facility, serves as the certificate of treatment and receipt. However, if additional documentation is necessary, contact the Crosby & Overton Customer Service Department.

## **4. HAYWARD TRANSFER FACILITY**

Crosby & Overton operates an exempt 10-day transfer facility in Hayward California. Waste is transferred to the Long Beach Facility for further processing.



ACKNOWLEDGEMENT OF NOTIFICATION  
OF HAZARDOUS WASTE ACTIVITY

This is to acknowledge that you have filed a Notification of Hazardous Waste Activity for the installation located at the address shown in the box below to comply with Section 3010 of the Resource Conservation and Recovery Act (RCRA). Your EPA Identification Number for that installation appears in the box below. The EPA Identification Number must be included on all shipping manifests for transporting hazardous wastes; on all Annual Reports that generators of hazardous waste, and owners and operators of hazardous waste treatment, storage and disposal facilities must file with EPA; on all applications for a Federal Hazardous Waste Permit; and other hazardous waste management reports and documents required under Subtitle C of RCRA.

EPA I.D. NUMBER

CA0028409019

INSTALLATION ADDRESS

CROSSY & OVERTON INC  
1620 W. 16TH ST.  
LONG BEACH CA 90815  
  
1620 W. 16TH ST.  
LONG BEACH CA 90815

EPA Form 0700-12A (4-80)





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
REGION IX  
75 Hawthorne Street  
San Francisco, CA 94105

NOV 13 1999

Environmental Affairs Manager  
Crosby & Overton  
1610 West 17th Street  
Long Beach, CA 90813

RE: Environmental Protection Agency Region 9 Determination of Acceptability  
under the CERCLA Off-Site Rule

In response to your request for approval to receive CERCLA waste at your facility, this letter serves to inform you that the U.S. Environmental Protection Agency (EPA), Region 9 has made an affirmative determination regarding the acceptability status of Crosby & Overton (CAD028409019) pursuant to the CERCLA Off-Site Rule, 40 CFR. §300.440. As of the date of this letter, Crosby & Overton may accept CERCLA waste generated as a result of a CERCLA remedial or removal action.

On September 16, 1993, EPA amended the National Oil and Hazardous Substances Pollution Contingency Plan (NCP), 40 CFR Part 300, by adding Section 300.440, now known as the Off-Site Rule ("Rule"). The Rule codifies the requirements contained in Section 121(d)(3) of CERCLA, 42 U.S.C. §9621 (d)(3), and incorporates many provisions of EPA's former Off-Site Policy. The Rule established criteria and procedures for determining whether facilities are acceptable for the receipt of CERCLA waste. A copy of the Rule as published in the Federal Register, is enclosed for your reference (58 Fed. Reg. 49200 - 49218, September 22, 1993).

The Rule requires that prior to a facility's initial receipt of CERCLA waste, EPA must determine that there are no relevant violations or relevant releases at the facility. Should any new information affecting this determination be obtained in the future, EPA reserves the right to re-evaluate the acceptability of Crosby and Overton to receive CERCLA waste in accordance with the Rule.

If you have any questions concerning this matter, please contact Kandice Bellamy, Region 9's CERCLA Off-Site Rule Coordinator, at (415) 744-2091.

Sincerely,

  
Rich Vaille, Chief  
State Programs & Compliance Branch



Department of Toxic Substances Control

**Yana Garcia**  
Secretary for  
Environmental Protection

Meredith Williams, Ph.D., Director  
9211 Oakdale Avenue  
Chatsworth, California 91311

**Gavin Newsom**  
Governor

March 22, 2024

*Via U.S. Certified Mail No. 7021 1970 0001 5302 3115*  
*Return Receipt Requested*

Ms. Linda Alonso  
Chief Executive Officer  
Crosby & Overton, Inc.  
1610 West 17th Street  
Long Beach, California, 90813  
LAlonso@crosbyoverton.com

ADMINISTRATIVE COMPLETENESS DETERMINATION FOR THE RCRA PERMIT RENEWAL APPLICATION FOR CROSBY & OVERTON, INC., 1610 WEST 17TH STREET, LONG BEACH, CALIFORNIA 90813, EPA ID NO. CAD 028 409 019

Dear Ms. Linda Alonso:

The Department of Toxic Substances Control (DTSC) received the Hazardous Waste Facility Permit Renewal Application, dated February 23, 2024, for the Crosby & Overton, Inc. located at 1630 West 17th Street, Long Beach, California.

DTSC has completed the initial review of the Permit Application and has determined that it is administratively complete. DTSC will now begin the technical review of the Permit Application. Pursuant to Cal. Code Regs, tit. 22 §66270.51(b), Crosby & Overton, Inc. expired permit will remain fully in effect and enforceable until the effective date of a new permit. DTSC will notify Crosby & Overton, Inc. if any deficiencies in the Permit Application are identified.

The expected project schedule is as follows:

Permitting Event	Due Date
Public Notice receipt of permit application	April 19, 2024

Ms. Linda Alonso  
Crosby & Overton, Inc.  
March 22, 2023  
Page 2

Issuance of First Notice of Deficiency (NOD)	August 26, 2024
Permittee's response to the First NOD	September 25, 2024
Issuance of Second NOD	November 25, 2024
Permittee's response to the Second NOD	December 26, 2024
Technical review completed	January 24, 2025
Public Notice for Draft Permit, Begin Public Comment Period	June 2, 2025
Issue Final Permit Decision	December 31, 2025

If you have any questions about this letter, please contact me at (818) 717-6693 or Roberto.Castro@dtsc.ca.gov.

Sincerely,

*Roberto Castro*

Roberto Castro  
Hazardous Substances Engineer  
Permitting Division  
Department of Toxic Substances Control

cc: Ms. Andora Sprecher  
Director  
A&S Environmental Management, Inc.  
aandsenv@gmail.com

Ms. Jessica Malberg  
Managing Consultant  
All4, Inc.  
jmalberg@all4inc.com

Ms. Muzhda Ferouz, P.E.  
Branch Chief, Permitting Division



**California Environmental Protection Agency  
Department of Toxic Substances Control**

**HAZARDOUS WASTE FACILITY PERMIT**

**Facility Name:**

Crosby & Overton, Inc.  
1630 West 17<sup>th</sup> Street  
Long Beach, California 90813-0000

**Facility Owner Name:**

Crosby & Overton, Inc.  
1610 West 17<sup>th</sup> Street  
Long Beach, California 90813-0000

**Operator Name:**

Crosby & Overton, Inc.  
1610 West 17<sup>th</sup> Street  
Long Beach, California 90813-0000

**Facility EPA ID Number:**

CAD028409019

**Effective Date:** August 22, 2014

**Expiration Date:** August 21, 2024

Pursuant to California Health and Safety Code section 25200, this Resource Conservation and Recovery Act (RCRA)-equivalent Hazardous Waste Facility Permit is hereby issued to Crosby & Overton, Inc. Facility at 1630 West 17<sup>th</sup> Street, Long Beach California 90813.

The Issuance of this Permit is subject to the terms and conditions set forth in Attachment A and the Part "B" Application (Operation Plan) dated February 14, 2014. The Attachment A consists of 47 pages including Appendices 1.

A handwritten signature in blue ink, appearing to read "F. Vakili".

Farshad T. Vakili, P.E.,  
Senior Hazardous Substances Engineer  
Office of Permitting  
Department of Toxic Substances Control  
Date:

Table I

*ACCEPTABLE DRUMMED EPA CODES*

D001	D002	D003	D004	D005	D006	D007	D008	D009	D010
D011	D012	D013	D014	D015	D018	D019	D020	D021	D022
D023	D024	D025	D026	D027	D028	D029	D030	D031	D032
D033	D034	D035	D036	D038	D039	D040	D041	D042	D043
F001	F002	F003	F004	F005	F006	F007	F008	F009	F010
F011	F012	F027	F037	F038					
K048	K049	K050	K051						
P001	P002	P004	P010	P011	P012	P014	P020	P021	P024
P028	P029	P030	P034	P037	P040	P041	P044	P045	P046
P050	P051	P054	P059	P060	P070	P071	P074	P088	P089
P098	P099	P104	P106	P108	P110	P121	P123		
U001	U002	U031	U032	U044	U056	U057	U070	U071	U072
U078	U079	U080	U081	U082	U092	U101	U108	U112	U121
U122	U123	U125	U129	U131	U140	U151	U154	U159	U161
U165	U166	U182	U188	U196	U210	U211	U220	U221	U223
U225	U226	U227	U228	U239	U247	U359			

*ACCEPTABLE STATE CODES*

121	122	123	131	132	133	134	135	141	151
162	171	172	181	211	212	213	214	221	222
223	231	232	241	251	252	261	271	272	281
291	311	331	341	342	343	351	352	411	421
431	441	451	461	481	491	511	512	513	521
541	551	561	571	591	611	612	725	741	751
791	792								

*ACCEPTABLE BULK EPA CODES*

D001	D008	D018	F037	F038	K048	K049	K050	K051
------	------	------	------	------	------	------	------	------

*ACCEPTABLE STATE CODES*

123	132	133	134	135	141	212	213	214	221
222	223	241	252	291	331	342	343	421	451
491	521	551	561						

If the code does not appear on this sheet, the code is *unacceptable*.



State Water Resources Control Board

April 10, 2023

Arturo M. Dayoan
Crosby & Overton Analytical Laboratory
1610 West 17th Street
Long Beach, CA 90813

Dear Arturo M. Dayoan:

Certificate No. 1568

Congratulations! This notice advises that the laboratory named above has been accredited as an environmental testing laboratory pursuant to the provisions of the California Health and Safety Code (HSC) Sections 100825-100920. The analyses for which this laboratory is accredited are shown on the enclosed "Fields of Accreditation" List.

The laboratory's accreditation begins on the date printed on the enclosed certificate. If you did not submit your application by the renewal deadline, there may be a lapse in your accreditation. You are responsible for ensuring no data is submitted for regulatory purposes during a period the laboratory is not accredited.

Be advised, the laboratory may have been denied accreditation for one or more analyses for which it applied due to failure to comply with regulatory requirements for application or accreditation. It is the laboratory's responsibility to review the enclosed documents and know which methods it has been accredited for. This accreditation is a final action of the State Water Resources Control Board subject to petition under HSC Section 116701 within 30 days. However, if you believe that an FOA has been left off of your accreditation in error, before you file a petition you may submit to ELAP within 30 days of this letter, an "Accreditation Inquiry Request Form" located at www.waterboards.ca.gov/elap identifying any mistakes or errors you believe occurred in your accreditation. ELAP will then review all timely submitted "Accreditation Inquiry Request Forms" and will make a final determination, which could then be petitioned to the State Water Resources Control Board. Failure to submit an "Accreditation Inquiry Request Form" to ELAP within 30 days of this letter or to timely petition ELAP's final decision to the State Water Resources Control Board will prohibit you from obtaining any further review of your accreditation. HSC Section 100890 lists the civil penalties for environmental laboratories that perform analyses for state regulatory purposes without a valid certificate.

Continued accreditation is contingent upon compliance with HSC Sections 100825-100920 and California Code of Regulations, Title 22, Division 4, Chapter 19, Certification of Environmental Laboratories. ELAP reserves the right to take enforcement action, including issuance of civil penalties, or suspension and revocation of the laboratory's ELAP certificate, for failure to comply with all applicable regulations, statutes and orders.

E. Jonathan Edwards, Chair | Elizabeth Schemel, Executive Director

1001 I Street, Sacramento, CA 95814 | Mailing Address: P.O. Box 180, Sacramento, CA 95812-0180 | www.waterboards.ca.gov



Thank you,



Christine Sotelo, Program Manager

California Environmental Laboratory Accreditation Program (CA ELAP)

E. Josepina Blazquez - owner | E. Christine Sotelo, Laboratory Director

1001 I Street, Sacramento, CA 95814 | Mailing Address: P.O. Box 100, Sacramento, CA 95812-0100 | [www.waterboards.ca.gov](http://www.waterboards.ca.gov)





STATE WATER RESOURCES CONTROL BOARD  
REGIONAL WATER QUALITY CONTROL BOARDS



CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

**CERTIFICATE OF  
ENVIRONMENTAL LABORATORY ACCREDITATION**

Is hereby granted to

**Crosby & Overton Analytical Laboratory**

1655 Canal Street

Long Beach, CA 90813

Scope of the certificate is limited to the  
"Fields of Accreditation"  
which accompany this Certificate.

Continued accredited status depends on compliance with applicable laws and regulations,  
proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of  
Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1568**

Effective Date: **8/1/2023**

Expiration Date: **7/31/2025**

Sacramento, California  
subject to forfeiture or revocation

Christine Sotelo, Program Manager  
Environmental Laboratory Accreditation Program





**CALIFORNIA STATE  
ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM  
Fields of Accreditation**



**Crosby & Overton Analytical Laboratory**

1655 Canal Street  
Long Beach, CA 90813  
Phone: 5624325445

Certificate Number: 1568  
Expiration Date: 7/31/2025

**Field of Accreditation:108 - Inorganic Constituents in Non-Potable Water**

108.005	001	Hydrogen Ion (pH)	EPA 150.2
108.023	001	Cyanide, Total	EPA 335.4
108.045	001	Chemical Oxygen Demand	EPA 410.4
108.053	002	Oil & Grease, Total Recoverable	EPA 1664 B
108.075	001	Residue, Non-filterable TSS	SM 2540 D-2011
108.125	001	Cyanide, Total	SM 4500-CN E-2011
108.137	001	Hydrogen Ion (pH)	SM 4500-H+ B-2011
108.201	001	Sulfide (as S)	SM 4500-S D-2011

**Field of Accreditation:109 - Metals and Trace Elements in Non-Potable Water**

109.623	003	Arsenic	EPA 200.7
109.623	007	Cadmium	EPA 200.7
109.623	008	Chromium	EPA 200.7
109.623	009	Cobalt	EPA 200.7
109.623	010	Copper	EPA 200.7
109.623	012	Lead	EPA 200.7
109.623	015	Nickel	EPA 200.7
109.623	017	Silver	EPA 200.7
109.623	019	Tin	EPA 200.7
109.623	022	Zinc	EPA 200.7
109.635	001	Mercury	EPA 245.1

**Field of Accreditation:110 - Volatile Organic Constituents in Non-Potable Water**

110.040	005	Benzene	EPA 624.1
110.040	006	Bromodichloromethane	EPA 624.1
110.040	007	Bromoform	EPA 624.1
110.040	008	Bromomethane (Methyl Bromide)	EPA 624.1
110.040	010	Carbon Tetrachloride	EPA 624.1
110.040	011	Chlorobenzene	EPA 624.1
110.040	012	Chloroethane	EPA 624.1
110.040	013	2-Chloroethyl vinyl Ether	EPA 624.1
110.040	014	Chloroform	EPA 624.1
110.040	015	Chloromethane (Methyl Chloride)	EPA 624.1
110.040	016	Dibromochloromethane (Chlorodibromomethane)	EPA 624.1
110.040	017	1,2-Dichlorobenzene	EPA 624.1

As of 8/1/2023 , this list supersedes all previous lists for this certificate number.  
Customers: Please verify the current accreditation standing with the State.

110.040	018	1,3-Dichlorobenzene	EPA 624.1
110.040	019	1,4-Dichlorobenzene	EPA 624.1
110.040	020	1,1-Dichloroethane	EPA 624.1
110.040	021	1,2-Dichloroethane (Ethylene Dichloride)	EPA 624.1
110.040	022	1,1-Dichloroethylene (1,1-Dichloroethene)	EPA 624.1
110.040	023	trans-1,2-Dichloroethylene (trans- 1,2 Dichloroethene)	EPA 624.1
110.040	024	1,2-Dichloropropane	EPA 624.1
110.040	025	cis-1,3-Dichloropropylene (cis 1,3 Dichloropropene)	EPA 624.1
110.040	026	trans-1,3-Dichloropropylene (trans-1,3 Dichloropropene)	EPA 624.1
110.040	029	Ethylbenzene	EPA 624.1
110.040	031	Methylene Chloride (Dichloromethane)	EPA 624.1
110.040	034	1,1,2,2-Tetrachloroethane	EPA 624.1
110.040	035	Tetrachloroethylene (Tetrachloroethene)	EPA 624.1
110.040	037	Toluene	EPA 624.1
110.040	038	1,1,1-Trichloroethane	EPA 624.1
110.040	039	1,1,2-Trichloroethane	EPA 624.1
110.040	040	Trichloroethylene (Trichloroethene)	EPA 624.1
110.040	041	Vinyl Chloride	EPA 624.1
110.040	042	m-Xylene	EPA 624.1
110.040	043	o-Xylene	EPA 624.1
110.040	044	p-Xylene	EPA 624.1
110.040	046	m+p-Xylene	EPA 624.1

**Field of Accreditation:114 - Inorganic Constituents in Hazardous Waste**

114.315	002	Antimony	EPA 6010 B
114.315	003	Arsenic	EPA 6010 B
114.315	004	Barium	EPA 6010 B
114.315	005	Beryllium	EPA 6010 B
114.315	007	Cadmium	EPA 6010 B
114.315	009	Chromium	EPA 6010 B
114.315	010	Cobalt	EPA 6010 B
114.315	011	Copper	EPA 6010 B
114.315	013	Lead	EPA 6010 B
114.315	016	Molybdenum	EPA 6010 B
114.315	017	Nickel	EPA 6010 B
114.315	019	Selenium	EPA 6010 B
114.315	020	Silver	EPA 6010 B
114.315	023	Thallium	EPA 6010 B
114.315	026	Vanadium	EPA 6010 B
114.315	027	Zinc	EPA 6010 B
114.535	001	Mercury	EPA 7471 A

**Field of Accreditation:115 - Leaching/Extraction Tests and Physical Characteristics of Hazardous Waste**

115.055	001	Waste Extraction Test (WET)	CCR Chapter11, Article 5, Appendix II
---------	-----	-----------------------------	---------------------------------------

115.085	001	Toxicity Characteristic Leaching Procedure (TCLP)	EPA 1311
115.135	001	Corrosivity - pH Determination	EPA 9045 C

---

**Field of Accreditation:130 - Inorganic constituents in Hazardous waste (Matrix Aqueous)**


---

130.010	002	Antimony	EPA 6010 B
130.010	003	Arsenic	EPA 6010 B
130.010	004	Barium	EPA 6010 B
130.010	005	Beryllium	EPA 6010 B
130.010	007	Cadmium	EPA 6010 B
130.010	009	Chromium	EPA 6010 B
130.010	010	Cobalt	EPA 6010 B
130.010	011	Copper	EPA 6010 B
130.010	013	Lead	EPA 6010 B
130.010	016	Molybdenum	EPA 6010 B
130.010	017	Nickel	EPA 6010 B
130.010	019	Selenium	EPA 6010 B
130.010	020	Silver	EPA 6010 B
130.010	023	Thallium	EPA 6010 B
130.010	026	Vanadium	EPA 6010 B
130.010	027	Zinc	EPA 6010 B
130.250	001	Mercury	EPA 7470 A

---

**Field of Accreditation:131 - Leaching/Extraction, Physical Characteristics in Hazardous Waste (Matrix Aqueous)**


---

131.060	001	Ignitability	EPA 1010
---------	-----	--------------	----------



A Waters Company

October 2, 2023

Arturo M. Dayoan  
Crosby & Overton Analytical Lab  
1610 West 17th St.  
Long Beach, CA 90813

Enclosed is your final report for ERA's WP-343 WatR™ Pollution Proficiency Testing (PT) study. Your final report includes an evaluation of all results submitted by your laboratory to ERA.

**Data Evaluation Protocols:** All analytes in ERA's WP-343 WatR™ Pollution Proficiency Testing study have been evaluated using the following tiered approach. If the analyte is listed in the most current TNI Fields of Proficiency Testing (FoPT) table the evaluation was completed by comparing the reported result to the acceptance limits generated using the criteria contained in the table and the evaluation criteria contained in the 2016 TNI Standard, Volume 3. If the analyte is not included in the TNI FoPT table, the reported result has been evaluated using the procedures outlined in ERA's Standard Operating Procedure for the Generation of Performance Acceptance Limits (SOP 730002268).

**Corrective Action Help:** As part of your accreditation(s), you may be required to identify the root cause of any "Not Acceptable" results, implement the necessary corrective actions, and then satisfy your PT requirements by participating in a Supplemental (QuiK™ Response) or future ERA PT study. ERA's technical staff is available to help your laboratory resolve any technical issues that may be impairing your PT performance and possibly affecting your routine data quality. Our laboratory and technical staff have many years of collective experience in performing the full range of environmental analyses. As part of our technical support, ERA offers QC samples that can be useful in helping you work through your technical issues.

Thank you for your participation in ERA's WP-343 WatR™ Pollution Proficiency Testing study. If you have any questions, please contact our Proficiency Testing Department at 1-800-372-0122.

Sincerely,

A handwritten signature in black ink, appearing to read "Craig Huff", with a stylized flourish at the end.

Craig Huff  
Senior Technical Manager

attachments



# CERTIFICATE OF RECOGNITION

ERA congratulates  
**Crosby & Overton Analytical Lab**  
**WP-343**

For your participation and successful evaluation, we recognize the performance of this laboratory for achieving acceptable evaluation in the following standards.

Demand	Hardness
Mercury	pH
Sulfide	Tin & Titanium
Total Cyanide	Trace Metals
Volatiles	



---

Craig Huff  
Senior Technical Manager



A Waters Company

November 29, 2023

Arturo M. Dayoan  
Crosby & Overton Analytical Lab  
1610 West 17th St.  
Long Beach, CA 90813

Enclosed is your final report for ERA's WP-345 WatR™ Pollution Proficiency Testing (PT) study. Your final report includes an evaluation of all results submitted by your laboratory to ERA.

**Data Evaluation Protocols:** All analytes in ERA's WP-345 WatR™ Pollution Proficiency Testing study have been evaluated using the following tiered approach. If the analyte is listed in the most current TNI Fields of Proficiency Testing (FoPT) table the evaluation was completed by comparing the reported result to the acceptance limits generated using the criteria contained in the table and the evaluation criteria contained in the 2016 TNI Standard, Volume 3. If the analyte is not included in the TNI FoPT table, the reported result has been evaluated using the procedures outlined in ERA's Standard Operating Procedure for the Generation of Performance Acceptance Limits (SOP 730002268).

**Corrective Action Help:** As part of your accreditation(s), you may be required to identify the root cause of any "Not Acceptable" results, implement the necessary corrective actions, and then satisfy your PT requirements by participating in a Supplemental (QuiK™ Response) or future ERA PT study. ERA's technical staff is available to help your laboratory resolve any technical issues that may be impairing your PT performance and possibly affecting your routine data quality. Our laboratory and technical staff have many years of collective experience in performing the full range of environmental analyses. As part of our technical support, ERA offers QC samples that can be useful in helping you work through your technical issues.

Thank you for your participation in ERA's WP-345 WatR™ Pollution Proficiency Testing study. If you have any questions, please contact our Proficiency Testing Department at 1-800-372-0122.

Sincerely,

A handwritten signature in black ink, appearing to read "Craig Huff", is written over a light blue horizontal line.

Craig Huff  
Senior Technical Manager

attachments



# CERTIFICATE OF EXCELLENCE

In recognition of the quality of your laboratory in proficiency testing for  
**WP-345**

## Crosby & Overton Analytical Lab

is issued this certificate of achievement by ERA. This laboratory has been recognized as a Laboratory of Excellence for achieving 100% acceptable data in this study which included 673 participating laboratories. This achievement is a demonstration of the superior quality of the laboratory in evaluation of the standards listed below.

Oil & Grease



---

Craig Huff  
Senior Technical Manager



A Waters Company

December 6, 2023

Arturo M. Dayoan  
Crosby & Overton Analytical Lab  
1610 West 17th St.  
Long Beach, CA 90813

Enclosed is your final report for ERA's SOIL-124 Proficiency Testing (PT) study. Your final report includes an evaluation of all results submitted by your laboratory to ERA.

Data Evaluation Protocols: All analytes in ERA's SOIL-124 Proficiency Testing study have been evaluated using the following tiered approach. If the analyte is listed in the most current TNI Fields of Proficiency Testing (FoPT) table the evaluation was completed by comparing the reported result to the acceptance limits generated using the criteria contained in the table and the evaluation criteria contained in the 2016 TNI Standard, Volume 3. If the analyte is not included in the TNI FoPT table, the reported result has been evaluated using the procedures outlined in ERA's Standard Operating Procedure for the Generation of Performance Acceptance Limits (SOP 730002268).

Corrective Action Help: As part of your accreditation(s), you may be required to identify the root cause of any "Not Acceptable" results, implement the necessary corrective actions, and then satisfy your PT requirements by participating in a Supplemental (Quik™Response) or future ERA PT study. ERA's technical staff is available to help your laboratory resolve any technical issues that may be impairing your PT performance and possibly affecting your routine data quality. Our laboratory and technical staff have many years of collective experience in performing the full range of environmental analyses. As part of our technical support, ERA offers QC samples that can be useful in helping you work through your technical issues.

Thank you for your participation in ERA's SOIL-124 Proficiency Testing study. If you have any questions, please contact our Proficiency Testing Department at 1-800-372-0122.

Sincerely,

A handwritten signature in black ink, appearing to read 'Craig Huff'.

Craig Huff  
Senior Technical Manager

attachments





# CERTIFICATE OF EXCELLENCE

In recognition of the quality of your laboratory in proficiency testing for

**SOIL-124**

**Crosby & Overton Analytical Lab**

is issued this certificate of achievement by ERA. This laboratory has been recognized as a Laboratory of Excellence for achieving 100% acceptable data in this study which included 281 participating laboratories. This achievement is a demonstration of the superior quality of the laboratory in evaluation of the standards listed below.

Corrosivity/pH in Soil  
Ignitability/Flashpoint  
Metals in Soil  
TCLP Metals in Soil



---

Craig Huff  
Senior Technical Manager



STATE OF CALIFORNIA  
DEPARTMENT OF CALIFORNIA HIGHWAY PATROL

**HAZARDOUS MATERIALS  
TRANSPORTATION LICENSE**  
CHP 360H (REV. 1/00) OPI 062

CONTROL NUMBER 272662	LICENSE NUMBER 223064	ISSUE DATE 8/1/2024	EFFECTIVE DATE 9/1/2024	EXPIRATION DATE 8/31/2025
CHP CARRIER NUMBER CA 302	LOCATION 530	<input type="checkbox"/> Duplicate <input type="checkbox"/> Initial	<input type="checkbox"/> Replacement <input checked="" type="checkbox"/> Renewal	

**PROPERTY OF THE CALIFORNIA HIGHWAY PATROL (CHP)**

The original valid license must be kept at the licensee's place of business as indicated on the license and a legible copy must be carried in any vehicle or combination transporting hazardous materials and must be presented to any CHP officer upon request. This license is NON-TRANSFERABLE and must be surrendered to the CHP upon demand or as required by law. A majority change in ownership or control of the licensed activity shall require a new license. This license may be renewed by submitting an application and appropriate fee to the CHP. Persons whose licenses have expired or are otherwise no longer valid must immediately cease the activity requiring a license. THERE IS NO GRACE PERIOD. For licensing information contact CHP, Commercial Vehicle Section at (916) 843-3400.

LICENSEE NAME AND PHYSICAL STATION ADDRESS (if different than below)

**CROSBY & OVERTON INC**  
**1630 W. 17TH ST.**  
**LONG BEACH CA, US 90813**

This carrier is on the special routing/safe stopping place mailing lists as indicated below:

- (HMX) Explosives subject to Division 14, California Vehicle Code (CVC).
- (HMPH) Poison Inhalation Hazard materials in bulk packages subject to Division 14.3, CVC.
- (HMRCQ) Highway Route Controlled Quantity radioactive materials subject to Division 14.5, CVC.

Any person who dumps, spills, or causes the release of hazardous materials or hazardous waste upon any highway shall immediately notify the CHP or the agency having jurisdiction for that highway. The minimum fine for failure to make the appropriate notification is \$2,000.00. (CVC Section 23112.5)

LICENSEE NAME AND MAILING ADDRESS

Attention: Linda Alonso  
**CROSBY & OVERTON INC**  
**1610 W. 17TH ST.**  
**LONG BEACH CA, US 90813**

**DEPARTMENT OF MOTOR VEHICLES**


Registration Operations Division MS H875  
 P.O. BOX 932370 Sacramento, CA. 94232-3700  
 (916) 657-8153



08/04/2016



CROSBY & OVERTON INC  
 1610 W. 17TH ST.  
 LONG BEACH, CA 90813

 <p><b>NON-EXPIRING MOTOR CARRIER PERMIT Combined Carrier</b></p>		
DEPARTMENT OF MOTOR VEHICLES Registration Operations Division P.O. BOX 932370 Sacramento, CA. 94232-3700  CROSBY & OVERTON INC 1610 W. 17TH ST. LONG BEACH, CA 90813	<b>Valid From:</b> 08/04/2016	<b>Valid Through:</b> Non-Expiring
	<b>CA#:</b> 0000302	
<p>The carrier named on this permit is subject to the Unified Carrier Registration Act (UCRA) of 2005, and is granted a non-expiring permit of the following classification:</p> <p style="text-align: center;"><b>Private Corporation</b></p> <p style="text-align: center;"><b>Not Valid for Intrastate Only Operations</b></p>		
<b>Pmt Date:</b> 08/04/2016	<b>Office #:</b> 154	
<b>Account #:</b> 660065	<b>Tech ID:</b> AG	
<b>Sequence #:</b> 0002	<b>Amt Paid:</b> \$154.00	

**!!!IMPORTANT REMINDERS!!!**

1. This non-expiring Motor Carrier Permit (MCP) will remain valid as long as you continue to conduct interstate operations. The Unified Carrier Registration Act (UCRA) of 2005 exempts combined carriers (carriers who operate both intra and interstate) from MCP requirements.
2. Federal Motor Carrier Safety Administration insurance requirements must be maintained.
3. If you commence intrastate only operations, you must renew your MCP.

California Relay Telephone Service for the deaf or hearing impaired from TDD Phones: 1-800-735-2929; from Voice Phones: 1-800-735-2922

UNITED STATES OF AMERICA  
DEPARTMENT OF TRANSPORTATION  
PIPELINE AND HAZARDOUS MATERIALS SAFETY ADMINISTRATION



**HAZARDOUS MATERIALS  
CERTIFICATE OF REGISTRATION  
FOR REGISTRATION YEAR(S) 2024-2025**

**Registrant:** CROSBY & OVERTON, INC.

ATTN: Andora Sprecher  
1610 W 17TH ST  
LONG BEACH, CA 90813

This certifies that the registrant is registered with the U.S. Department of Transportation as required by 49 CFR Part 107, Subpart G.

This certificate is issued under the authority of 49 U.S.C. 5108. It is unlawful to alter or falsify this document.

**Reg. No: 061924550247G    Effective: July 1, 2024    Expires: June 30, 2025**

**HM Company ID: 174537**

**Record Keeping Requirements for the Registration Program**

The following must be maintained at the principal place of business for a period of three years from the date of issuance of this Certificate of Registration:

- (1) A copy of the registration statement filed with PHMSA; and
- (2) This Certificate of Registration

Each person subject to the registration requirement must furnish that person's Certificate of Registration (or a copy) and all other records and information pertaining to the information contained in the registration statement to an authorized representative or special agent of the U. S. Department of Transportation upon request.

Each motor carrier (private or for-hire) and each vessel operator subject to the registration requirement must keep a copy of the current Certificate of Registration or another document bearing the registration number identified as the "U.S. DOT Hazmat Reg. No." in each truck and truck tractor or vessel (trailers and semi-trailers not included) used to transport hazardous materials subject to the registration requirement. The Certificate of Registration or document bearing the registration number must be made available, upon request, to enforcement personnel.

For information, contact the Hazardous Materials Registration Manager, PHH-52, Pipeline and Hazardous Materials Safety Administration, U.S. Department of Transportation, 1200 New Jersey Avenue, SE, Washington, DC 20590, telephone (202) 366-4109.



**Yana Garcia**  
Secretary for  
Environmental Protection



**Department of Toxic Substances Control**

Meredith Williams, Ph.D., Director  
1001 I Street  
P.O. Box 806  
Sacramento, California 95812-0806



**Gavin Newsom**  
Governor

**Hazardous Waste Transporter Registration Certificate**

Name and Address of Registered Transporter:

CROSBY & OVERTON INC  
1610 W 17TH ST  
LONG BEACH, CA 90813

Transporter Registration Number: 0025

Effective Date: August 1, 2024

Expiration Date: August 30, 2025

This is to certify that the firm named above is duly registered to transport hazardous waste in the State of California in accordance with the provisions of Chapter 6.5, Division 20 of the Health and Safety Code and Title 22 of the California Code of Regulations, Division 4.5.

July 8, 2024

Authorized Signature

Date

Name and Title of Authorized Representative: Xavier Gaulman, Program Technician II

**This registration certificate must be carried with each shipment of hazardous waste. For registration information, please call 1-800-618-6942 or email [transporter@dtsc.ca.gov](mailto:transporter@dtsc.ca.gov).**

# Alliance for Uniform Hazmat Transportation Procedures Uniform Program Credentials



**ALLIANCE  
FOR UNIFORM  
HAZMAT  
TRANSPORTATION  
PROCEDURES**

CACHIMBAS TRANSPORT INC  
37117 SAVILLE PL  
PALMDALE CA 93550

USDOT CENSUS #: 3993399

MC #: 1498751

EPA TRANSPORTER ID #: N/A

PHMSA #: 051324550319GH

TELEPHONE NUMBER TO CALL IN CASE OF ACCIDENT OR EMERGENCY:  
**661-733-7280**

UNIFORM PROGRAM #: UPM3993399NV

CERTIFIED BY: T. HIGUERA

REGISTRATION ISSUED: **01 JULY 2025**

REGISTRATION EXPIRATION: **30 JUNE 2026**

ISSUING AGENCY: NEVADA HIGHWAY PATROL

AGENCY TELEPHONE NUMBER: 775-684-4622





CONTRACTORS  
STATE LICENSE BOARD  
ACTIVE LICENSE



License Number **450744** Entity **CORP**  
Business Name **CROSBY & OVERTON INC**

Classification(s) **A ASB HAZ**

Expiration Date **12/31/2025**

[www.csib.ca.gov](http://www.csib.ca.gov)





**Department of Food and Agriculture**  
Division of Measurement Standards

6790 Florin Perkins Rd., Ste. 100, Sacramento, California 95828-1812

Email: [dms@cdfa.ca.gov](mailto:dms@cdfa.ca.gov) Web Address: [www.cdfa.ca.gov/dms/programs/wm/wm.html](http://www.cdfa.ca.gov/dms/programs/wm/wm.html)

Phone # : (916) 229-3000 Fax # : (916) 229-3055

Remit fees payable to: **CDFA 90361**, PO Box 942872, Sacramento, CA 94271-2872

# Weighmaster License

**Weighmaster**

**CROSBY & OVERTON, INC.**  
1610 W 17TH STREET  
LONG BEACH, CA 90813-1295  
Attn: LINDA ALONSO

**License No: 009152**

**Total Fees Remitted: \$175.00**

**Issue Date: N/A**

**Revision Date: 8/16/2024**

## License Year: 9/1/2024 - 9/1/2025

The Weighmaster is responsible to renew this license. (Division 5, Chapter 7, Section 12707, Business and Professions Code)

**THIS LICENSE SHALL BE AVAILABLE TO WEIGHTS AND MEASURES OFFICIALS AT EACH WEIGHING LOCATION.**

This license is not transferable. Any change in ownership requires a new license.

**Principal Location**

1630 W 17TH ST.  
LONG BEACH, CA 90813  
COUNTY: LOS ANGELES  
(562) 432-5445

**Additional Location(s) - 0**

**Only persons listed below may perform the functions of a Deputy Weighmaster for the licensed Weighmaster.**

(Division 5, Chapter 7, Section 12703, Business and Professions Code)

**For instructions on adding/deleting Deputies to your license, refer to the instruction sheet on our website.**  
<http://www.cdfa.ca.gov/dms/programs/wm/wm.html>.

**Deputy Weighmaster(s) - 5**

CASTILLO, JOSE L  
PULIDO, NAZARIO

LOGAN, BENTON  
SAENZ, JOSE

PATINO, FELIPE

**Number of vacant deputy positions: 0**





**Yana Garcia**  
Secretary for  
Environmental Protection



## Department of Toxic Substances Control

Katherine M. Butler, MPH, Director  
8800 Cal Center Drive  
Sacramento, California 95826-3200



**Gavin Newsom**  
Governor

March 4, 2025

Linda Alonso  
Chief Executive Officer  
Crosby & Overton, Inc.  
1610 W. 17<sup>th</sup> Street  
Long Beach, California 90813

Certified Mail No.: 7019 1120 0000 7057 6792

FINANCIAL RESPONSIBILITY REVIEW FINDINGS – CROSBY & OVERTON, 1630 W. 17<sup>TH</sup> STREET, LONG BEACH, CALIFORNIA 90813, ENVIRONMENTAL PROTECTION AGENCY IDENTIFICATION NUMBER CAD028409019

Dear Linda Alonso:

On March 4, 2025, the California Environmental Protection Agency, Department of Toxic Substances Control (DTSC), conducted a financial responsibility review of Crosby & Overton at 1630 W 17<sup>th</sup> Street, Long Beach, California. The enclosed review describes the findings of the review.

Because no violations were discovered during the review, no written response to this letter is required. DTSC appreciates your efforts to comply with the financial assurance regulations.

All pertinent information derived from the inspection, including financial assurance documents are included as attachments to the review.

This report will become a public document; you may request that any trade secret or facility security information be withheld from public disclosure. (See Health and Safety Code section 25173)

If you wish to assert the trade secret privilege after you have reviewed the report, within 30 days from receipt of this letter, please provide specific answers to each of the following questions for each item:

- To what extent is there knowledge of the information conveyed by the photograph/document outside of your business?
- To what extent is there knowledge of the information conveyed by the

Linda Alonso  
March 4, 2025  
Page 2 of 3

photograph/document, by employees and others in your business?

- To what extent have measures been taken to guard the secrecy of the information?
- Is the information valuable to competitors? If so, why?
- Has there been substantial monetary expenditure in the development of the information?
- Could the information be easily and properly acquired or duplicated by others?

DTSC will review your response to these questions to determine if the information should be treated as trade secret and will notify you of its decision.

If you have any questions regarding this letter, please contact Roberto Castro at 818) 717-6693 or Elina Kolbach, Financial Responsibility Unit, at (916) 255-6404 or via email at [elina.kolbach@dtsc.ca.gov](mailto:elina.kolbach@dtsc.ca.gov).

Sincerely,



Julie Mullins  
Staff Services Manager I  
Financial Responsibility Unit  
Hazardous Waste Management Program

Enclosures

cc's: See next page

Linda Alonso  
March 4, 2025  
Page 3 of 3

cc: Phillip Blum (w/o checklist enclosures)  
Supervising Hazardous Substance Engineer I  
Permitting Division- Chatsworth  
Hazardous Waste Management Program  
Department of Toxic Substances Control  
9211 Oakdale Avenue  
Chatsworth, California 91311

Roberto Castro (w/o checklist enclosures)  
Hazardous Substance Engineer  
Permitting Division- Chatsworth  
Hazardous Waste Management Program  
Department of Toxic Substances Control  
9211 Oakdale Avenue  
Chatsworth, California 91311

Julie Mullins  
Staff Services Manager I  
Financial Responsibility Unit  
Hazardous Waste Management Program  
Department of Toxic Substances Control  
8800 Cal Center Drive, 3<sup>rd</sup> Floor  
Sacramento, California 95826-3200

Elina Kolbach  
Associate Governmental Program Analyst  
Financial Responsibility Unit  
Hazardous Waste Management Program  
Department of Toxic Substances Control  
8800 Cal Center Drive, 3<sup>rd</sup> Floor  
Sacramento, California 95826-3200



**Yana Garcia**  
Secretary for  
Environmental Protection



## Department of Toxic Substances Control

Meredith Williams, Ph.D., Director  
1001 "I" Street  
P.O. Box 806  
Sacramento, California 95812-0806



**Gavin Newsom**  
Governor

September 27, 2024

Linda Alonso  
Crosby & Overton  
1610 W 17<sup>th</sup> Street  
Long Beach, California 90813-1217

### NOTICE OF 2024 FACILITY VIOLATIONS SCORING PROCEDURE SCORE AND COMPLIANCE TIER ASSIGNMENT

Dear Linda Alonso:

**2024 Facility Violations Scoring Procedure (VSP) Score: 0.00**  
**2024 Compliance Tier Assignment: Acceptable**

The purpose of this letter is to provide Crosby & Overton, CAD028409019, located at 1630 West 17<sup>th</sup> Street, Long Beach, California 90813 (hereinafter, the "Facility") with the 2024 Facility VSP Score and 2024 compliance tier assignment pursuant to California Code of Regulations (CCR), title 22, section 66271.54, subdivision (c). The 2024 Facility VSP Score and compliance tier assignment do not constitute an enforcement action.

Based on the inspection violation scores for the Facility for the ten (10) year period beginning January 1, 2014, through December 31, 2023, DTSC calculated a Facility VSP Score of "**0.00**" for the Facility. A Facility VSP Score is the sum of the provisional or final inspection violation scores for each compliance inspection conducted during the preceding ten (10) year period, divided by the number of such inspections. (See 22 CCR, § 66271.54, subd. (a).)

A facility is assigned to one of three compliance tiers based on its Facility VSP Score:

- "Acceptable." A facility that receives a Facility VSP Score of less than 20 shall be designated as having a Facility VSP Score that is "acceptable". (See 22 CCR § 66271.54, subd. (b)(1).)
- "Conditionally Acceptable." A facility that receives a Facility VSP Score equal to or greater than 20 and less than 40 shall be designated as having a Facility VSP Score that is "conditionally acceptable." (See 22 CCR § 66271.54, subd. (b)(2).) Facilities that receive a

final compliance tier assignment of “conditionally acceptable” are required to comply with the additional requirements specified in CCR, title 22, section 66271.56.

- “Unacceptable.” A facility that receives a Facility VSP Score equal to or greater than 40 shall be designated as having a Facility VSP Score that is “unacceptable.” (See 22 CCR § 66271.54, subd. (b)(3).) DTSC is required to initiate permit denial, suspension, or revocation proceedings for facilities that receive a final compliance tier assignment of “unacceptable.” (See 22 CCR § 66271.57.)

As a result of the Facility’s Facility VSP Score, DTSC assigned the Facility to a compliance tier of **“Acceptable.”**

### **Compliance Tier Assignment Challenges**

A facility’s compliance tier assignment of “acceptable” or “conditionally acceptable” becomes final after all inspection violation scores upon which the Facility VSP Score is based become final pursuant to CCR, title 22, section 66271.53, subdivision (d). Final compliance tier assignments of “acceptable” or “conditionally acceptable” are not subject to additional administrative dispute resolution. (See 22 CCR § 66271.54, subd. (e).) Owners or operators of facilities assigned to a compliance tier of “unacceptable” may challenge their compliance tier assignment pursuant to CCR, title 22, section 66271.57, subdivision (b). (See 22 CCR § 66271.54, subd. (f).)

Please direct any VSP inquiries, as follows:

[VSP\\_Info@dtsc.ca.gov](mailto:VSP_Info@dtsc.ca.gov) – for scoring process

[VSP\\_Dispute\\_Inbox@dtsc.ca.gov](mailto:VSP_Dispute_Inbox@dtsc.ca.gov) – for dispute process

[VSP\\_TierChallenge@dtsc.ca.gov](mailto:VSP_TierChallenge@dtsc.ca.gov) – for compliance tier challenge process

<https://www.envirostor.dtsc.ca.gov/public/> - for permit, permitting process, or DTSC Permitting Project Manager.

Sincerely,

*Maria Salomon*

Maria Salomon  
Branch Chief  
Enforcement and Emergency Response Division

Enclosure(s)

Violation Scoring Matrix

### Violation Scoring Matrix

Facility Name: CROSBY & OVERTON		10 Year Date Range:		2014-2023		8/22/2014		Link to EnforceStar	
Address: 1630 WEST 17TH STREET, LONG BEACH, CA 90813		Number of Inspections:		9		8/21/2024		Inspection Reports: SOVs	
EPA ID: CAD028490919		Total Number of Violations Scored:		0		1/12/2024		[Esc.]	
Inspection Date:	Class / Justification	Citation	Potential for Harm	Extent of Deviation	Extent of Deviation Justification	Repeat (Yes/No)	Dates of Previous Violation	Adjusted Score	Inspection Violation Score:
3/27/2014 CEI & 6/27/2014 FRR CEI & FRR	n/a	n/a	Potential for Harm	n/a	n/a	n/a	n/a	n/a	0.00
Class 1 Violations: 0									
6/20/2016 CEI & 7/22/2016 FRR CEI & FRR	n/a	n/a	Potential for Harm	Extent of Deviation	Extent of Deviation Justification	n/a	n/a	n/a	0.00
Class 1 Violations: 0									
4/20/17 CEI & 2/29/2017 FRR CEI & FRR	n/a	n/a	Potential for Harm	Extent of Deviation	Extent of Deviation Justification	n/a	n/a	n/a	0.00
Class 1 Violations: 0									
2/22/2018 CEI & 3/19/2018 FRR CEI & FRR	n/a	n/a	Potential for Harm	Extent of Deviation	Extent of Deviation Justification	n/a	n/a	n/a	0.00
Class 1 Violations: 0									
2/25/2020 CEI & 3/11/2020 FRR CEI & FRR	n/a	n/a	Potential for Harm	Extent of Deviation	Extent of Deviation Justification	n/a	n/a	n/a	0.00
Class 1 Violations: 0									
2/25/2021 CEI & 3/9/2021 FRR CEI & FRR	n/a	n/a	Potential for Harm	Extent of Deviation	Extent of Deviation Justification	n/a	n/a	n/a	0.00
Class 1 Violations: 0									
2/22/2021 CEI & 3/11/2021 FRR CEI & FRR	n/a	n/a	Potential for Harm	Extent of Deviation	Extent of Deviation Justification	n/a	n/a	n/a	0.00
Class 1 Violations: 0									
2/22/2021 CEI & 3/9/2021 FRR CEI & FRR	n/a	n/a	Potential for Harm	Extent of Deviation	Extent of Deviation Justification	n/a	n/a	n/a	0.00
Class 1 Violations: 0									
4/11/2023 CEI/Transporter & 5/2/2023 FRR CEI & FRR	n/a	n/a	Potential for Harm	Extent of Deviation	Extent of Deviation Justification	n/a	n/a	n/a	0.00
Class 1 Violations: 0									
Inspection Violation Score: 0.00									

### Violation Scoring Matrix

Facility Name: CROSBY & OVERTON		10 Year Date Range:		2014-2023		8/22/2014		Link to EnforceStar	
Address: 1630 WEST 17TH STREET, LONG BEACH, CA 90813		Number of Inspections:		9		8/21/2024		Inspection Reports: SOVs	
EPA ID: CAD028490919		Total Number of Violations Scored:		0		1/12/2024		[Esc.]	
Inspection Date:	Class / Justification	Citation	Potential for Harm	Extent of Deviation	Extent of Deviation Justification	Repeat (Yes/No)	Dates of Previous Violation	Adjusted Score	Inspection Violation Score:
4/11/2023 CEI/Transporter & 5/2/2023 FRR CEI & FRR	n/a	n/a	Potential for Harm	n/a	n/a	n/a	n/a	n/a	0.00
Class 1 Violations: 0									
Inspection Violation Score: 0.00									
<b>FACILITY VIOLATIONS SCORING PROCEDURE SCORE</b>									
Inspection Number	Inspection Type(s)	Inspection Date(s)	Inspection Violation Score						
1	CEI & FRR	3/27/2014 CEI & 6/27/2014 FRR	0.00						
2	CEI & FRR	6/20/2016 CEI & 7/22/2016 FRR	0.00						
3	CEI & FRR	4/20/2017 CEI & 6/20/2017 FRR	0.00						
4	CEI & FRR	2/22/2018 CEI & 3/19/2018 FRR	0.00						
5	CEI & FRR	2/12/2019 CEI & 2/21/2019 FRR	0.00						
6	CEI & FRR	2/25/2020 CEI & 3/11/2020 FRR	0.00						
7	CEI & FRR	2/22/2021 CEI & 3/9/2021 FRR	0.00						
8	CEI & FRR	4/11/2023 CEI & 5/10/2023 FRR	0.00						
9	CEI & FRR	4/11/2023 CEI/Transporter & 5/2/2023 FRR	0.00						
Sum of Inspection Violation Scores			0.00						
<b>*FACILITY VSP SCORE = Sum of Inspection Violation Scores/Total Number of Inspections conducted in 10 year (calendar) timeframe</b>			<b>*FACILITY VSP SCORE</b>						